

**THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY
TWO MONTGOMERY STREET - 1st FLOOR
JERSEY CITY, NJ 07302**

May 23, 2018

ADDENDUM NO. 11

TO PROSPECTIVE BIDDERS ON CONTRACT **EWR-154.395** – NEWARK LIBERTY INTERNATIONAL AIRPORT – TERMINAL A REDEVELOPMENT PROGRAM BRIDGES N61, N62, N63, AT-GRADE ROADWAYS AND APPURTENANCES AND CONTRACT **EWR-154.395M** – NEWARK LIBERTY INTERNATIONAL AIRPORT – AGREEMENT TO PERFORM LANDSCAPE MAINTENANCE

The following changes are hereby made in the Contract Documents for the subject Contract.

This communication should be physically annexed to back cover of the book and initialed by each bidder before submitting his bid.

In case any bidder fails to conform to these instructions, his Bid will nevertheless be construed as though this communication had been so physically annexed and initialed.

CHANGES IN THE CONTRACT BOOKLET FOR CONTRACT EWR-154.395

Page 571 - Delete the text of A.2.b. in its entirety and substitute therefor "Overall thickness minimum: 13/16".


CHANGES IN THE CONTRACT DRAWINGS

- Dwg. G0104 - In the "GENERAL NOTES", immediately following Note 16. insert the following new note:
- "17. THE AUTHORITY WILL BE IDENTIFIED AS THE GENERATOR ON WASTE MANIFESTS AND ANY OTHER DOCUMENTATION SUBMITTED TO TRANSPORTERS, DISPOSAL FACILITIES AND ANY GOVERNMENTAL ENTITY FOR PRE-EXISTING HAZARDOUS MATERIALS TO BE DISPOSED AS PART OF THE WORK."
- Dwg. C0201 - Revise the drawing as shown in Sketch SK-C01 which is attached hereto and made a part hereof.
- Dwg. E1008 - Revise the drawing as shown in Sketch SK-E01 which is attached hereto and made a part hereof.


THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY

James Starace, P.E.
Chief Engineer/Director




INITIALLED BY THE BIDDER:



GRASS AND TOPSOIL




MILL ASPHALT CONCRETE PAVEMENT TO 2" BELOW FINISHED GRADE




6" DEPTH GRAVEL MULCH, SEE LANDSCAPE ARCHITECTURE CONTRACT DRAWINGS LS0212 AND LS0213 FOR DETAILS



RIP-RAP




CONCRETE BLOCK PAVER SALT SPLASH, SEE LANDSCAPE ARCHITECTURE CONTRACT DRAWINGS LS0212 AND LS0213 FOR DETAILS



GRADE, SHAPE, ADD 6" DEPTH OF SCREENED LOAM SOIL, ADD 2" DEPTH OF COMPOST, SEED AND APPLY HIGH PERFORMANCE FLEXIBLE GROWTH MEDIUM (SEE LANDSCAPE ARCHITECTURE CONTRACT DRAWINGS)

SKETCH SK-C01
ADDENDUM NO. 11

MATCH LINE - SEE CONTRACT DRAWING E1012



SKETCH SK-E01
ADDENDUM NO. 11