

# THE PORT AUTHORITY OF NY & NJ

PROCUREMENT DEPARTMENT  
2 MONTGOMERY STREET, 3<sup>RD</sup> FL.  
JERSEY CITY, NJ 07302

3/19/2013

## ADDENDUM #1

### To prospective Bidder(s) on Bid # 32682 for Supply and Delivery of Safety Vests – Two Year Requirements Contract

Due back on 4/5/2013, no later than 11:00 A.M.

### BIDDER'S QUESTIONS AND ANSWERS

The following information is available in response to questions submitted by prospective Bidders. The responses should not be deemed to answer all questions, which have been submitted by Bidders to the Port Authority. It addresses only those questions, which the Port Authority has deemed to require additional information and/or clarification. The fact that information has not been supplied with respect to any questions asked by a Bidders does not mean or imply, nor should it be deemed to mean or imply, any meaning, construction, or implication with respect to the terms.

The Port Authority makes no representations, warranties or guarantees that the information contained herein is accurate, complete or timely or that such information accurately represents the conditions that would be encountered during the performance of the Contract. The furnishing of such information by the Port Authority shall not create or be deemed to create any obligation or liability upon it for any reason whatsoever and each Bidder, by submitting its Bid, expressly agrees that it has not relied upon the foregoing information, and that it shall not hold the Port Authority liable or responsible therefor in any manner whatsoever. Accordingly, nothing contained herein and no representation, statement or promise, of the Port Authority, its Commissioners, officers, agents, representatives, or employees, oral or in writing, shall impair or limit the effect of the warranties of the Bidder required by this Bid or Contract and the Bidder agrees that it shall not hold the Port Authority liable or responsible therefor in any manner whatsoever.

The Questions and Answers numbering sequence will be continued sequentially in any forthcoming Addenda that may be issued.

<b>Question # 1</b>	What is the most recent contract pricing for the various vests?
<b>Answer #1</b>	Attached is the most recent contract for safety vests, Contract No. 4600008057 with S&H Uniform Corp., for informational purposes only.

PS11A11

This communication should be initialed by you and annexed to your Bid upon submission.

In case any Bidder fails to conform to these instructions, its Bid will nevertheless be construed as though this communication had been so physically annexed and initialed.

THE PORT AUTHORITY OF NY & NJ

KATHY LESLIE WHELAN, MANAGER  
COMMODITIES AND SERVICES DIVISION

BIDDER'S FIRM NAME: \_\_\_\_\_

INITIALED: \_\_\_\_\_

DATE: \_\_\_\_\_

QUESTIONS CONCERNING THIS ADDENDUM MAY BE ADDRESSED TO MARGARET D'EMIC, WHO CAN BE REACHED AT (201) 395-3410 or at mdemic@panynj.gov.



**THE PORT AUTHORITY OF NY & NJ**  
1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
One Aqueduct Road  
WHITE PLAINS NY 10606

**CONTRACT**

**Contract Number/Date**  
4600008057 / 12/23/2009  
**Contact person/Telephone**  
Margaret D'Emic/212-435-3910  
**Our fax number**  
212-435-3959

Valid from: 01/03/2010  
Valid to: 01/02/2012


Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

SAFETY VESTS - TWO YEAR REQUIREMENTS CONTRACT TO BEGIN ON 1/3/10.

Delivery within five working days from receipt of purchase orders.

00010 AS0100581

VEST.SAFETY, LARGE, lime green. 5-part breakaway with tear away shoulders, using matching 1" hook and loop.  
100% Modacrylic



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 2 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.	
			12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).	
			Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.	
			1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.	
			The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.	
			Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.	
			Matching double fold binding on all edges.	
			The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.	
			Labeled per ANSVISEA Standard	
			* ANSVISEA 107-2004 Class 2	
			* Compliance with flame resistant standard ASTM F-1506.	
00020	3,200 AS0100582	each	17.01	54,432.00

VEST, SAFETY, X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

**Bid No. 32682 - Addendum No. 1**



**THE PORT AUTHORITY OF NY & NJ**  
1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
One Aqueduct Road  
WHITE PLAINS NY 10606

Contract Number/Date  
4600008057 / 12/23/2009

Page 3 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.

Matching double fold binding on all edges.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.

Labeled per ANSI/ISEA Standard

- \* ANSI/ISEA 107-2004 Class 2

- \* Compliance with flame resistant standard ASTM-F-1506.

00030 4,500 AS0100583

each

17.01

76,545.00

VEST,SAFETY. 2X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 4 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.

Matching double fold binding on all edges.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.

Labeled per ANSI/ISEA Standard

\* ANSI/ISEA 107-2004 Class 2

\* Compliance with flame resistant standard ASTM F-1506.

00040 3.000 AS0100584

each

17.92

53,760.00

VEST, SAFETY, 3X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.




**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 5 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Matching double fold binding on all edges.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.</p> <p>Labeled per ANSI/ISEA Standard                      * ANSI/ISEA 107-2004 Class 2                      Compliance with flame resistant standard ASTM F-1506.</p>	
00050	1,500 AS0100585	each	17.92	26,880.00
			<p>VEST, SAFETY, 4X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.</p> <p>ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.</p> <p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Matching double fold binding on all edges.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the</p>	



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 6 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

			vertical right side between the reflective stripes.  Labeled per ANSI/ISEA Standard * ANSI/ISEA 107-2004 Class 2 * Compliance with flame resistant standard ASTM F-1506.	
00060	500 AS0100586	each	19.10	9,550.00

VEST, SAFETY, MEDIUM, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.


The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.

Matching double fold binding on all edges.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.

Labeled per ANSI/ISEA Standard  
 \* ANSI/ISEA 107-2004 Class 2



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 7 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			* Compliance with flame resistant standard ASTM F-1506.	
00070	1.500 AS0100587	each	16.10	24,150.00
			<p>VEST.SAFETY, 5X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.</p> <p>ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.</p> <p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Matching double fold binding on all edges.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.</p> <p>Labeled per ANSI/ISEA Standard                      * ANSI/ISEA 107-2004 Class 2                      * Compliance with flame resistant standard ASTM F-1506.</p>	
	75	each	19.10	1,432.50



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
One Aqueduct Road  
WHITE PLAINS NY 10606

Contract Number/Date  
4600008057 / 12/23/2009

Page 8 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
00080	AS0100588		<p>VEST,SAFETY, 6X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.</p> <p>ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.</p> <p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Matching double fold binding on all edges.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.</p> <p>Labeled per ANSI/ISEA Standard * ANSI/ISEA 107-2004 Class 2 * Compliance with flame resistant standard ASTM F-1506.</p>	
00090	AS0100589	20	each 20.28	405.60

VEST,SAFETY, 7X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009


Page 9 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			loop. 100% Modacrylic.  ANSI Certified. 1" 3M 8935 silver fire rated reflective stripping, sewn on.  12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).  Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.  1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.  The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.  Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.  Matching double fold binding on all edges.  The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.  Labeled per ANSI/ISEA Standard * ANSI/ISEA 107-2004 Class 2 * Compliance with flame resistant standard ASTM F-1506.	
00100	5 AS0100570	each	20.28	101.40

VEST, SAFETY (MEDIUM - 46 inches chest / 28.5 inches length), RED-ORANGE SAFETY VEST  
 SPECIFICATION:

BASE MATERIAL:

\* 2.5 Red-Orange 100% Polyester wicking material ANSI 107-2004 Compliant



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 10 Of 20

Item	Material Quantity	Unit	Description	Price per unit	Net value
------	----------------------	------	-------------	----------------	-----------

**ATTACHMENTS:**

- \* 2 inch wide Reflective High Gloss Material, Lime Yellow in color ANSI 107-2004 Compliant
- \* Plastic zipper matching color of background material
- \* Matching binding on all exposed edges

**CONSTRUCTION:**

- \* Background material smallest size to have 775 sq. inches meeting ASNI Class 2 requirements
- \* Reflective minimum 201 sq. inches meeting ASNI Class 2 requirements
- \* Pockets:  
 2 outside breast pockets, 1 right and 1 left  
 Right pocket 5 inch x 5 inch no divisions  
 Left pocket 5 inch x 5 inch with four divisions for pencils & markers  
 Two lower inside patch pocket 5 inch x 5 inch one on right side and one on left side

**REFLECTIVE STRIPPING:**

- \* 4 Vertical strips, 2 back and 2 front evenly spaced, right and left side shoulder to top of and covered by 1 horizontal stripe circling torso for 320 visibility.

All edges covered with binding

All stress points back stitched

Must be labeled per ASNSI 107-2004 instructions

00110	5 AS0100575	each		9.73	48.65
-------	----------------	------	--	------	-------

**VEST, SAFETY (LARGE - 51 inches chest / 28.5 inches length), RED-ORANGE SAFETY VEST SPECIFICATION:**

**BASE MATERIAL:**

- \* 2.5 Red-Orange 100% Polyester wicking material ANSI 107-2004 Compliant

**ATTACHMENTS:**

- \* 2 inch wide Reflective High Gloss Material, Lime Yellow in color ANSI 107-2004 Compliant
- \* Plastic zipper matching color of background material
- \* Matching binding on all exposed edges



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 460008057 / 12/23/2009

Page 11 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

**CONSTRUCTION:**

- \* Background material smallest size to have 775 sq. inches meeting ANSI Class 2 requirements
- \* Reflective minimum 201 sq. inches meeting ANSI Class 2 requirements
- \* Pockets:
- 2 outside breast pockets, 1 right and 1 left
- Right pocket 5 inch x 5 inch no divisions
- Left pocket 5 inch x 5 inch with four divisions for pencils & markers
- Two lower inside patch pocket 5 inch x 5 inch one on right side and one on left side

**REFLECTIVE STRIPPING:**

- \* 4 Vertical strips, 2 back and 2 front evenly spaced, right and left side shoulder to top of and covered by 1 horizontal stripe circling torso for 320 visibility.

All edges covered with binding  
 All stress points back stitched  
 Must be labeled per ANS1 107-2004 instructions

00120	50 AS0100578	each	10.63	531.50
-------	-----------------	------	-------	--------

**VEST, SAFETY (X-LARGE - 54 inches chest / 28.5 inches length), RED-ORANGE SAFETY VEST SPECIFICATION:**

**BASE MATERIAL:**

- \* 2.5 Red-Orange 100% Polyester wicking material ANSI 107-2004 Compliant

**ATTACHMENTS:**

- \* 2 inch wide Reflective High Gloss Material, Lime Yellow in color ANSI 107-2004 Compliant
- \* Plastic zipper matching color of background material
- \* Matching binding on all exposed edges

**CONSTRUCTION:**

- \* Background material smallest size to have 775 sq. inches meeting ANSI Class 2 requirements
- \* Reflective minimum 201 sq. inches meeting ANSI Class 2 requirements



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 12 Of 20

Item	Material	Unit	Description	Price per unit	Net value
------	----------	------	-------------	----------------	-----------

**\* POCKETS:**

2 outside breast pockets, 1 right and 1 left  
 Right pocket 5 inch x 5 inch no divisions  
 Left pocket 5 inch x 5 inch with four divisions for pencils & markers  
 Two lower inside patch pocket 5 inch x 5 inch one on right side and one on left side

**REFLECTIVE STRIPPING:**

\* 4 Vertical strips, 2 back and 2 front evenly spaced, right and left side shoulder to top of and covered by 1 horizontal stripe circling torso for 360 visibility.

All edges covered with binding  
 All stress points back stitched  
 Must be labeled per ANSI 107-2004 instructions

00130	100 AS0100595	each		10.63	1,063.00
-------	------------------	------	--	-------	----------

VEST,SAFETY, 10X-LARGE, Lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 13 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

Matching double fold binding on all edges.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.

Labeled per ANSVISEA Standard

\* ANSVISEA 107-2004 Class 2

\* Compliance with flame resistant standard ASTM F-1506.

00140	5 AS0100593	each	23.23	116.15
-------	----------------	------	-------	--------

VEST, SAFETY, 8 X-LARGE, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% Modacrylic.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.

Matching double fold binding on all edges.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes.



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
One Aqueduct Road  
WHITE PLAINS NY 10606

Contract Number/Date  
4600008057 / 12/23/2009

Page 14 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
00150	20 AS0100571	each	21.48	429.60

Labeled per ANSI/ISEA Standard  
\* ANSI/ISEA 107-2004 Class 2  
\* Compliance with flame resistant standard ASTM F-1506.

Vest, Safety Police - Size Small. lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% polyester fire rated NFPA701.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.


Microphone tab 1" x 2-1/2" below each shoulder.

Matching double fold binding on all edges.

The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.

Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 15 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

00160	300 AS0100572	each	12.77	3,831.00
-------	------------------	------	-------	----------

Vest, Safety Police - Size Medium. lime green. 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% polyester fire rated NFPA 701.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.

Microphone tab 1" x 2-1/2" below each shoulder.

Matching double fold binding on all edges.

The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.

The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.

Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).

150		each	12.77	1,915.50
-----	--	------	-------	----------



**THE PORT AUTHORITY OF NY & NJ**


1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
One Aqueduct Road  
WHITE PLAINS NY 10606

Contract Number/Date  
4600008057 / 12/23/2009

Page 16 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
00170	AS0100573		<p>Vest, Safety Police - Size Large, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% polyester fire rated NFPA701</p> <p>ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.</p> <p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Microphone tab 1" x 2-1/2" below each shoulder.</p> <p>Matching double fold binding on all edges.</p> <p>The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.</p> <p>Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).</p>	
	1,500	each	12.60	18,900.00
00180	AS0100574			



**THE PORT AUTHORITY OF NY & NJ**

1 Madison Avenue, 7th Floor, New York NY 10010


S & H UNIFORM CORP  
One Aqueduct Road  
WHITE PLAINS NY 10606

Contract Number/Date  
4600008057 / 12/23/2009

Page 17 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>Vest, Safety Police - Size X-Large. lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% polyester fire rated NFPA701.</p> <p>ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.</p> <p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Microphone tab 1" x 2-1/2" below each shoulder.</p> <p>Matching double fold binding on all edges.</p> <p>The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.</p> <p>Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).</p>	
00190	800 AS0100576	each	12.60	10,080.00

Vest, Safety Police - Size 2X-Large. lime green, 5-part breakaway with tear away shoulders, using matching 1" hook



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 18 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>and loop. 100% polyester fire rated NFPA701.</p> <p>ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.</p> <p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Microphone tab 1" x 2-1/2" below each shoulder.</p> <p>Matching double fold binding on all edges.</p> <p>The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.</p> <p>Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).</p>	
00200	650 AS0100577	each	14.43	9,379.50

Vest, Safety Police - Size 3X-Large, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% polyester fire rated NFPA701.



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 19 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.

12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper & velcro combination).

Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.

1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.

The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.

Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.

Microphone tab 1" x 2-1/2" below each shoulder.

Matching double fold binding on all edges.

The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.


The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.

Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).

00210	150 AS0100580	each	14.43	2,164.50
-------	------------------	------	-------	----------

Vest, Safety Police - Size 4X-Large, lime green, 5-part breakaway with tear away shoulders, using matching 1" hook and loop. 100% polyester fire rated NFPA701.

ANSI Certified, 1" 3M 8935 silver fire rated reflective stripping, sewn on.



**THE PORT AUTHORITY OF NY & NJ**  
 1 Madison Avenue, 7th Floor, New York NY 10010

S & H UNIFORM CORP  
 One Aqueduct Road  
 WHITE PLAINS NY 10606

Contract Number/Date  
 4600008057 / 12/23/2009

Page 20 Of 20

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>12" molded black non-conductive zipper front with 12" x 1/2" hook on either side of zipper (zipper &amp; velcro combination).</p> <p>Front horizontal strip must be 3" from bottom, utilizing the 2-1/2" reflective vest trim, and 1" loop sewn horizontally directly above and below the front trim panels only.</p> <p>1-1/2" vest trim placed vertically, shoulder to horizontal attachments, with two reflective stripes, one on the right and one on the left side, with approximately 2" spaces between both the front, back and horizontally on the back to match the side stripes.</p> <p>The side adjustment straps must be 5-1/2" x 10" to resemble the vertical reflective stripes, sewn in the binding. Vest must have two 6" x 1" hooks, one on top and one on the bottom to attach to the front panels.</p> <p>Double pencil pockets, 2-1/2" x 5" must be sewn onto the left side of vest.</p> <p>Microphone tab 1" x 2-1/2" below each shoulder.</p> <p>Matching double fold binding on all edges.</p> <p>The front lettering to read: "Police" on the vertical left side between the 1" reflective stripes.</p> <p>The back of the vest to read: "Port" on the vertical left side between the reflective stripes and "Authority" on the vertical right side between the reflective stripes. "Police" to be printed horizontally between the 1" stripes.</p> <p>Labeled per ANSI/ISEA Standard (ANSI/ISEA 207-2006).</p>	
	150	each	15.50	2,325.00

**298,040.90**

*Jane Ceterbo*  
 For Director,  
 Procurement Department