

THE PORT AUTHORITY OF NY & NJ
PROCUREMENT DEPARTMENT
4 WORLD TRADE CENTER
150 GREENWICH STREET, 21ST FLOOR
NEW YORK, NY 10007

2/13/2018

ADDENDUM #1

To prospective Bidders on Bid # 52016 - Supply And Deliver Assorted Vests In Accordance With Specifications - Two-Year- Two Year Requirements Contract

Due back on 3/1/18, no later than 11:00 A.M.
Originally Due back on 2/23/18, no later than 11:00 A.M.

I. CHANGES TO BID DOCUMENTS

The following changes are hereby made to the Bid documents:

- The bid due date has been extended until 3/1/18, no later than 11:00 a.m.

II. BIDDERS' QUESTIONS AND ANSWERS

The following information is available in response to questions submitted by prospective Bidders. The responses should not be deemed to answer all questions, which have been submitted by Bidders to the Port Authority. It addresses only those questions, which the Port Authority has deemed to require additional information and/or clarification. The fact that information has not been supplied with respect to any questions asked by Bidders does not mean or imply, nor should it be deemed to mean or imply, any meaning, construction, or implication with respect to the terms.

The Port Authority makes no representations, warranties or guarantees that the information contained herein is accurate, complete or timely or that such information accurately represents the conditions that would be encountered during the performance of the Contract. The furnishing of such information by the Port Authority shall not create or be deemed to create any obligation or liability upon it for any reason whatsoever and each Bidder, by submitting its Bid, expressly agrees that it has not relied upon the foregoing information, and that it shall not hold the Port Authority liable or responsible therefor in any manner whatsoever. Accordingly, nothing contained herein and no representation, statement or promise, of the Port Authority, its Commissioners, officers, agents, representatives, or employees, oral or in writing, shall impair or limit the effect of the warranties of the Bidder required by this Bid or Contract and the Bidder agrees that it shall not hold the Port Authority liable or responsible therefor in any manner whatsoever.

The Questions and Answers numbering sequence will be continued sequentially in any forthcoming Addenda that may be issued.

PS11A1

<i>Question #1</i>	Can you provide the name of the Contractor and the pricing for the current Contract?
<i>Answer #1</i>	Attached for informational purposes only is the current Contract with Abel Unlimited Inc.

The Port Authority of New York and New Jersey does not guarantee the relevancy of the pricing material as it may pertain to proposals solicited for other contracts. Vendors are cautioned that the use of this information, to determine future bid prices, or for any other purpose, shall be used at the vendor's own risk. Bid prices should be based on the company's costs, overhead and profit. The material requested may be based on a different specification and/or different quantity or delivery requirements than those in future solicitations.

This communication should be initialed by you and annexed to your Bid upon submission.

In case any Bidder fails to conform to these instructions, its Bid will nevertheless be construed as though this communication had been so physically annexed and initialed.

THE PORT AUTHORITY OF NY & NJ

SELENE ORTEGA, MANAGER

COMMODITIES AND SERVICES DIVISION
PROCUREMENT DEPARTMENT

BIDDER'S FIRM NAME: _____

INITIALED: _____

DATE: _____

QUESTIONS CONCERNING THIS ADDENDUM MAY BE ADDRESSED TO MARGARET D'EMIC, WHO CAN BE REACHED AT (212) 435-4609 or at mdemic@panynj.gov.



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

CONTRACT	
Contract Number/Date	4600010735 / 02/03/2016
Contact person/Telephone/Email	Margaret D'Emic/212-435-4609/mdemic@pa1nyj.gov
Our fax number	212-435-4697

Valid from: 02/05/2016
Valid to: 02/06/2018

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

SUPPLY AND DELIVER ASSORTED VESTS IN ACCORDANCE WITH SPECIFICATIONS - TWO-YEAR REQUIREMENTS CONTRACT

Contract term 2/05/2016 through 2/04/2018

00010 VE0100004

VEST, HI-VIS ECONOMY SAFETY VEST, LIME GREEN, NORTHERN #19886 OR
WN16000G LIGHTWEIGHT MESH, 100% POLYESTER CONSTRUCTION FEATURES HOOK & LOOP FRONT
CLOSURE & ELASTIC SIDE STRAP (THIS VEST IS USED BY WTC STAFF) IRONWEAR# 1260.

00020	530	each	1.47	779.10
	VE0100100			



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 2 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>VEST, SAFETY. SIZE SMALL. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:</p> <ol style="list-style-type: none"> 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA <p>SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:</p> <ol style="list-style-type: none"> 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: <ol style="list-style-type: none"> A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL</p>	
00030	194 VE0100105	each	4.45	863.30

VEST, SAFETY. SIZE MEDIUM. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 3 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00040	1,066 VE0100110	each	<p>7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:</p> <ol style="list-style-type: none"> 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: <ol style="list-style-type: none"> A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL</p>	4,743.70

VEST, SAFETY. SIZE LARGE. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA
SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:
 1. MANUFACTURER INFORMATION
 2. DESIGNATION OF THE PRODUCT TYPE
 3. SIZE DESIGNATION
 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:
 - A. ANSI/ISEA 107-2010
 - B. CLASS 2 LEVEL 2

THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE.
ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 4 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00050	1,732 VE0100115	each	4.45	7,707.40

VEST, SAFETY. SIZE EXTRA LARGE. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:
 - A. ANSI/ISEA 107-2010
 - B. CLASS 2 LEVEL 2

THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL

00060	1,577 VE0100120	each	4.45	7,017.65
-------	--------------------	------	------	----------

VEST, SAFETY. SIZE 2XL. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 5 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL	
00070	1,152 VE0100125	each	4.45	5,126.40
			VEST, SAFETY. SIZE 3XL. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010: 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2	



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 6 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00080	518 VE0100130	each	4.45 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL	2,305.10
00090	171 VE0100135	each	4.45 VEST, SAFETY. SIZE 4XL. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010: 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL	760.95
			VEST, SAFETY. SIZE 5XL. USED BY MAINTENANCE STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:	



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 7 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# FM411, LAKELAND INDUSTRIES# V+AM-OSP2GBV-L, IRONWEAR# 1263FR-BRL	
00100	9 VE0100200	each	4.45	40.05

VEST, SAFETY. SIZE SMALL. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.
 SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:
 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA
 SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:
 1. MANUFACTURER INFORMATION
 2. DESIGNATION OF THE PRODUCT TYPE



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 8 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 C. ARC RATING EBT = 5.5 CAL/CM2 D. ASTM F-1506 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK	
00110	8 VE0100205	each	39.97	319.76

VEST, SAFETY. SIZE MEDIUM. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET:
 A. ANSI/ISEA 107-2010
 B. CLASS 2 LEVEL 2



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 9 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00120	255 VE0100210	each	C. ARC RATING EBT = 5.5 CAL/CM2 D. ASTMF-1506 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK 39.97	10,192.35

VEST, SAFETY. SIZE LARGE. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET:

- A. ANSI/ISEA 107-2010
- B. CLASS 2 LEVEL 2
- C. ARC RATING EBT = 5.5 CAL/CM2
- D. ASTMF-1506

THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE.
OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 10 Of 26

Item	Material	Unit	Description	Price per unit	Net value
------	----------	------	-------------	----------------	-----------

00130	395 VE0100215	each		39.97	15,788.15
-------	------------------	------	--	-------	-----------

VEST, SAFETY. SIZE EXTRA LARGE. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE

SAFETY VEST MUST MEET:

- A. ANSI/ISEA 107-2010
- B. CLASS 2 LEVEL 2
- C. ARC RATING EBT = 5.5 CAL/CM2
- D. ASTM F-1506

THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK

00140	365 VE0100220	each		39.97	14,589.05
-------	------------------	------	--	-------	-----------



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 11 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>VEST, SAFETY. SIZE 2XL. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.</p> <p>SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:</p> <ol style="list-style-type: none"> 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA <p>SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:</p> <ol style="list-style-type: none"> 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET: <ul style="list-style-type: none"> A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 C. ARC RATING EBT = 5.5 CAL/CM2 D. ASTM F-1506 <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE.</p> <p>OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK</p>	
00150	394 VE0100225	each	39.97	15,748.18

VEST, SAFETY. SIZE 3XL. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 12 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH</p> <p>6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM</p> <p>7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA</p> <p>SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:</p> <p>1. MANUFACTURER INFORMATION</p> <p>2. DESIGNATION OF THE PRODUCT TYPE</p> <p>3. SIZE DESIGNATION</p> <p>4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET:</p> <p>A. ANSI/ISEA 107-2010</p> <p>B. CLASS 2 LEVEL 2</p> <p>C. ARC RATING EBT = 5.5 CAL/CM2</p> <p>D. ASTM F-1506</p> <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK</p>	
00160	237 VE0100230	each	39.97	9,472.89

VEST, SAFETY. SIZE 4XL. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 13 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET:</p> <p>A. ANSI/ISEA 107-2010</p> <p>B. CLASS 2 LEVEL 2</p> <p>C. ARC RATING EBT = 5.5 CAL/CM2</p> <p>D. ASTM F-1506</p> <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK</p>	
00170	I01 VE0100235	each	39.97	4,036.97

VEST, SAFETY. SIZE 5XL. USED BY ELECTRICAL STAFF. LIME GREEN. 5-PART BREAKAWAY WITH TEAR AWAY SHOULDERS. 100% MODACRYLIC.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION

4. NUMBER OF BELOW SPECIFICATION MINIMUM REQUIREMENTS THAT THE SAFETY VEST MUST MEET:

- A. ANSI/ISEA 107-2010
- B. CLASS 2 LEVEL 2
- C. ARC RATING EBT = 5.5 CAL/CM2
- D. ASTM F-1506

THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "PORT AUTHORITY" IN BLACK LETTERING. THE WORD "PORT" ON THE FIRST LINE AND "AUTHORITY" ON THE SECOND LINE. OCCUNOMIX# LUX-SSBRPFR, ML KISHIGO# F302B, IRONWEAR# 1264FR-L-BRK



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 14 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

00180	6 VE0100300	each	39.97	239.82
-------	----------------	------	-------	--------

VEST, SAFETY. SIZE SMALL. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:
 - A. ANSI/ISEA 107-2010
 - B. CLASS 2 LEVEL 2

ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ

00190	3 VE0100305	each	3.95	11.85
-------	----------------	------	------	-------

VEST, SAFETY. SIZE MEDIUM. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 15 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ	
00200	84 VE0100310	each	3.95	331.80

VEST, SAFETY. SIZE LARGE. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

- MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
- MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
- PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
- MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
- MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
- HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
- 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

- MANUFACTURER INFORMATION
- DESIGNATION OF THE PRODUCT TYPE
- SIZE DESIGNATION
- NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:
 - ANSI/ISEA 107-2010
 - CLASS 2 LEVEL 2

ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 16 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
------	----------------------	------	-------------------------------	-----------

00210	216 VE0100315	each	3.95	853.20
-------	------------------	------	------	--------

VEST, SAFETY. SIZE EXTRA LARGE. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:
 - A. ANSI/ISEA 107-2010
 - B. CLASS 2 LEVEL 2

ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ

00220	162 VE0100320	each	3.97	643.14
-------	------------------	------	------	--------

VEST, SAFETY. SIZE 2XL. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 17 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMET HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ	
00230	122 VE0100325	each	3.95	481.90
			VEST, SAFETY. SIZE 3XL. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010: 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMET HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ	
	6	each	3.95	23.70



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 18 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00240	VE0100330			

VEST, SAFETY. SIZE 4XL. USED BY TRACK WORKERS. ORANGE. 100% POLYESTER. MUST BE CHEMICALLY TREATED FOR FIRE.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:
 - A. ANSI/ISEA 107-2010
 - B. CLASS 2 LEVEL 2

ML KISHIGO# FM420, IRONWEAR# 1284FR-OZ

00250	3 VE0100400	each	3.95	11.85
-------	----------------	------	------	-------

VEST, SAFETY. SIZE SMALL. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 19 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH</p> <p>6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM</p> <p>7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA</p> <p>SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:</p> <p>1. MANUFACTURER INFORMATION</p> <p>2. DESIGNATION OF THE PRODUCT TYPE</p> <p>3. SIZE DESIGNATION</p> <p>4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:</p> <p>A. ANSI/ISEA 107-2010</p> <p>B. CLASS 2 LEVEL 2</p> <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE.</p> <p>ML KISHIGO# 1163,IRONWEAR# 1277-L</p>	
00260	57 VE0100405	each	6.95	396.15

VEST, SAFETY. SIZE MEDIUM. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA
- SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:
1. MANUFACTURER INFORMATION
 2. DESIGNATION OF THE PRODUCT TYPE
 3. SIZE DESIGNATION
 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 20 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00270	233 VE0100410	each	<p>A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE. ML KISHIGO# 1163, IRONWEAR# 1277-L</p> <p>6.95</p>	1,619.35
00280	322 VE0100415	each	<p>VEST, SAFETY. SIZE LARGE. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010: 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE. ML KISHIGO# 1163, IRONWEAR# 1277-L</p> <p>6.95</p>	2,237.90



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 21 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			<p>VEST, SAFETY. SIZE EXTRA LARGE. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS.</p> <p>SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:</p> <ol style="list-style-type: none"> 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA <p>SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:</p> <ol style="list-style-type: none"> 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: <ol style="list-style-type: none"> A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 <p>THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE. ML KISHIGO# 1163, IRONWEAR# 1277-L</p>	
00290	369 VE0100420	each	6.95	2,564.55

VEST, SAFETY. SIZE 2XL. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 22 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE. ML KISHIGO# 1163, IRONWEAR# 1277-L	
00300	242 VE0100425	each	6.95	1,681.90

VEST, SAFETY. SIZE 3XL. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS.

SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010:

1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES
2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES
3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS
4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH
5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH
6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM
7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA

SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS:

1. MANUFACTURER INFORMATION
2. DESIGNATION OF THE PRODUCT TYPE
3. SIZE DESIGNATION
4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET:



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 23 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
			A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE. ML KISHIGO# 1163, IRONWEAR# 1277-L	
00310	66 VE0100430	each	6.95	458.70
			VEST, SAFETY. SIZE 4XL. USED BY WTC SURVEYORS. LIME. 100% POLYESTER MESH ON BACK MATERIAL WITH A SOLID FRONT. 2 LOWER OUTSIDE PATCH POCKETS WITH FLAPS. RIGHT CHEST 2-TIER 4-DIVISION POCKET. LEFT CHEST RADIO POCKET. TWO LOWER INSIDE PATCH POCKETS. LEFT AND RIGHT MIC TABS. SAFETY VEST MUST MEET MINIMUM STANDARD OF ANSI/ISEA 107-2010: 1. MINIMUM BACKGROUND MATERIAL: 775 SQUARE INCHES 2. MINIMUM RETRO REFLECTIVE MATERIAL: 201 SQUARE INCHES 3. PROVIDE 360° VISIBILITY WITH HORIZONTAL GAPS OF 50 MILLIMETER OR LESS 4. MINIMUM WIDTH OF RETRO REFLECTIVE MATERIAL: 1.375 INCH 5. MINIMUM NUMBER OF YARDS PER RETRO REFLECTIVE MATERIAL WIDTH: 4 YARDS OF 1.375 INCH WIDTH OR 2.8 YARDS OF 2 INCH WIDTH 6. HORIZONTAL RETRO REFLECTIVE TRIM PLACED MORE THAN 2 INCHES FROM BOTTOM GARMENT HEM 7. 23.5 INCHES OF MATERIAL IN THE SHOULDER AREA SAFETY VEST MUST HAVE THE FOLLOWING MARKINGS: 1. MANUFACTURER INFORMATION 2. DESIGNATION OF THE PRODUCT TYPE 3. SIZE DESIGNATION 4. NUMBER OF BELOW SPECIFICATIONS THAT VEST MUST MEET: A. ANSI/ISEA 107-2010 B. CLASS 2 LEVEL 2 THE UPPER BACK OF THE SAFETY VEST TO READ IN ALL CAPS "WTC OPERATIONS" IN BLACK LETTERING. THE WORD "WTC" ON THE FIRST LINE AND "OPERATIONS" ON THE SECOND LINE. ML KISHIGO# 1163, IRONWEAR# 1277-L	
	18	each	6.95	125.10



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 24 Of 26

Item	Material Quantity	Unit	Description Price per unit	Net value
00320	007442			
			VEST, SAFETY, SMALL, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT A). (50 PER BOX)	
	200	each	10.95	2,190.00
00330	007465			
			VEST, SAFETY, MEDIUM, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT A). (50 PER BOX)	
	800	each	10.95	8,760.00
00340	007466			
			VEST, SAFETY, X-LARGE, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT A). (50 PER BOX)	
	2,400	each	10.95	26,280.00
00350	007468			
			VEST, SAFETY, LARGE, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT A). (50 PER BOX)	
	2,000	each	10.95	21,900.00
00360	007469			
			VEST, SAFETY, XX-LARGE, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT A). (50 PER BOX)	
	2,000	each	10.95	21,900.00
00370	007492			
			VEST, SAFETY, 3XL, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED	



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 25 Of 26

Item	Material Quantity	Unit	Description	Price per unit	Net value
			07/05/15 (ATTACHMENT A). (50 PER BOX)		
00380	1,000 007495	each		10.95	10,950.00
			VEST, SAFETY, 4XL, TWO SHOULDER RELEASE AS PER PATH SPECIFICATION DATED 07/05/15 (ATTACHMENT A). (50 PER BOX)		
00390	100 033378	each		10.95	1,095.00
			VEST, SECURITY FOR PATH, XL, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT B). (20 PER BOX)		
00400	400 033379	each		10.95	4,380.00
			VEST, SECURITY FOR PATH, 2XL, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT B). (20 PER BOX)		
00410	200 033380	each		10.95	2,190.00
			VEST, SECURITY FOR PATH, 3XL, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT B). (20 PER BOX)		
00420	160 033381	each		10.95	1,752.00
			VEST, SECURITY FOR PATH, 4XL, TWO SHOULDER RELEASES, AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT B). (20 PER BOX)		
	100	each		10.95	1,095.00



THE PORT AUTHORITY OF NY & NJ

4 World Trade Center, 150 Greenwich Street, 21st Floor, New York, NY 10007

ABEL UNLIMITED INC.
2020 SEABIRD WAY
RIVIERA BEACH FL 33404

Contract Number/Date
4600010735 / 02/03/2016

Page 26 Of 26

Item	Material Quantity	Unit	Description	Price per unit	Net value
00430	033392				
			VEST, SECURITY FOR PATH, MEDIUM, TWO SHOULDER RELEASES AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT B). (20 PER BOX)		
	240	each		10.95	2,628.00
00440	033393				
			VEST, SECURITY FOR PATH, LARGE, TWO SHOULDER RELEASES AS PER PATH ANSI VEST SPECIFICATION DATED 07/05/15 (ATTACHMENT B). (20 PER BOX)		
	180	each		10.95	1,971.00

218,262.91

**For Chief Procurement Officer,
Procurement Department**