THE PORT AUTHORITY OF NY & NJ

PROCUREMENT DEPARTMENT
4 WORLD TRADE CENTER
150 GREENWICH STREET, 21ST FL.
NEW YORK, NY 10007

9/16/2016

ADDENDUM # 2

To prospective Bidder(s) on Bid # 47140 for Portable Train Stops for PATH Rail 115RE per Specifications and Drawings:

Due back on 9/21/2016, no later than 11:00AM:

The following change/modification is hereby made to the solicitation document:

See attached revised drawing WS129 sheets 1 and 2 with additional dimensions and notes. Viewing them in color is advised.

This communication should be initialed by you and annexed to your Bid upon submission.

In case any Bidder fails to conform to these instructions, its Bid will nevertheless be construed as though this communication had been so physically annexed and initialed.

THE PORT AUTHORITY OF NY & NJ

SELENE ORTEGA, MANAGER
COMMODITIES & SERVICES DIVISION

BIDDER'S FIRM NAME: _____

INITIALED: _____

DATE: _____

QUESTIONS CONCERNING THIS ADDENDUM MAY BE ADDRESSED TO JOHN SANTIAGO AT John.Santiago@panynj.gov OR (212) 435-4613.

Note 1









SCALE 1" = 1"

	DIM. A
100 #ARA-B RAIL	9⅛"
115# RE RAIL	10⅛"



SCALE ½" = 1"

Note 1 – Manufacturer has to design these dimensions to fit the base of the rail section (100ARA-B or 115RE)
Note 2 – Manufacturer has to design these dimensions to fit male component per sheet 2 of 2 and distance requirements to gauge and top or rail section.

Ck. by: EP
Dr. by: LEW
Scale:
Date: 4-14-98

NO.	DATE	REVISION	APPROVED
1	6-08-07	REVISE DIMENSION "A"	J.M.

PORTABLE TRAIN STOP
FOR 100# ARA-B + 115# RE RAIL

SHEET 1 OF 2

Dwg. No. WS129



NOTES:

1- MAT'L: GRADE 80-50 CAST STL. ASTM-148

2.- PAINT STOP ARM WITH: POLYURETHANE ENAMEL URETHANE ORANGE OR APPROVED EQUIV. AND BASE RED.

3.- ITEM (1) TO BE PUNCHED 100# RB.
ITEM (2) TO BE PUNCHED 115# RE.

ITEM	RAIL	B	C	D	E
(1)	100# RB	2"	7 1/8"	8 3/4"	3 3/8"
(2)	115# RE	2"	8 1/8"	9 3/4"	4 3/8"

THIS PORTION TO ENTER FEMALE GAGE OF SAME SHAPE: 1.087" W., 1.755" LG. MINIMUM DIMENSIONS PER MICROMETER 1.045" W, 1.734" LG. IF TRIMMING IS NECESSARY, MAKE A SECURE SLIDING FIT.

Ck. by: EP
Dr. by: LEW
Scale: N.T.S.
Date: 4-14-98

Note 1 – Manufacturer has to design these dimensions to accommodate diameter of hole and/or radius of curve and fillet

Note 2 – Dimension shall be 2" towards the gage and 2.5" away from the gage of the rail section.

NO.	DATE	REVISION	APPROVED
1	6-08-07	ADD NOTE, REVISE DIMENSIONS	J.M.

PORTABLE TRAIN STOP
FOR 100# ARA-B & 115# RE RAIL

SHEET 2 OF 2

Dwg. No. WS129