

**THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY  
TWO MONTGOMERY STREET - 1st FLOOR  
JERSEY CITY, NJ 07302**

February 15, 2018

**ADDENDUM NO. 4**

**TO PROSPECTIVE BIDDERS ON CONTRACT AKO-284.051 - OUTERBRIDGE  
CROSSING - MAIN SPAN PIER AND FENDER UPGRADES**

The following changes are hereby made in the Contract Documents for the subject Contract.

This communication should be physically annexed to back cover of the book and initialled by each bidder before submitting his bid.

In case any bidder fails to conform to these instructions, his Proposal will nevertheless be construed as though this communication had been so physically annexed and initialled.

CHANGES IN THE CONTRACT BOOKLET

Page 151	Delete the entire page and substitute therefor the new page 151 which is attached hereto and made a part hereof.
-------------	--

REVISED CONTRACT DRAWINGS

Drawing G005 has been revised as of 2/8/18. A copy of this drawing is forwarded herewith. Destroy drawing G005 now in your possession and substitute therefor the revised drawing.

**THE PORT AUTHORITY OF NEW YORK AND NEW JERSEY**

James Starace, P.E.  
Chief Engineer/Director

INITIALLED BY THE BIDDER:

---

- 9.) Provide sound suppression devices on gasoline and diesel powered construction equipment and pneumatic tools as required to maintain noise exposures below the limits specified in the Code of Federal Regulations (CFR) 29 CFR 1926 Occupational Safety and Health Regulations for Construction (OSHA). Maintain such sound suppression devices in proper operating condition throughout the time of their use, and adjust and repair as required to maintain noise within exposure levels stipulated in 29 CFR 1926.52, Table D-2.

### 113. HOURS OF WORK

#### A. Hours of Work

- 1.) Subject to all requirements stated elsewhere herein, the Work shall be performed in accordance with the following restricted hours of Work.
  - a. Within the jurisdictional boundaries of the State of New Jersey, pile driving or any other activity that would increase turbidity in the Arthur Kill Waterway is not permitted between March 1 and June 30 of any given year due to anadromous fish, shortnose sturgeon and Atlantic sturgeon.
  - b. Within the jurisdictional boundaries of the State of New Jersey, no work is permitted between March 1 and July 15 of any given year when there is evidence of falcons nesting on the bridge or cofferdams.
  - c. Perform Work not restricted by 1.a. and 1.b. above without restrictions as to Work hours.
- 2.) The Contractor shall submit to the Engineer, at least one week in advance, his scheduled hours of Work for each week.
- 3.) Do not perform Work at the construction site on a Federal legal holiday or a holiday of the state(s) in which Work is being performed, unless otherwise permitted by the Engineer.