

REQUEST FOR QUOTATION

Vendor Name and No.: Buyer: John Santiago/212-435-4613/john.santiago@panynj.gov	Collective/Bid # Bid Due Date 46072 06/08/2016 Bids must be received no later than 11:00 AM on the above Bid Due Date. Deliver Goods/Services To: PATH Harrison Stockroom Foot of Cape May St., Harrison, NJ 07029
---	---

Quantity	Description	Unit Price	Total
	SIGNAGE KITS, PASSENGER EMERGENCY EGRESS, FOR PATH PA-5 RAILCARS, HIGH PERFORMANCE PHOTO LUMINESCENT WITH "GLO BRITE 7812" AS MANUFACTURED BY JESSUP MANUFACTURING COMPANY <p style="text-align: center;">** NO SUBSTITUTE - NO EQUALS **</p> DECALS SHALL BE AS SPECIFIED IN ATTACHED DRAWINGS FOR RAILCARS "A" AND "C". TIME IS OF THE ESSENCE. A FIRST ARTICLE INSPECTION IS REQUIRED. UPON REQUEST, THE LOWEST RESPONSIVE BIDDER WILL BE REQUIRED TO SUPPLY ONE (1) KIT PER CAR (TOTAL 2 KITS) FOR INSPECTION AT PATH AT NO ADDITIONAL COST TO PATH. THE BIDDER SHALL DELIVER SAMPLES AS SOON AS POSSIBLE BUT NOT LATER THAN AN ESTIMATED FIVE (5) WEEKS OF THE REQUEST. PATH WILL EVALUATE AND DETERMINE ACCEPTANCE WITHIN TEN (10) BUSINESS DAYS OF RECEIPT OF SAMPLES. UPON PATH ACCEPTANCE, A PURCHASE ORDER WILL BE ISSUED. SAMPLES DEEMED NEW AND IN USABLE CONDITION WILL BE APPLIED TO THE ORDER. THE SUCCESSFUL BIDDER SHALL COMPLETE THE ORDER IN NOT MORE THAN TWO (2) DELIVERIES, WITH		
	PLEASE QUOTE FULLY DELIVERED PRICES	PAYMENT TERMS	Total Delivered Price

This Quotation is subject to the terms and conditions set forth on the back page hereof. Bidder is advised to read these before signing.

We have read the instructions and, if favored with an order, we agree to furnish the items enumerated herein at the prices and under the conditions indicated.

Signed _____
 Firm Name _____
 Telephone number _____ Date _____
 Fax Number _____
 Federal Taxpayer ID _____

Bidder
 Must
 Sign
 In
 Two
 Places

NOTICE TO BIDDERS: Unless the following term of assurance that the above offer is irrevocable is signed, the offer submitted herein shall not be deemed to be complete.

The foregoing offer shall be irrevocable for 90 days after the date on which The PORT AUTHORITY TRANS-HUDSON CORPORATION opens this proposal.

Signed _____ Date _____
 Firm Name _____

REQUEST FOR QUOTATION

Collective/Bid # 46072	Bid Due Date 06/08/2016
---------------------------	----------------------------

Quantity	Description	Unit Price	Total
	<p>THE FIRST DELIVERY AS SOON AS POSSIBLE BUT NOT LATER THAN FOUR (4) WEEKS OF THE PURCHASE ORDER, AND THE BALANCE AS SOON AS POSSIBLE BUT NOT LATER THAN TWO (2) WEEKS OF THE FIRST DELIVERY.</p> <p>ESTIMATED LEAD TIME AFTER RECEIPT OF ORDER: _____ DAYS</p> <p>Follow the Bid Submission Instructions. Submit this Bid in its entirety, including drawings. Attaching your company's terms and conditions will cause your Bid to be deemed non-responsive and/or delay an award.</p> <p>A price preference of 10 % is available for NY/NJ Minority and Women Business Enterprises (M/WBE) or 5% for NY/NJ Small Business Enterprises (SBE) certified by the Port Authority (PA) by the day before bid opening for awards not exceeding \$1,000,000. My firm was certified as a _____ on _____.</p>		
	PLEASE QUOTE FULLY DELIVERED PRICES	PAYMENT TERMS	Total Delivered Price

This Quotation is subject to the terms and conditions set forth on the back page hereof. Bidder is advised to read these before signing.

We have read the instructions and, if favored with an order, we agree to furnish the items enumerated herein at the prices and under the conditions indicated.

Signed _____
 Firm Name _____
 Telephone number _____ Date _____
 Fax Number _____
 Federal Taxpayer ID _____

**Bidder
 Must
 Sign
 In
 Two
 Places**

NOTICE TO BIDDERS: Unless the following term of assurance that the above offer is irrevocable is signed, the offer submitted herein shall not be deemed to be complete.

The foregoing offer shall be irrevocable for 90 days after the date on which The PORT AUTHORITY TRANS-HUDSON CORPORATION opens this proposal.

Signed _____ Date _____
 Firm Name _____

REQUEST FOR QUOTATION

Collective/Bid # 46072	Bid Due Date 06/08/2016
---------------------------	----------------------------

Quantity	Description	Unit Price	Total
	<p>Bid Submission Instructions:</p> <p>Sealed Bids must be submitted to and received at the following address by the due date and time listed on this Request for Quotation, where they will be publicly opened and read:</p> <p>The Port Authority of NY & NJ Attn: Bid Custodian Procurement Department 4 World Trade Center 150 Greenwich Street, 21st Floor New York, NY 10007</p> <p>Clearly mark the outside of your envelope/package with "BID ENCLOSED", the Collective/Bid Number and Due Date, and your complete company name and address.</p> <p>Bids are only accepted Monday through Friday, excluding Port Authority holidays, between the hours of 8 A.M. & 5 P.M., via regular mail, express delivery service or hand delivery. Express carrier deliveries by commercial vehicles can be made via vendors approved by Silverstein Properties, the 4 World Trade Center (4WTC) Property Manager, through the Vehicle Security Center (VSC). Presently, UPS is the only delivery vendor with approved recurring delivery times. There is extensive security at the World Trade Center Site.</p>		
	PLEASE QUOTE FULLY DELIVERED PRICES	PAYMENT TERMS	Total Delivered Price

This Quotation is subject to the terms and conditions set forth on the back page hereof. Bidder is advised to read these before signing.

We have read the instructions and, if favored with an order, we agree to furnish the items enumerated herein at the prices and under the conditions indicated.

Signed _____
 Firm Name _____
 Telephone number _____ Date _____
 Fax Number _____
 Federal Taxpayer ID _____

**Bidder
 Must
 Sign
 In
 Two
 Places**

NOTICE TO BIDDERS: Unless the following term of assurance that the above offer is irrevocable is signed, the offer submitted herein shall not be deemed to be complete.

The foregoing offer shall be irrevocable for 90 days after the date on which The PORT AUTHORITY TRANS-HUDSON CORPORATION opens this proposal.

Signed _____ Date _____
 Firm Name _____

REQUEST FOR QUOTATION

Collective/Bid # 46072	Bid Due Date 06/08/2016
---------------------------	----------------------------

Quantity	Description	Unit Price	Total
	<p>Individuals must present a valid government-issued photo ID to enter 4 WTC. Individuals without packages or carrying small packages or boxes that can be conveyed by hand or on a hand truck may enter through the lobby. All envelopes, packages and boxes may be subject to additional security screening.</p> <p>There is no parking available at 4 WTC/150 Greenwich Street, and parking in the surrounding area is extremely limited. The Port Authority assumes no responsibility for delays, including, but not limited to delays caused by any delivery service, building access procedure or security requirement.</p> <p>A valid government-issued photo ID is required to gain access into the building to attend the bid opening or hand deliver a bid. Bids that are not received by the bid custodian by the scheduled bid opening date will be considered late.</p> <p>If any Addenda are posted or sent as part of this Bid, the Bidder shall complete, sign and include with its Bid the addenda form(s). In the event any Bidder fails to conform to these instructions, its Bid will nevertheless be construed as though the Addenda had been acknowledged. If the Bidder downloaded this solicitation document, it is the responsibility of the Bidder to periodically check the Port Authority website at http://www.panynj.gov/business-opportunities/bid-proposaladvertisements.html and download any addenda that might have been issued in connection with this solicitation.</p>		
	PLEASE QUOTE FULLY DELIVERED PRICES	PAYMENT TERMS	Total Delivered Price

This Quotation is subject to the terms and conditions set forth on the back page hereof. Bidder is advised to read these before signing.

We have read the instructions and, if favored with an order, we agree to furnish the items enumerated herein at the prices and under the conditions indicated.

Signed _____
 Firm Name _____
 Telephone number _____ Date _____
 Fax Number _____
 Federal Taxpayer ID _____

**Bidder
 Must
 Sign
 In
 Two
 Places**

NOTICE TO BIDDERS: Unless the following term of assurance that the above offer is irrevocable is signed, the offer submitted herein shall not be deemed to be complete.

The foregoing offer shall be irrevocable for 90 days after the date on which The PORT AUTHORITY TRANS-HUDSON CORPORATION opens this proposal.

Signed _____ Date _____
 Firm Name _____

REQUEST FOR QUOTATION

Collective/Bid # Bid Due Date
 46072 06/08/2016

Quantity	Description	Unit Price	Total
130 KIT	0880352 High Performance Photo Luminescent Signage Kit for PA-5 "C" Railcars per Drawings SKM16-1 thru SKM16-10. Signage mandated by the Federal Railroad Administration based on American Public Transportation Association standard APTA PR-PS-S-002-98.		
240 KIT	0880353 High Performance Photo Luminescent Signage Kit for PA-5 "A" Railcars per Drawings SKM16-2 thru SKM16-13. Signage mandated by the Federal Railroad Administration based on American Public Transportation Association standard APTA PR-PS-S-002-98.		
PLEASE QUOTE FULLY DELIVERED PRICES		PAYMENT TERMS	Total Delivered Price

This Quotation is subject to the terms and conditions set forth on the back page hereof. Bidder is advised to read these before signing.

We have read the instructions and, if favored with an order, we agree to furnish the items enumerated herein at the prices and under the conditions indicated.

NOTICE TO BIDDERS: Unless the following term of assurance that the above offer is irrevocable is signed, the offer submitted herein shall not be deemed to be complete.

Signed _____
 Firm Name _____
 Telephone number _____ Date _____
 Fax Number _____
 Federal Taxpayer ID _____

**Bidder
 Must
 Sign
 In
 Two
 Places**

The foregoing offer shall be irrevocable for 90 days after the date on which The PORT AUTHORITY TRANS-HUDSON CORPORATION opens this proposal.
 Signed _____ Date _____
 Firm Name _____

TERMS AND CONDITIONS

1. The Port Authority (PA) reserves the right to request information relating to seller's responsibility, experience and capability to perform the work.
2. Unless otherwise provided, complete shipment of all items must be in one delivery FOB delivery point. Payment will not be made on partial deliveries unless authorized in advance by the party to be charged and the discount, if any, will be taken on the total order.
3. PA payment terms are net 30 days. Cash discounts for prompt payment of invoices may be taken but will not be considered in determining award, except in the case of tie bids.
4. Separate unit and total FOB delivered prices must be shown.
5. Sales to the PA and to PATH are currently exempt from New York and New Jersey State and local taxes and generally from federal taxation. The seller certifies that there are no federal, state, municipal or any other taxes included in the prices shown hereon.
6. The PA shall have the absolute right to reject any or all proposals or to accept any proposal in whole or part and to waive defects in proposals.
7. Unless the phrase "no substitute" is indicated, bidder may offer alternate manufacturer / brands, which shall be subject to Port Authority approval. Please indicate details of product being offered with bid.
8. Acceptance of seller's offer will be only by Purchase Order Form signed by the PA. No change shall be made in the agreement except in writing.
9. If the seller fails to perform in accordance with the terms of this purchase order, the PA may obtain the goods or services from another contractor and charge the seller the difference in price, if any, a reletting cost of \$100, plus any other damages to the PA.
10. Upon request, sellers are encouraged to extend the terms and conditions of any terms agreement with the PA to other government and quasi-government entities by separate agreement.
11. By signing this quotation or bid, the seller certifies to all statements on Form PA 3764A regarding non-collusive bidding; compliance with the PA Code of Ethics; and the existence of investigations, indictments, convictions, suspensions, terminations, debarments and other stated occurrences to assist the PA in determining whether there are integrity issues which would prevent award of the contract to the seller. The PA has adopted a policy set forth in full on PA 3764A, that it will honor a determination by an agency of the State of New York or New Jersey that a bidder is not eligible to bid on or be awarded public contracts because the bidder has been determined to have engaged in illegal or dishonest conduct or to have violated prevailing wage legislation. The Terms and Conditions of PA 3764A apply to this order. A copy can be obtained by calling (212) 435-4600 or at <http://www.panynj.gov/business-opportunities/become-vendor.html>
12. The vendor may subcontract the services or use a supplier for the furnishing of materials required hereunder to such persons or entities as the Manager, Purchasing Services may from time to time expressly approve in writing. All further subcontracting shall also be subject to such approval.
13. The successful bidder (vendor) shall not issue nor permit to be issued any press release, advertisement, or literature of any kind, which refers to the Port Authority or that goods will be, are being or have been provided to it and/or that services will be, are being or have been performed for it in connection with this Agreement, unless the vendor first obtains the written approval of the Port Authority. Such approval may be withheld if for any reason the Port Authority believes that the publication of such information would be harmful to the public interest or is in any way undesirable.
14. Neither the Commissioners of the Port Authority, nor Directors of PATH, nor any of them, nor any officer, agent or employee thereof, shall be charged personally by the Contractor with any liability, or held personally liable to the Contractor under any term or provision of this Agreement, or because of its execution or attempted execution, or because of any breach, or attempted or alleged breach, thereof.

4

3

2

1

0.125" R. TYP.

1.00"

8.50"

5/8"

5/8"

1.00"

3.75"

4

3

2

1

NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	 Port Authority Trans-Hudson Corp. Car Equipment Division			
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.		4/21/16		
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED			TITLE:		
		MATERIAL	ENG APPR.			PEI PERIMETER C-CAR		
		FINISH	MFG APPR.				SIZE	
NEXT ASSY	USED ON	DO NOT SCALE DRAWING	Q.A.			DWG. NO.	REV	
APPLICATION			COMMENTS:			B	SKM16-1	
						SCALE: 1:2	WEIGHT:	SHEET 1 OF 1

PA-5



TITLE:

**PEI PERIMETER
C-CAR**

B

SKM16-1

REV

SCALE: 1:2

WEIGHT:


SHEET 1 OF 1

4

3

2

1



1-1/2" LETTERS TO BE CENTERED HORIZONTALLY

1/8" R. TYP.

NOTES:

1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. PRINT TYPE: RED HELVETICA LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING AND EDGE - RED.
4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		TITLE: EMERGENCY EXIT VEST. DOOR BOTTOM 7"X22"
		MATERIAL	ENG APPR.		
		PA-5	MFG APPR.		SIZE DWG. NO. REV B SKM16-2 SCALE: 1:4 WEIGHT: SHEET 1 OF 1
NEXT ASSY		USED ON	Q.A.		
APPLICATION		DO NOT SCALE DRAWING	COMMENTS:		

4

3

2

1

B

B

A


A

4

3

2

1



NOTES:

1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. PRINT TYPE: RED HELVETICA MEDIUM LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING, PICTOGRAM AND EDGE - RED.
4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	C.M.	4/20/16	
		INTERPRET GEOMETRIC TOLERANCING PER:			TITLE:
		MATERIAL			EMERGENCY EXIT (WINDOW REMOVAL)
		FINISH			SIZE DWG. NO. REV
NEXT ASSY	USED ON	DO NOT SCALE DRAWING			B SKM16-3
					SCALE: 1:2 WEIGHT: SHEET 1 OF 1

4

3

2


1

4

3

2

1



NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES	DRAWN	C. M.	
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			
PA-5		TITLE: VDR HANDLE PERIMETER			
SIZE	DWG. NO.	REV			
B	SKM16-4				
SCALE: 1:4		WEIGHT:		SHEET 1 OF 1	

4

3

2


1

4

3

2

1



NOTES:

1. MATERIAL: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT, TYPE IV, COLOR YELLOW / GREEN, FINISH MATTE PER APTA SPECIFICATION PR-PS-S-002-98 LATEST REVISION.
2. 1.5 INCH HIGH HELVETICA BOLD RED LETTERING. CENTERED VERTICALLY AND EQUALLY SPACED, AS SHOWN.
3. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH A BACKING PAPER.
4. SURROUNDING EDGE SHALL BE RED.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:		CHECKED		TITLE: EXIT VERTICAL
		MATERIAL		ENG APPR.		
		FINISH		MFG APPR.		
PA-5		APPLICATION		Q.A.		SIZE B DWG. NO. SKM16-5 REV SCALE: 1:2 WEIGHT: SHEET 1 OF 1
NEXT ASSY	USED ON	DO NOT SCALE DRAWING		COMMENTS:		

4

3

2

1

B

B

A

A

4


3

2

1

B

B



NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		FINISH	MFG APPR.		
PA-5			Q.A.		
NEXT ASSY	USED ON		COMMENTS:		
APPLICATION		DO NOT SCALE DRAWING			
		TITLE:			
		LLEPM 3 INCH STRIP			
SIZE	DWG. NO.	REV			
B	SKM16-6				
SCALE: 2:1		WEIGHT:	SHEET 1 OF 1		

4

3

2

1

A

A

4


3

2

1

B

B



0.25" R. TYP.

NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C. M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		FINISH	MFG APPR.		
		PA-5	Q.A.		
NEXT ASSY	USED ON	APPLICATION	COMMENTS:		
		DO NOT SCALE DRAWING			
		TITLE: LLEPM 10 INCH STRIP			
SIZE	DWG. NO.	REV			
B	SKM16-7				
SCALE: 1:2	WEIGHT:	SHEET 1 OF 1			

4

3

2

1

A

A

4


3

2

1

B

B



0.25" R. TYP.

NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE		Port Authority Trans-Hudson Corp. Car Equipment Division	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN C. M.	1/28/16		TITLE: LLEPM 12 INCH STRIP	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		SIZE B		DWG. NO. SKM16-8
		MATERIAL	ENG APPR.		REV		
PA-5		FINISH	MFG APPR.		SCALE: 1:2		WEIGHT:
NEXT ASSY	USED ON	DO NOT SCALE DRAWING	Q.A.		SHEET 1 OF 1		
APPLICATION			COMMENTS:				

4

3

2

1

A


A

4

3

2

1



NOTES:

1. MATERIAL: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT, TYPE IV, COLOR YELLOW / GREEN, FINISH MATTE PER APTA SPECIFICATION PR-PS-S-002-98, LATEST REVISION.
2. LETTERING: HELVETICA RED, MEDIUM. CENTERED LEFT, RIGHT AND VERTICALLY. EQUALLY SPACED, AS SHOWN.
3. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH A BACKING PAPER.
4. ARROW AND THE SURROUNDING EDGE SHALL BE RED.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		PA-5	MFG APPR.		
		HPPL	Q.A.		
		FINISH	COMMENTS:		
NEXT ASSY	USED ON	DO NOT SCALE DRAWING	TITLE: MANUAL CONTROL (EMERGENCY DOOR RELEASE HANDLE)		
APPLICATION			SIZE	DWG. NO.	REV
			B	SKM16-9	
			SCALE: 1:2	WEIGHT:	SHEET 1 OF 1

4

3

2

1

4

3

2

1

1/8" R. TYP.

22.00"

0.75"

3.00"

0.10"

EMERGENCY EXIT

1-1/2" LETTERS TO BE CENTERED HORIZONTALLY

NOTES:

- 1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
- 2. PRINT TYPE: RED HELVETICA LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
- 3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING AND EDGE - RED.
- 4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
- 5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE		Port Authority Trans-Hudson Corp. Car Equipment Division	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.		4/18/16	TITLE: EMERGENCY EXIT VEST DOOR TOP 3"X22"
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED			SIZE DWG. NO. REV	
		MATERIAL	ENG APPR.			B SKM16-10	
		FINISH	MFG APPR.			SCALE: 1:4 WEIGHT: SHEET 1 OF 1	
NEXT ASSY	USED ON	APPLICATION	COMMENTS:				
		DO NOT SCALE DRAWING					

4

3

2

1

B

B

A

A

PATH HPPL UPGRADE KIT "A" Car PATH # 0880353


PATH Drawing #	PATH Part Number	DESCRIPTION	DIMENSIONS	QUANTITY PER CAR	NOTES	PATH NOTES
SKM16-2		EMERGENCY EXIT RECTANGLE	7" x 22"	2		Sign to read EMERGENCY EXIT with 1.5"letters
SKM16-3		EMERGENCY WINDOW EXIT	3.85" x 10"	4		1" Letters for signage
SKM16-4		C-Shape VDR Handle Perimeter	4.5" x 12.25"	2		
SKM16-5		VERTICAL EXIT	2.5" x 7"	24		
SKM16-6		STRIP	1"x 3"	12		IEH Handle Cover
SKM16-7		STRIP	1"x 10"	38		
SKM16-8		STRIP	1"x 12"	30		
SKM16-9		MANUAL CONTROL (IEH)	5.25 x 10"	6		
SKM16-10		EMERGENCY EXIT RECTANGLE	3" x 22"	2		Sign to read EMERGENCY EXIT with 1.5"letters
SKM16-11		PEI Perimeter "A" Car # 2 E		1		
SKM16-12		PEI Perimeter "A" Car # 1 E		1		
SKM16-13		EXIT with ARROWS	3" x 14"	1		

4

3

2

1



NOTES:

1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. PRINT TYPE: RED HELVETICA LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING AND EDGE - RED.
4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		FINISH	MFG APPR.		
		APPLICATION	Q.A.		
		DO NOT SCALE DRAWING	COMMENTS:		
PA-5					TITLE: EMERGENCY EXIT VEST. DOOR BOTTOM 7"X22"
NEXT ASSY	USED ON		SIZE	DWG. NO.	REV
			B	SKM16-2	
			SCALE: 1:4	WEIGHT:	SHEET 1 OF 1

4

3

2

1

4

3

2


1

B

B

A

A



NOTES:

1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. PRINT TYPE: RED HELVETICA MEDIUM LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING, PICTOGRAM AND EDGE - RED.
4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	C.M.	4/20/16	
		INTERPRET GEOMETRIC TOLERANCING PER:			TITLE:
		MATERIAL			EMERGENCY EXIT (WINDOW REMOVAL)
		FINISH			SIZE DWG. NO. REV
NEXT ASSY	USED ON	DO NOT SCALE DRAWING			B SKM16-3
					SCALE: 1:2 WEIGHT: SHEET 1 OF 1

4

3

2


1

4

3

2

1



NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES	DRAWN	C. M.	
		TOLERANCES:	CHECKED		
		FRACTIONAL ±	ENG APPR.		
		ANGULAR: MACH ± BEND ±	MFG APPR.		
		TWO PLACE DECIMAL ±	Q.A.		
		THREE PLACE DECIMAL ±	COMMENTS:		
		INTERPRET GEOMETRIC TOLERANCING PER:			
		MATERIAL			
		FINISH			
NEXT ASSY	USED ON				
APPLICATION		DO NOT SCALE DRAWING			
		TITLE:			
		VDR HANDLE PERIMETER		SIZE DWG. NO. REV B SKM16-4	
		SCALE: 1:4		WEIGHT: SHEET 1 OF 1	

4

3

2


1

4

3

2

1



NOTES:

1. MATERIAL: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT, TYPE IV, COLOR YELLOW / GREEN, FINISH MATTE PER APTA SPECIFICATION PR-PS-S-002-98 LATEST REVISION.
2. 1.5 INCH HIGH HELVETICA BOLD RED LETTERING. CENTERED VERTICALLY AND EQUALLY SPACED, AS SHOWN.
3. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH A BACKING PAPER.
4. SURROUNDING EDGE SHALL BE RED.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN	C.M.	
				CHECKED		TITLE:
				ENG APPR.		EXIT VERTICAL
				MFG APPR.		
				Q.A.		
				COMMENTS:		
		PA-5				SIZE
NEXT ASSY		USED ON				DWG. NO.
						SKM16-5
APPLICATION		DO NOT SCALE DRAWING				REV
						SCALE: 1:2
						WEIGHT:
						SHEET 1 OF 1

4

3

2

1

B

B

A

A

4


3

2

1

B

B



NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

4

3

2

1

A

A

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		TITLE: LLEPM 3 INCH STRIP
		MATERIAL	ENG APPR.		
		FINISH	MFG APPR.		
NEXT ASSY	USED ON	APPLICATION	COMMENTS:		SIZE B
		DO NOT SCALE DRAWING			DWG. NO. SKM16-6
					REV
					SCALE: 2:1 WEIGHT: SHEET 1 OF 1

PA-5

4


3

2

1

B

B



0.25" R. TYP.

NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C. M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		FINISH	MFG APPR.		
		PA-5	Q.A.		
NEXT ASSY	USED ON	APPLICATION	COMMENTS:		
		DO NOT SCALE DRAWING			
		TITLE:			
		LLEPM 10 INCH STRIP			
SIZE	DWG. NO.	REV			
B	SKM16-7				
SCALE: 1:2		WEIGHT:	SHEET 1 OF 1		

4

3

2

1

A

A

4


3

2

1

B

B



0.25" R. TYP.

NOTES:

- 1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
- 2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
- 3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLEWITHOUT THE WRITTEN PERMISSION OFPATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:		NAME	DATE		Port Authority Trans-Hudson Corp. Car Equipment Division	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±		DRAWN	C. M.		1/28/16	TITLE: LLEPM 12 INCH STRIP
		INTERPRET GEOMETRIC TOLERANCING PER:		CHECKED			SIZE DWG. NO. REV	
		MATERIAL		ENG APPR.			B SKM16-8	
		FINISH		MFG APPR.			SCALE: 1:2 WEIGHT: SHEET 1 OF 1	
NEXT ASSY	USED ON	APPLICATION		COMMENTS:				
		DO NOT SCALE DRAWING						

PA-5

4

3

2

1

A


A

4

3

2

1



NOTES:

1. MATERIAL: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT, TYPE IV, COLOR YELLOW / GREEN, FINISH MATTE PER APTA SPECIFICATION PR-PS-S-002-98, LATEST REVISION.
2. LETTERING: HELVETICA RED, MEDIUM. CENTERED LEFT, RIGHT AND VERTICALLY. EQUALLY SPACED, AS SHOWN.
3. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH A BACKING PAPER.
4. ARROW AND THE SURROUNDING EDGE SHALL BE RED.
5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE		
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	C.M.	4/19/16		
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		TITLE: MANUAL CONTROL (EMERGENCY DOOR RELEASE HANDLE)	
		MATERIAL	ENG APPR.			
		HPPL	MFG APPR.			
		FINISH	Q.A.		SIZE DWG. NO. REV B SKM16-9	
APPLICATION	DO NOT SCALE DRAWING	COMMENTS:		SCALE: 1:2		WEIGHT:
NEXT ASSY	USED ON					

4

3

2

1

4

3

2

1

1/8" R. TYP.

22.00"

0.75"

3.00"

0.10"

EMERGENCY EXIT

1-1/2" LETTERS TO BE CENTERED HORIZONTALLY

NOTES:

- 1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812; HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
- 2. PRINT TYPE: RED HELVETICA LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
- 3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING AND EDGE - RED.
- 4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
- 5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE		Port Authority Trans-Hudson Corp. Car Equipment Division	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.		4/18/16	TITLE: EMERGENCY EXIT VEST DOOR TOP 3"X22"
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED			SIZE DWG. NO. REV	
		MATERIAL	ENG APPR.			B SKM16-10	
		FINISH	MFG APPR.			SCALE: 1:4 WEIGHT: SHEET 1 OF 1	
NEXT ASSY	USED ON	APPLICATION	COMMENTS:				
		DO NOT SCALE DRAWING					

4

3

2

1

B

B

A


A

4

3

2

1



NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	 Port Authority Trans-Hudson Corp. Car Equipment Division
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		TITLE:
		MATERIAL	ENG APPR.		PEI PERIMETER A-CAR, 2-END
		FINISH	MFG APPR.		
NEXT ASSY	USED ON		Q.A.		SIZE
APPLICATION		DO NOT SCALE DRAWING	COMMENTS:		B
					DWG. NO.
					SKM16-11
					REV
					SCALE: 1:4
					WEIGHT:
					SHEET 1 OF 1

4

3

2

1

B

B

A


A

4

3

2

1



NOTES:

1. MATERIAL AND COLOR SPECIFICATION: JESSUP GLO BRITE 7812; YELLOWHIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
2. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
3. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

1/8" R. TYP.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	Port Authority Trans-Hudson Corp. Car Equipment Division
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.	
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED		
		MATERIAL	ENG APPR.		
		FINISH	MFG APPR.		
NEXT ASSY	USED ON		Q.A.		
APPLICATION		DO NOT SCALE DRAWING	COMMENTS:		
					TITLE:
					PEI PERIMETER A-CAR, 1-END
		PA-5	SIZE	DWG. NO.	REV
			B	SKM16-12	
			SCALE: 1:4	WEIGHT:	SHEET 1 OF 1

4

3

2

1

B

B

A

A

4

3

2

1

1/8" R. TYP.

14.00"

0.75"

0.10"

3.00"

1.50"

1.50"

1.50"

1.00"

1-1/2" LETTERS TO BE CENTERED HORIZONTALLY

NOTES:

- 1. MATERIAL SPECIFICATION: JESSUP GLO BRITE 7812: HIGH PERFORMANCE PHOTO-LUMINESCENT MATERIAL, WHICH SHALL MEET THE REQUIREMENTS OF APTA PR-PS-S-002-98 LATEST REVISION.
- 2. PRINT TYPE: RED HELVETICA LETTERS. LETTER SIZE SHALL BE PER APTA PR-PS-S-002-98 LATEST REVISION, SECTION 5.2.1.
- 3. COLORS: BACKGROUND - YELLOW HIGH PERFORMANCE PHOTO-LUMINESCENT. LETTERING, ARROWS AND EDGE - RED.
- 4. DECAL SHALL HAVE SELF ADHESIVE BACKING WITH BACKING PAPER.
- 5. TOP SURFACE: GLOSSY AND EASY TO CLEAN.

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF PATH. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF PATH IS PROHIBITED.

		UNLESS OTHERWISE SPECIFIED:	NAME	DATE	 Port Authority Trans-Hudson Corp. Car Equipment Division	
		DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL ± ANGULAR: MACH ± BEND ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	C.M.		4/19/16
		INTERPRET GEOMETRIC TOLERANCING PER:	CHECKED			TITLE: EXIT WITH ARROWS (PARTITION DOOR) A-CAR
		MATERIAL	ENG APPR.			
		FINISH	MFG APPR.			SIZE DWG. NO. REV B SKM16-13
NEXT ASSY	USED ON	DO NOT SCALE DRAWING	COMMENTS:			SCALE: 1:2 WEIGHT: SHEET 1 OF 1

PA-5

NEXT ASSY

USED ON

APPLICATION

DO NOT SCALE DRAWING

4

3

2

1

B

B

A

A