

Torres Rojas, Genara

From: nkist@decotiislaw.com
Sent: Tuesday, January 06, 2015 4:29 PM
To: Duffy, Daniel
Cc: Torres Rojas, Genara; Van Duyne, Sheree
Subject: Freedom of Information Online Request Form

Information:

First Name: Nancy
Last Name: Kist
Company: DeCotiis FitzPatrick & Cole
Mailing Address 1: 500 Frank W. Burr Blvd.
Mailing Address 2: Suite 31
City: Teaneck
State: NJ
Zip Code: 07666
Email Address: nkist@decotiislaw.com
Phone: 2019075225
Required copies of the records: No

List of specific record(s):

Pursuant to the Port Authority's FOI Policy, New Jersey's Open Public Records Act and the Common Law Right to Know, the following records are requested from the Port Authority: Building condition maintenance records for Building 263 located in Port Newark for the period from January 1, 2005 through December 31, 2009. By way of example and not limitation, the records may include requests for repairs from tenantsoccupants, reports by PANYNJ personnel concerning building conditions or maintenance activities, such as repairing roof leaks, maintenance records for testing and certification of fire suppression sprinkler systems, repairs to doors, locks, gates, window, surface repairs i.e. paving, concreting and the repair and maintenance of building systems such as HVAC elements, plumbing, stormwater, sanitary sewer and water systems potable and non-potable. Upon information and belief some or all of these records are maintained within the Port Authority's MMIS system.

THE PORT AUTHORITY OF NY & NJ

FOI Administrator

March 4, 2015

Ms. Nancy Kist
DeCotiis, FitzPatrick & Cole, LLP
500 Frank W. Burr Blvd., Suite 31
Teaneck, NJ 07666

Re: Freedom of Information Reference No. 15633

Dear Ms. Kist:

This is in response to your January 6, 2015 request, which has been processed under the Port Authority's Freedom of Information Code (the "Code", copy enclosed) for copies of "the following records are requested from the Port Authority: Building condition maintenance records for Building 263 located in Port Newark for the period from January 1, 2005 through December 31, 2009. By way of example and not limitation, the records may include requests for repairs from tenants/occupants, reports by PANYNJ personnel concerning building conditions or maintenance activities, such as repairing roof leaks, maintenance records for testing and certification of fire suppression sprinkler systems, repairs to doors, locks, gates, window, surface repairs i.e. paving, concreting and the repair and maintenance of building systems such as HVAC elements, plumbing, stormwater, sanitary sewer and water systems potable and non-potable. Upon information and belief some or all of these records are maintained within the Port Authority's MMIS system."

Material responsive to your request and available under the Code can be found on the Port Authority's website at <http://www.panynj.gov/corporate-information/foi/15633-O.pdf>. Paper copies of the available records are available upon request.

Please be advised that certain portions of the material responsive to your request were destroyed by Super Storm Sandy.

Please refer to the above FOI reference number in any future correspondence relating to your request.

Very truly yours,



Daniel D. Duffy
FOI Administrator

Enclosure

*4 World Trade Center, 18th Floor
150 Greenwich Street
New York, NY 10006
T: 212 435 3642 F: 212 435 7555*

	WO	WO		SECT	WO	NEED	COMPLETE	PM/PROJECT	ACT	ACT
FACILITY	NUMBER	TYPE	WO DESCRIPTION	SUBS	STATUS	DATE	DATE	NUMBER	LABOR	TOTAL
									HOURS	COST
NJMT	214301	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/3/2005	1/4/2005	2446020	3	\$ 104.00
NJMT	214477	PM	DRAIN TEST F.S.296	0201	COMPLT	1/3/2005	1/4/2005	2446083	0	\$ -
NJMT	214259	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/6/2005	1/11/2005	2446003	4	\$ 167.00
NJMT	214294	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/7/2005	1/7/2005	2446019	4	\$ 139.00
NJMT	214999	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/10/2005	1/11/2005	2447022	1	\$ 27.00
NJMT	205532	PM	SWITCHES-290-291-292 INSPECT ALL AND TRACK	0501	COMPLT	1/10/2005	1/25/2005	2448008	10	\$ 289.00
NJMT	215023	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/11/2005	6/29/2004	2447027	4	\$ 157.00
NJMT	215156	PM	SERV.COMP-261TO264-USM	0401	COMPLT	1/11/2005	1/12/2005	2447051	2	\$ 65.00
NJMT	215155	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	1/12/2005	2/14/2005	2447050	1	\$ 27.00
NJMT	230658	CO	B/264 LOW POINT	0201	COMPLT	1/14/2005	1/3/2007		6	\$ 251.00
NJMT	214302	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/17/2005	1/18/2005	2446020	1	\$ 34.00
NJMT	215024	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/18/2005	1/19/2005	2447027	1	\$ 32.00
NJMT	214260	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/20/2005	1/20/2005	2446003	3	\$ 104.00
NJMT	214295	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/21/2005	1/22/2005	2446019	6	\$ 208.00
NJMT	215001	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/24/2005	1/25/2005	2447022	2	\$ 84.00
NJMT	230684	EM	B/264 FROZEN WATER LINE 2"	0201	COMPLT	1/24/2005	1/3/2007		4	\$ 251.00
NJMT	230685	EM	B/261 AIR LEAK	0401	COMPLT	1/24/2005	1/3/2007		25	\$ 1,453.00
NJMT	215025	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/25/2005	1/26/2005	2447027	1	\$ 42.00
NJMT	214007	PM	EXIT LITES-263	0101	COMPLT	1/26/2005	2/23/2005	2445160	8	\$ 382.00
NJMT	214008	PM	EXIT LITES-264	0101	COMPLT	1/26/2005	2/23/2005	2445168	2	\$ 96.00
NJMT	215002	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/31/2005	2/1/2005	2447022	1	\$ 32.00
NJMT	214303	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/31/2005	2/10/2005	2446020	5	\$ 136.00
NJMT	216635	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/1/2005	2/2/2005	2447027	1	\$ 32.00
NJMT	216353	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/3/2005	2/10/2005	2446003	3	\$ 125.00
NJMT	216365	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/4/2005	2/8/2005	2446019	6	\$ 251.00
NJMT	216427	PM	INSPECT/SERVICE FIRE HOSE-290	0201	COMPLT	2/7/2005	2/7/2005	2446242	4	\$ 167.00
NJMT	216623	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/7/2005	2/8/2005	2447022	2	\$ 65.00
NJMT	216636	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/8/2005	2/9/2005	2447027	1	\$ 32.00
NJMT	215992	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	2/11/2005	5/17/2005	2440107	14	\$ 481.00
NJMT	215993	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	2/14/2005	2/15/2005	2440108	7	\$ 238.00
NJMT	216367	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	2/14/2005	2/15/2005	2446020	0	\$ -
NJMT	216624	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/14/2005	2/15/2005	2447022	2	\$ 53.00
NJMT	215994	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	2/15/2005	2/15/2005	2440109	8	\$ 272.00
NJMT	216637	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/15/2005	2/16/2005	2447027	1	\$ 27.00
NJMT	216354	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/17/2005	2/17/2005	2446003	3	\$ 125.00
NJMT	216366	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/18/2005	2/19/2005	2446019	4	\$ 99.00
NJMT	216638	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/22/2005	2/23/2005	2447027	1	\$ 32.00
NJMT	216873	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	2/23/2005	3/2/2005	2448031	16	\$ 461.00
NJMT	216626	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/28/2005	3/2/2005	2447022	2	\$ 84.00
NJMT	216368	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	2/28/2005	3/7/2005	2446020	3	\$ 75.00
NJMT	217885	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/1/2005	3/2/2005	2447027	1	\$ 42.00
NJMT	217542	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/3/2005	3/7/2005	2446003	4	\$ 167.00
NJMT	217456	PM	SERVICE ROOF HEAT SENSORS-290	0101	COMPLT	3/3/2005	3/11/2005	2445184	0	\$ -
NJMT	217556	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/4/2005	3/7/2005	2446019	4	\$ 167.00
NJMT	233013	CO	B.263 D REPLACE HEATER	0101	COMPLT	3/4/2005	1/2/2007		16	\$ 766.00
NJMT	217872	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/7/2005	3/8/2005	2447022	1	\$ 32.00
NJMT	217873	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/14/2005	3/15/2005	2447022	2	\$ 65.00
NJMT	217558	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/14/2005	3/17/2005	2446020	2	\$ 84.00
NJMT	217887	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/15/2005	3/16/2005	2447027	1	\$ 32.00
NJMT	217543	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/17/2005	3/18/2005	2446003	4	\$ 139.00
NJMT	217557	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/18/2005	3/14/2005	2446019	4.5	\$ 165.00
NJMT	233046	CO	B.263 D SOUTH REPAIR POWER PROBLEMS	0101	COMPLT	3/18/2005	1/2/2007		16	\$ 766.00
NJMT	217874	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/21/2005	3/22/2005	2447022	1	\$ 49.00
NJMT	217888	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/22/2005	3/23/2005	2447027	1	\$ 27.00
NJMT	217875	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/28/2005	3/29/2005	2447022	1	\$ 36.00
NJMT	217559	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/28/2005	4/1/2005	2446020	3	\$ 111.00
NJMT	218133	PM	TRACK-290-291-292	0501	COMPLT	3/28/2005	4/4/2005	2448018	6	\$ 236.00
NJMT	217889	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/29/2005	3/30/2005	2447027	1	\$ 36.00
NJMT	218142	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	3/30/2005	4/8/2005	2448031	10	\$ 337.00
NJMT	217544	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/31/2005	3/31/2005	2446003	0	\$ -
NJMT	218797	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/1/2005	5/5/2005	2446019	13	\$ 445.00
NJMT	218851	PM	DRAIN TEST F.S.296	0201	COMPLT	4/4/2005	4/4/2005	2446083	2.5	\$ 111.00
NJMT	219089	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/4/2005	4/5/2005	2447022	2	\$ 89.00
NJMT	219102	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/5/2005	4/6/2005	2447027	1	\$ 45.00
NJMT	218559	PM	HYDRO AIR TANK-263	0201	COMPLT	4/6/2005	9/23/2005	2440492	0	\$ -
NJMT	218614	PM	HYDRO AIR TANK-264	0201	COMPLT	4/7/2005	9/26/2005	2440580	16.5	\$ 680.00
NJMT	219090	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/11/2005	4/12/2005	2447022	2	\$ 73.00

	WO	WO		SECT	WO	NEED	COMPLETE	PM/PROJECT	ACT	ACT
FACILITY	NUMBER	TYPE	WO DESCRIPTION	SUBS	STATUS	DATE	DATE	NUMBER	LABOR	TOTAL
									HOURS	COST
NJMT	218800	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/11/2005	4/13/2005	2446020	0	\$ -
NJMT	219103	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/12/2005	4/13/2005	2447027	1	\$ 36.00
NJMT	219137	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	4/13/2005	4/14/2005	2447050	1	\$ 36.00
NJMT	218784	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/14/2005	4/15/2005	2446003	2	\$ 74.00
NJMT	218798	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/15/2005	4/15/2005	2446019	3	\$ 111.00
NJMT	219091	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/18/2005	4/19/2005	2447022	2	\$ 89.00
NJMT	219104	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/19/2005	4/20/2005	2447027	1	\$ 45.00
NJMT	218801	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/25/2005	4/26/2005	2446020	1	\$ 37.00
NJMT	219092	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/25/2005	4/26/2005	2447022	2	\$ 60.00
NJMT	234217	CO	2 CATCH BASINS B/261	0501	COMPLT	4/25/2005	3/1/2006		24	\$ 942.00
NJMT	219105	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/26/2005	4/27/2005	2447027	1	\$ 54.00
NJMT	219359	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	4/27/2005	5/4/2005	2448031	9	\$ 303.00
NJMT	218785	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/28/2005	4/28/2005	2446003	3	\$ 134.00
NJMT	218799	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/29/2005	4/29/2005	2446019	3	\$ 134.00
NJMT	220315	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/2/2005	5/3/2005	2447022	3	\$ 121.00
NJMT	220329	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/3/2005	5/4/2005	2447027	1	\$ 36.00
NJMT	220013	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/9/2005	5/9/2005	2446020	4	\$ 148.00
NJMT	220086	PM	TRIP DPV'S-1TO3-290-1993	0201	COMPLT	5/9/2005	5/10/2005	2446326	24	\$ 1,008.00
NJMT	220316	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/9/2005	5/10/2005	2447022	1	\$ 67.00
NJMT	220330	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/10/2005	5/11/2005	2447027	1	\$ 45.00
NJMT	220095	PM	TRIP TEST D.P.V.#4-5-290-1993	0201	COMPLT	5/10/2005	5/13/2005	2446505	24	\$ 935.00
NJMT	219991	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/12/2005	5/12/2005	2446003	5	\$ 185.00
NJMT	220011	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/13/2005	5/13/2005	2446019	4	\$ 148.00
NJMT	220317	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/16/2005	5/23/2005	2447022	2	\$ 60.00
NJMT	220331	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/17/2005	5/18/2005	2447027	1	\$ 36.00
NJMT	220014	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/23/2005	5/24/2005	2446020	4	\$ 148.00
NJMT	220318	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/23/2005	5/24/2005	2447022	2	\$ 89.00
NJMT	220332	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/24/2005	5/25/2005	2447027	1	\$ 45.00
NJMT	219992	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/26/2005	5/27/2005	2446003	2	\$ 89.00
NJMT	220012	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/27/2005	5/31/2005	2446019	8	\$ 356.00
NJMT	220319	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/30/2005	5/31/2005	2447022	0	\$ -
NJMT	220333	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/31/2005	6/1/2005	2447027	0	\$ -
NJMT	236535	CO	PAINT STAIRS BLDG. 263	0301	COMPLT	6/2/2005	12/28/2006		23	\$ 851.00
NJMT	221416	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/6/2005	6/7/2005	2447022	1	\$ 36.00
NJMT	221429	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/7/2005	6/8/2005	2447027	1	\$ 36.00
NJMT	221010	PM	ROOF/SIDING-263	0301	COMPLT	6/7/2005	6/24/2005	2444222	24	\$ 1,060.00
NJMT	221080	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	6/8/2005	6/9/2005	2445258	4	\$ 198.00
NJMT	221417	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/13/2005	6/14/2005	2447022	2	\$ 73.00
NJMT	221011	PM	ROOF/SIDING-264	0301	COMPLT	6/13/2005	3/1/2006	2444223	8	\$ 338.00
NJMT	221430	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/14/2005	6/15/2005	2447027	1	\$ 36.00
NJMT	221418	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/20/2005	7/11/2005	2447022	2	\$ 89.00
NJMT	221431	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/21/2005	6/22/2005	2447027	1	\$ 36.00
NJMT	221183	PM	TRIP TEST ACCELERATOR-264	0201	COMPLT	6/27/2005	6/28/2005	2446188	3	\$ 134.00
NJMT	221419	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/27/2005	6/28/2005	2447022	2	\$ 89.00
NJMT	221162	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	6/28/2005	6/29/2005	2446070	11.5	\$ 495.00
NJMT	221432	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/28/2005	6/29/2005	2447027	1	\$ 45.00
NJMT	221653	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	6/29/2005	6/29/2005	2448031	4	\$ 135.00
NJMT	222561	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/4/2005	8/31/2005	2447022	2	\$ 73.00
NJMT	222574	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/5/2005	7/6/2005	2447027	1	\$ 54.00
NJMT	222562	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/11/2005	7/18/2005	2447022	2	\$ 73.00
NJMT	222804	PM	SWITCHES-290-291-292 INSPECT ALL AND TRACK	0501	COMPLT	7/11/2005	7/18/2005	2448008	12	\$ 404.00
NJMT	222612	PM	SERV.COMP-261TO264-USM	0401	COMPLT	7/12/2005	7/21/2005	2447051	4	\$ 133.00
NJMT	222575	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/12/2005	8/2/2005	2447027	2	\$ 60.00
NJMT	222298	PM	TRIP TEST ACCELERATOR-263	0201	COMPLT	7/21/2005	7/22/2005	2446205	16	\$ 712.00
NJMT	222817	PM	TRACK-290-291-292	0501	COMPLT	7/25/2005	8/1/2005	2448018	8	\$ 334.00
NJMT	222564	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/25/2005	8/15/2005	2447022	2	\$ 134.00
NJMT	222173	PM	EXIT LITES-261	0101	COMPLT	7/26/2005	7/26/2005	2445158	8	\$ 396.00
NJMT	222174	PM	EXIT LITES-262	0101	COMPLT	7/26/2005	7/26/2005	2445159	8	\$ 396.00
NJMT	222577	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/26/2005	8/2/2005	2447027	2	\$ 60.00
NJMT	222175	PM	EXIT LITES-263	0101	COMPLT	7/27/2005	7/28/2005	2445160	2	\$ 99.00
NJMT	222176	PM	EXIT LITES-264	0101	COMPLT	7/27/2005	7/28/2005	2445168	3	\$ 149.00
NJMT	222301	PM	TRIP TEST ACCELERATOR-290	0201	COMPLT	7/27/2005	7/28/2005	2446209	14	\$ 623.00
NJMT	223683	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/1/2005	8/2/2005	2447022	2	\$ 109.00
NJMT	223684	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/8/2005	8/9/2005	2447022	2	\$ 60.00
NJMT	223698	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/9/2005	8/10/2005	2447027	1	\$ 30.00
NJMT	223323	PM	EXIT LITES-290	0101	COMPLT	8/10/2005	8/12/2005	2445182	9	\$ 411.00
NJMT	223444	PM	REPAIR DRY PIPE VALVE -296-1993	0201	COMPLT	8/10/2005	8/15/2005	2446343	30.5	\$ 1,357.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	223065	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	8/12/2005	10/12/2005	2440107	16	\$ 550.00
NJMT	223066	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	8/15/2005	8/16/2005	2440108	7	\$ 273.00
NJMT	223685	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/15/2005	8/29/2005	2447022	2	\$ 89.00
NJMT	223699	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/16/2005	8/17/2005	2447027	1	\$ 36.00
NJMT	223067	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	8/16/2005	9/21/2005	2440109	8	\$ 275.00
NJMT	238936	CO	B/261 SEC-A AIR LEAK	0201	COMPLT	8/16/2005	1/3/2007		33.5	\$ 1,312.00
NJMT	223446	PM	TRIP TEST D.P.V.#1-2-261-1994	0201	COMPLT	8/18/2005	8/22/2005	2446350	21	\$ 875.00
NJMT	223445	PM	TRIP TEST D.P.V.#3-4-261-1994	0201	COMPLT	8/19/2005	8/24/2005	2446347	24	\$ 1,024.00
NJMT	223447	PM	TRIP TEST D.P.V.#1-2-262-1994	0201	COMPLT	8/22/2005	10/12/2005	2446351	20	\$ 757.00
NJMT	223700	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/23/2005	8/24/2005	2447027	1	\$ 36.00
NJMT	223461	PM	TRIP TEST D.P.V.#3-4-262-1994	0201	COMPLT	8/23/2005	10/14/2005	2446514	24	\$ 935.00
NJMT	223949	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	8/24/2005	8/27/2005	2448031	4	\$ 178.00
NJMT	223448	PM	TRIP TEST D.P.V.#1-2-263-1994	0201	COMPLT	8/24/2005	10/14/2005	2446352	24.5	\$ 1,036.00
NJMT	223462	PM	TRIP TEST D.P.V.#3-4-263-1994	0201	COMPLT	8/25/2005	10/14/2005	2446515	32	\$ 1,364.00
NJMT	238966	EM	BROKEN WATER FEED B/340 EMO#052371290	0201	COMPLT	8/26/2005	1/3/2007		12	\$ 534.00
NJMT	223687	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/29/2005	8/30/2005	2447022	1	\$ 36.00
NJMT	223449	PM	TRIP TEST D.P.V.#1-2-264-1994	0201	COMPLT	8/29/2005	8/31/2005	2446353	24	\$ 935.00
NJMT	223463	PM	TRIP TEST D.P.V.#3-4-264-1994	0201	COMPLT	8/30/2005	8/31/2005	2446516	24	\$ 935.00
NJMT	223701	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/30/2005	8/31/2005	2447027	1	\$ 36.00
NJMT	225216	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/5/2005	9/6/2005	2447022	2	\$ 89.00
NJMT	225229	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/6/2005	9/7/2005	2447027	1	\$ 45.00
NJMT	225217	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/12/2005	9/13/2005	2447022	1	\$ 30.00
NJMT	240031	CO	B/262 ROOF PANEL	0301	COMPLT	9/12/2005	12/28/2006		44	\$ 1,775.00
NJMT	225230	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/13/2005	9/14/2005	2447027	1	\$ 30.00
NJMT	225218	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/19/2005	9/26/2005	2447022	2	\$ 73.00
NJMT	240045	CO	B/262 AIR LEAK	0201	COMPLT	9/19/2005	1/3/2007		24	\$ 935.00
NJMT	225231	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/20/2005	9/21/2005	2447027	1	\$ 36.00
NJMT	225458	PM	TRACK-290-291-292	0501	COMPLT	9/26/2005	9/28/2005	2448018	0	\$ -
NJMT	225219	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/26/2005	9/30/2005	2447022	6	\$ 179.00
NJMT	224951	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	9/27/2005	9/28/2005	2446070	8	\$ 326.00
NJMT	225232	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/27/2005	9/28/2005	2447027	1	\$ 36.00
NJMT	226040	PM	DRAIN TEST F.S.296	0201	COMPLT	10/3/2005	10/4/2005	2446083	1	\$ 45.00
NJMT	226339	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/3/2005	10/4/2005	2447022	2	\$ 73.00
NJMT	225914	PM	ROOF DRAINS-262	0301	COMPLT	10/4/2005	10/18/2005	2444200	16	\$ 676.00
NJMT	226352	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/4/2005	10/24/2005	2447027	1	\$ 30.00
NJMT	226340	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/10/2005	10/11/2005	2447022	2	\$ 89.00
NJMT	226353	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/11/2005	10/12/2005	2447027	1	\$ 45.00
NJMT	226388	PM	SERV.COMP-261TO264-USM	0401	COMPLT	10/11/2005	10/17/2005	2447051	2	\$ 60.00
NJMT	241150	CO	B/262 USM REPORTED MAIN SPRINKLER VALVE SHUT	0201	COMPLT	10/11/2005	1/3/2007		4	\$ 178.00
NJMT	226387	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	10/12/2005	10/13/2005	2447050	1	\$ 36.00
NJMT	226341	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/17/2005	10/18/2005	2447022	2	\$ 60.00
NJMT	226354	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/18/2005	10/19/2005	2447027	1	\$ 30.00
NJMT	229683	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	10/24/2005	10/25/2005	2446020	2	\$ 74.00
NJMT	226342	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/24/2005	10/31/2005	2447022	2	\$ 73.00
NJMT	226355	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/25/2005	12/5/2005	2447027	1	\$ 45.00
NJMT	226606	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	10/26/2005	11/8/2005	2448031	12	\$ 404.00
NJMT	229651	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	10/27/2005	11/1/2005	2446003	2	\$ 74.00
NJMT	229676	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	10/28/2005	10/7/2005	2446019	6	\$ 222.00
NJMT	226343	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/31/2005	11/3/2005	2447022	2	\$ 73.00
NJMT	227104	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	11/1/2005	11/2/2005	2445213	4	\$ 163.00
NJMT	227105	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	11/1/2005	11/2/2005	2445214	4	\$ 163.00
NJMT	227427	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/1/2005	11/2/2005	2447027	1	\$ 36.00
NJMT	229684	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/7/2005	11/8/2005	2446020	2	\$ 74.00
NJMT	227414	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/7/2005	11/21/2005	2447022	3	\$ 90.00
NJMT	242148	CO	REPAIR ROOF BLDG. 290	0301	COMPLT	11/8/2005	12/28/2006		40	\$ 1,644.00
NJMT	229652	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/10/2005	12/1/2005	2446003	6	\$ 222.00
NJMT	229677	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/11/2005	12/2/2005	2446019	6	\$ 237.00
NJMT	227415	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/14/2005	11/15/2005	2447022	2	\$ 89.00
NJMT	227429	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/15/2005	11/16/2005	2447027	1	\$ 45.00
NJMT	242167	CO	B/290 LOWPOINT 4J03ZCLOGGED	0201	COMPLT	11/16/2005	1/3/2007		4	\$ 112.00
NJMT	227416	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/21/2005	11/22/2005	2447022	2	\$ 60.00
NJMT	229685	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/21/2005	11/22/2005	2446020	5	\$ 185.00
NJMT	227645	PM	TRACK-290-291-292	0501	COMPLT	11/21/2005	11/30/2005	2448018	0	\$ -
NJMT	227430	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/22/2005	11/23/2005	2447027	1	\$ 30.00
NJMT	229653	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/24/2005	12/22/2005	2446003	4	\$ 148.00
NJMT	229678	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/25/2005	12/22/2005	2446019	0	\$ -
NJMT	227417	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/28/2005	12/5/2005	2447022	2	\$ 90.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	227431	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/29/2005	11/30/2005	2447027	1	\$ 36.00
NJMT	229686	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/5/2005	12/5/2005	2446020	2	\$ 74.00
NJMT	228150	PM	DRUM HEAT-290TO292	0101	COMPLT	12/5/2005	12/6/2005	2445330	8	\$ 396.00
NJMT	228448	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/5/2005	12/6/2005	2447022	2	\$ 73.00
NJMT	228461	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/6/2005	12/7/2005	2447027	1	\$ 36.00
NJMT	228152	PM	DRUM HEAT-138/296/142/188	0101	COMPLT	12/7/2005	12/8/2005	2445332	13	\$ 646.00
NJMT	228135	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	12/7/2005	12/14/2005	2445258	8	\$ 327.00
NJMT	229654	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/8/2005	12/9/2005	2446003	8	\$ 356.00
NJMT	228132	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	12/8/2005	12/12/2005	2445254	16	\$ 794.00
NJMT	228134	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-290	0101	COMPLT	12/8/2005	12/12/2005	2445257	3	\$ 132.00
NJMT	229679	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/9/2005	12/9/2005	2446019	8	\$ 356.00
NJMT	243162	EM	B/261 SEVERE AIR LEAK SEC-D NORTH SIDE	0201	COMPLT	12/12/2005	1/3/2007		12	\$ 468.00
NJMT	228462	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/13/2005	12/22/2005	2447027	1	\$ 45.00
NJMT	243163	EM	B/262 SEVERE AIR LEAK	0201	COMPLT	12/13/2005	1/3/2007		12.5	\$ 501.00
NJMT	228145	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	12/14/2005	12/14/2005	2445284	8	\$ 327.00
NJMT	228450	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/19/2005	12/20/2005	2447022	2	\$ 89.00
NJMT	229687	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/19/2005	12/20/2005	2446020	2	\$ 74.00
NJMT	228463	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/20/2005	12/21/2005	2447027	1	\$ 45.00
NJMT	229655	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/22/2005	12/30/2005	2446003	3	\$ 84.00
NJMT	229680	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/23/2005	12/30/2005	2446019	3	\$ 84.00
NJMT	228451	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/26/2005	12/27/2005	2447022	1	\$ 30.00
NJMT	228464	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/27/2005	12/28/2005	2447027	1	\$ 30.00
NJMT	228203	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	12/27/2005	12/30/2005	2446070	6	\$ 267.00
NJMT	228694	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	12/28/2005	1/4/2006	2448031	8	\$ 417.00
NJMT	243232	EM	B/261 AIR LEAK	0201	COMPLT	12/30/2005	1/3/2007		28	\$ 1,113.00
NJMT	229831	PM	DRAIN TEST F.S.296	0201	COMPLT	1/2/2006	1/4/2006	2446083	1	\$ 45.00
NJMT	229688	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/2/2006	1/9/2006	2446020	7	\$ 223.00
NJMT	229656	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/5/2006	1/9/2006	2446003	8	\$ 260.00
NJMT	229158	PM	SWEEP VALVE ROOMS-261TO264	0201	COMPLT	1/5/2006	1/10/2006	2440340	4	\$ 148.00
NJMT	244936	CO	REPAIR FENCE BLDG. 261	0301	COMPLT	1/5/2006	12/28/2006		16	\$ 596.00
NJMT	229681	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/6/2006	1/9/2006	2446019	5	\$ 185.00
NJMT	244939	CO	B.261 NW CORNER REPAIR LP HEATER	0101	COMPLT	1/6/2006	1/2/2007		4	\$ 129.00
NJMT	230125	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/9/2006	1/10/2006	2447022	2	\$ 73.00
NJMT	244946	CO	B/262 LOW POINT CLOGGED	0201	COMPLT	1/9/2006	1/3/2007		8	\$ 326.00
NJMT	244948	CO	B/290 LOWPOINT 4J203 CLOGGED	0201	COMPLT	1/9/2006	1/3/2007		4	\$ 178.00
NJMT	244949	CO	B/263 LOWPOINT CLOGGED ABOVE VALVE	0201	COMPLT	1/9/2006	1/3/2007		8.5	\$ 354.00
NJMT	230138	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/10/2006	1/11/2006	2447027	1	\$ 36.00
NJMT	230252	PM	SERV.COMP-261TO264-USM	0401	COMPLT	1/10/2006	1/11/2006	2447051	2	\$ 73.00
NJMT	230126	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/16/2006	1/17/2006	2447022	1	\$ 36.00
NJMT	229689	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/16/2006	1/18/2006	2446020	1.5	\$ 56.00
NJMT	229657	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/19/2006	1/23/2006	2446003	4	\$ 112.00
NJMT	229682	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/20/2006	2/6/2006	2446019	4	\$ 148.00
NJMT	230127	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/23/2006	1/24/2006	2447022	2	\$ 89.00
NJMT	230486	PM	TRACK-290-291-292	0501	COMPLT	1/23/2006	1/28/2006	2448018	32	\$ 1,217.00
NJMT	245015	EM	B/263 TRIPPED SYSTEM #1	0201	COMPLT	1/23/2006	1/3/2007		14	\$ 624.00
NJMT	229481	PM	EXIT LITES-261	0101	COMPLT	1/24/2006	1/24/2006	2445158	4	\$ 198.00
NJMT	229482	PM	EXIT LITES-262	0101	COMPLT	1/24/2006	1/24/2006	2445159	8	\$ 396.00
NJMT	230140	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/24/2006	1/25/2006	2447027	1	\$ 45.00
NJMT	229483	PM	EXIT LITES-263	0101	COMPLT	1/25/2006	1/25/2006	2445160	8	\$ 396.00
NJMT	229484	PM	EXIT LITES-264	0101	COMPLT	1/25/2006	1/25/2006	2445168	8	\$ 396.00
NJMT	230502	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	1/25/2006	1/30/2006	2448031	16	\$ 555.00
NJMT	229690	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/30/2006	1/30/2006	2446020	1	\$ 28.00
NJMT	230128	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/30/2006	1/31/2006	2447022	1	\$ 30.00
NJMT	230141	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/31/2006	2/1/2006	2447027	1	\$ 30.00
NJMT	231086	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/2/2006	2/3/2006	2446003	3	\$ 111.00
NJMT	231098	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/3/2006	2/6/2006	2446019	4	\$ 148.00
NJMT	231167	PM	INSPECT/SERVICE FIRE HOSE-290	0201	COMPLT	2/6/2006	2/6/2006	2446242	3	\$ 134.00
NJMT	231367	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/6/2006	2/7/2006	2447022	2	\$ 73.00
NJMT	246077	CO	B/261 LOW POINT IN SEC-D REMOVE RUSTED NIPPLE & CAP	0201	COMPLT	2/7/2006	1/3/2007		2	\$ 74.00
NJMT	246081	CO	B/290 LOWPOINT 4J032 BLOWS AIR THEN STOPS AS PER RUIZ	0201	COMPLT	2/7/2006	1/3/2007		3	\$ 134.00
NJMT	231007	PM	EXIT LITES-290	0101	COMPLT	2/8/2006	2/9/2006	2445182	8	\$ 396.00
NJMT	230740	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	2/10/2006	2/10/2006	2440107	6	\$ 206.00
NJMT	246093	EM	RESET 290 SYS. 1+2	0201	COMPLT	2/10/2006	1/3/2007		16	\$ 652.00
NJMT	230741	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	2/13/2006	2/23/2006	2440108	8	\$ 281.00
NJMT	231100	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	2/13/2006	3/21/2006	2446020	7	\$ 259.00
NJMT	230742	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	2/14/2006	2/14/2006	2440109	8	\$ 312.00
NJMT	231087	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/16/2006	2/17/2006	2446003	3	\$ 111.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	231099	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/17/2006	2/17/2006	2446019	4	\$ 148.00
NJMT	231369	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/20/2006	4/6/2006	2447022	2	\$ 89.00
NJMT	231381	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/21/2006	4/3/2006	2447027	1	\$ 45.00
NJMT	246124	CO	B.261 REPAIR COMPRESSOR # 2	0101	COMPLT	2/21/2006	1/2/2007		8	\$ 406.00
NJMT	246127	EM	B/261 TRIPPED	0201	COMPLT	2/21/2006	1/3/2007		6	\$ 268.00
NJMT	246128	EM	B/263 TRIPPED	0201	COMPLT	2/21/2006	1/3/2007		4	\$ 178.00
NJMT	246133	EM	B/261 CHANGE COMPRESSOR #2	0201	COMPLT	2/21/2006	1/3/2007		6	\$ 268.00
NJMT	231101	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	2/27/2006	3/1/2006	2446020	4	\$ 178.00
NJMT	231382	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/28/2006	3/1/2006	2447027	1	\$ 45.00
NJMT	232252	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/2/2006	2/23/2006	2446003	8	\$ 296.00
NJMT	232265	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/3/2006	3/20/2006	2446019	4	\$ 148.00
NJMT	232591	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/6/2006	3/7/2006	2447022	2	\$ 63.00
NJMT	232604	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/7/2006	3/8/2006	2447027	1	\$ 32.00
NJMT	247322	EM	B/290 SPRINKLER LEAK SE OF BUILDING	0201	COMPLT	3/8/2006	1/3/2007		37.5	\$ 2,137.00
NJMT	247324	CO	B/262 SEC-D AIR LEAK	0201	COMPLT	3/8/2006	1/3/2007		24	\$ 946.00
NJMT	232268	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/13/2006	3/14/2006	2446020	4	\$ 178.00
NJMT	232592	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/13/2006	4/10/2006	2447022	2	\$ 63.00
NJMT	232605	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/14/2006	3/15/2006	2447027	1	\$ 45.00
NJMT	247359	CO	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/14/2006	1/3/2007		3	\$ 111.00
NJMT	232165	PM	SERVICE ROOF HEAT SENSORS-290	0101	COMPLT	3/16/2006	3/17/2006	2445184	1.5	\$ 76.00
NJMT	232253	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/16/2006	3/17/2006	2446003	2	\$ 74.00
NJMT	232266	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/17/2006	3/20/2006	2446019	6.5	\$ 241.00
NJMT	232606	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/21/2006	3/22/2006	2447027	1	\$ 45.00
NJMT	247391	CO	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/23/2006	1/3/2007		4	\$ 117.00
NJMT	232269	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/27/2006	3/29/2006	2446020	4	\$ 148.00
NJMT	232594	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/27/2006	3/31/2006	2447022	2	\$ 89.00
NJMT	232848	PM	TRACK-290-291-292	0501	COMPLT	3/27/2006	4/1/2006	2448018	8	\$ 315.00
NJMT	247401	EM	B/296 RESET TRIPPED SYSTEM	0201	COMPLT	3/27/2006	1/3/2007		12	\$ 712.00
NJMT	232607	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/28/2006	3/29/2006	2447027	1	\$ 45.00
NJMT	232336	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	3/28/2006	4/3/2006	2446070	11	\$ 490.00
NJMT	232863	PM	FLANGE-290/DOREMUS/MARLIN	0501	COMPLT	3/29/2006	4/3/2006	2448031	12	\$ 420.00
NJMT	232254	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/30/2006	3/31/2006	2446003	4	\$ 148.00
NJMT	232267	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/31/2006	4/3/2006	2446019	5	\$ 185.00
NJMT	233547	PM	DRAIN TEST F.S.296	0201	COMPLT	4/3/2006	4/3/2006	2446083	2	\$ 89.00
NJMT	233789	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/3/2006	4/10/2006	2447022	2	\$ 89.00
NJMT	233797	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/4/2006	4/5/2006	2447027	1	\$ 45.00
NJMT	233378	PM	BUMPERS-261	0301	COMPLT	4/4/2006	1/28/2008	2444238	14	\$ 730.00
NJMT	233501	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/10/2006	4/12/2006	2446020	2.5	\$ 93.00
NJMT	233790	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/10/2006	4/20/2006	2447022	4	\$ 152.00
NJMT	233798	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/11/2006	4/11/2006	2447027	1	\$ 32.00
NJMT	233833	PM	SERV.COMP-261TO264-USM	0401	COMPLT	4/11/2006	4/11/2006	2447051	1	\$ 45.00
NJMT	233379	PM	BUMPERS-262	0301	COMPLT	4/11/2006	10/23/2008	2444239	30	\$ 1,390.00
NJMT	233832	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	4/12/2006	4/13/2006	2447050	2	\$ 89.00
NJMT	233486	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/13/2006	4/14/2006	2446003	5	\$ 185.00
NJMT	233499	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/14/2006	4/18/2006	2446019	5	\$ 185.00
NJMT	233791	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/17/2006	4/20/2006	2447022	2	\$ 89.00
NJMT	233799	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/18/2006	4/19/2006	2447027	1	\$ 45.00
NJMT	248544	CO	CHANGE LOCKS 263 C&D	0301	COMPLT	4/18/2006	12/28/2006		44	\$ 1,748.00
NJMT	233380	PM	BUMPERS-263	0301	COMPLT	4/18/2006	10/1/2009	2444240	16	\$ 790.00
NJMT	233502	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/24/2006	4/25/2006	2446020	3	\$ 111.00
NJMT	233792	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/24/2006	4/25/2006	2447022	2	\$ 89.00
NJMT	233800	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/25/2006	4/26/2006	2447027	1	\$ 45.00
NJMT	233381	PM	BUMPERS-264	0301	COMPLT	4/25/2006	7/26/2011	2444241	16	\$ 747.00
NJMT	233487	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/27/2006	5/9/2006	2446003	0	\$ -
NJMT	233500	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/28/2006	5/1/2006	2446019	7	\$ 260.00
NJMT	235000	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/1/2006	5/2/2006	2447022	1	\$ 45.00
NJMT	234572	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	5/1/2006	8/25/2006	2445210	11	\$ 462.00
NJMT	235010	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/2/2006	5/3/2006	2447027	1	\$ 45.00
NJMT	234573	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	5/2/2006	8/19/2006	2445213	2	\$ 102.00
NJMT	234574	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	5/2/2006	8/19/2006	2445214	1	\$ 51.00
NJMT	235001	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/8/2006	5/9/2006	2447022	2	\$ 89.00
NJMT	234694	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/8/2006	5/10/2006	2446020	4	\$ 148.00
NJMT	234767	PM	TRIP DPV'S-1TO3-290-1993	0201	COMPLT	5/8/2006	10/16/2006	2446326	24	\$ 1,068.00
NJMT	234614	PM	INSPECT/SERVICE PANELS-262	0101	COMPLT	5/8/2006	5/31/2007	2445242	0	\$ -
NJMT	234616	PM	INSPECT/SERVICE PANELS-263	0101	COMPLT	5/9/2006	5/10/2006	2445245	14	\$ 711.00
NJMT	235011	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/9/2006	5/10/2006	2447027	1	\$ 45.00
NJMT	234776	PM	TRIP TEST D.P.V.#4-5-290-1993	0201	COMPLT	5/9/2006	1/3/2007	2446505	24	\$ 1,008.00

	WO	WO		SECT	WO	NEED	COMPLETE	PM/PROJECT	ACT	ACT
FACILITY	NUMBER	TYPE	WO DESCRIPTION	SUBS	STATUS	DATE	DATE	NUMBER	LABOR	TOTAL
									HOURS	COST
NJMT	234673	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/11/2006	5/19/2006	2446003	3.8	\$ 139.00
NJMT	234692	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/12/2006	5/17/2006	2446019	3	\$ 112.00
NJMT	235002	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/15/2006	5/16/2006	2447022	2	\$ 63.00
NJMT	234621	PM	INSPECT/SERVICE PANELS-290	0101	COMPLT	5/16/2006	5/17/2006	2445266	14	\$ 712.00
NJMT	235012	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/16/2006	5/17/2006	2447027	1	\$ 32.00
NJMT	234695	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/22/2006	5/23/2006	2446020	3	\$ 111.00
NJMT	235003	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/22/2006	5/25/2006	2447022	4	\$ 152.00
NJMT	235013	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/23/2006	5/26/2006	2447027	2	\$ 77.00
NJMT	234674	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/25/2006	6/1/2006	2446003	6	\$ 222.00
NJMT	234693	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/26/2006	5/27/2006	2446019	4	\$ 117.00
NJMT	235004	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/29/2006	6/15/2006	2447022	4	\$ 178.00
NJMT	234523	PM	ROOF/SIDING-261	0301	COMPLT	5/29/2006	11/26/2008	2444220	16	\$ 856.00
NJMT	235014	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/30/2006	6/14/2006	2447027	1	\$ 45.00
NJMT	249948	EM	B/290 RESET 3 SYSTEMS	0201	COMPLT	5/30/2006	1/3/2007		12	\$ 473.00
NJMT	235740	PM	ROOF/SIDING-262	0301	COMPLT	6/1/2006	5/2/2007	2444221	12	\$ 472.00
NJMT	236150	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/5/2006	6/14/2006	2447022	2	\$ 89.00
NJMT	235837	PM	DRUM HEAT-290TO292	0101	COMPLT	6/5/2006	6/17/2006	2445330	0	\$ -
NJMT	236159	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/6/2006	6/20/2006	2447027	4	\$ 178.00
NJMT	235741	PM	ROOF/SIDING-263	0301	COMPLT	6/6/2006	6/28/2006	2444222	1	\$ 45.00
NJMT	235814	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	6/7/2006	6/8/2006	2445258	0	\$ -
NJMT	235811	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	6/8/2006	6/17/2006	2445254	0	\$ -
NJMT	235813	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-290	0101	COMPLT	6/8/2006	6/17/2006	2445257	0	\$ -
NJMT	236151	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/12/2006	6/13/2006	2447022	2	\$ 89.00
NJMT	235742	PM	ROOF/SIDING-264	0301	COMPLT	6/12/2006	6/26/2007	2444223	42	\$ 1,898.00
NJMT	253637	CO	B.264REPAIR COMPRESSOR #1	0101	COMPLT	6/13/2006	1/2/2007		4	\$ 204.00
NJMT	236152	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/19/2006	6/20/2006	2447022	1	\$ 32.00
NJMT	236161	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/20/2006	6/21/2006	2447027	1	\$ 32.00
NJMT	236153	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/26/2006	7/3/2006	2447022	2	\$ 89.00
NJMT	236372	PM	TRACK-290-291-292	0501	COMPLT	6/26/2006	7/3/2006	2448018	12	\$ 432.00
NJMT	235895	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	6/27/2006	6/29/2006	2446070	8	\$ 356.00
NJMT	236162	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/27/2006	7/3/2006	2447027	1	\$ 45.00
NJMT	253692	EM	B/262 LOW POINT	0201	COMPLT	6/29/2006	1/3/2007		3	\$ 112.00
NJMT	237329	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/3/2006	7/7/2006	2447022	2	\$ 63.00
NJMT	237338	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/4/2006	7/5/2006	2447027	1	\$ 45.00
NJMT	237374	PM	SERV.COMP-261TO264-USM	0401	COMPLT	7/11/2006	7/12/2006	2447051	6	\$ 267.00
NJMT	237373	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	7/12/2006	7/13/2006	2447050	1	\$ 45.00
NJMT	254969	CO	PROTECTIVE POST @ B/261 SEC D	0501	COMPLT	7/12/2006	1/3/2007		24	\$ 948.00
NJMT	237331	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/17/2006	7/18/2006	2447022	2	\$ 89.00
NJMT	237340	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/18/2006	7/19/2006	2447027	1	\$ 45.00
NJMT	237051	PM	TRIP TEST ACCELERATOR-261	0201	COMPLT	7/19/2006	7/25/2006	2446204	16	\$ 590.00
NJMT	237332	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/24/2006	7/25/2006	2447022	2	\$ 63.00
NJMT	237578	PM	TRACK-290-291-292	0501	COMPLT	7/24/2006	7/28/2006	2448018	0	\$ -
NJMT	237341	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/25/2006	7/26/2006	2447027	1	\$ 32.00
NJMT	236929	PM	EXIT LITES-261	0101	COMPLT	7/25/2006	8/29/2006	2445158	4	\$ 168.00
NJMT	236930	PM	EXIT LITES-262	0101	COMPLT	7/25/2006	8/29/2006	2445159	5	\$ 210.00
NJMT	236931	PM	EXIT LITES-263	0101	COMPLT	7/26/2006	8/29/2006	2445160	4	\$ 168.00
NJMT	236932	PM	EXIT LITES-264	0101	COMPLT	7/26/2006	8/31/2006	2445168	8	\$ 406.00
NJMT	237333	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/31/2006	8/22/2006	2447022	4	\$ 178.00
NJMT	238496	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/7/2006	8/29/2006	2447022	2	\$ 89.00
NJMT	238506	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/8/2006	8/9/2006	2447027	1	\$ 45.00
NJMT	238131	PM	EXIT LITES-290	0101	COMPLT	8/9/2006	8/10/2006	2445182	8	\$ 406.00
NJMT	238250	PM	TRIP TEST DRY PIPE VALVE -296-1993	0201	COMPLT	8/9/2006	10/24/2006	2446343	13.5	\$ 577.00
NJMT	237875	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	8/11/2006	9/12/2006	2440107	2	\$ 78.00
NJMT	238701	PM	SERVICE SIAMESE CONN.261-262-263-264	0201	COMPLT	8/14/2006	8/16/2006	2447976	6	\$ 245.00
NJMT	237876	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	8/14/2006	8/23/2006	2440108	8	\$ 312.00
NJMT	237877	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	8/15/2006	8/23/2006	2440109	8	\$ 312.00
NJMT	238252	PM	TRIP TEST D.P.V.#1-2-261-1994	0201	COMPLT	8/17/2006	9/27/2006	2446350	24	\$ 946.00
NJMT	238251	PM	TRIP TEST D.P.V.#3-4-261-1994	0201	COMPLT	8/18/2006	9/28/2006	2446347	16	\$ 712.00
NJMT	238498	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/21/2006	8/22/2006	2447022	1	\$ 48.00
NJMT	238253	PM	TRIP TEST D.P.V.#1-2-262-1994	0201	COMPLT	8/21/2006	10/11/2006	2446351	24.5	\$ 980.00
NJMT	238508	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/22/2006	8/23/2006	2447027	1	\$ 45.00
NJMT	238266	PM	TRIP TEST D.P.V.#3-4-262-1994	0201	COMPLT	8/22/2006	10/12/2006	2446514	24	\$ 946.00
NJMT	238254	PM	TRIP TEST D.P.V.#1-2-263-1994	0201	COMPLT	8/23/2006	10/18/2006	2446352	24.5	\$ 1,036.00
NJMT	238267	PM	TRIP TEST D.P.V.#3-4-263-1994	0201	COMPLT	8/24/2006	10/19/2006	2446515	24.5	\$ 1,036.00
NJMT	238499	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/28/2006	8/29/2006	2447022	1	\$ 32.00
NJMT	238255	PM	TRIP TEST D.P.V.#1-2-264-1994	0201	COMPLT	8/28/2006	12/12/2006	2446353	24	\$ 946.00
NJMT	256318	CO	B/261 SPRINKLER LEAK SEC#A	0201	COMPLT	8/28/2006	1/3/2007		24	\$ 948.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	238268	PM	TRIP TEST D.P.V.#3-4-264-1994	0201	COMPLT	8/29/2006	8/22/2006	2446516	6	\$ 245.00
NJMT	238509	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/29/2006	8/30/2006	2447027	1	\$ 32.00
NJMT	256321	EM	B/264 SEC-A 6"LINE LEAK	0201	COMPLT	8/29/2006	1/3/2007		12	\$ 864.00
NJMT	256322	CO	TRIP TEST D.P.V.#3-4-264-1994	0201	COMPLT	8/29/2006	1/3/2007		24	\$ 1,008.00
NJMT	256324	EM	B/261 SEC-B	0201	COMPLT	8/30/2006	1/3/2007		24	\$ 948.00
NJMT	256338	EM	B/264 SPRINKLER LEAK	0201	COMPLT	8/31/2006	1/3/2007		2	\$ 89.00
NJMT	239367	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	9/26/2006	9/27/2006	2446070	5	\$ 223.00
NJMT	239643	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/26/2006	9/27/2006	2447027	1	\$ 45.00
NJMT	240475	PM	DRAIN TEST F.S.296	0201	COMPLT	10/2/2006	10/5/2006	2446083	2	\$ 89.00
NJMT	240341	PM	ROOF DRAINS-261	0301	COMPLT	10/2/2006	5/28/2008	2444199	8	\$ 428.00
NJMT	240734	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/3/2006	10/4/2006	2447027	1	\$ 32.00
NJMT	240342	PM	ROOF DRAINS-262	0301	COMPLT	10/3/2006	1/19/2007	2444200	16	\$ 676.00
NJMT	240343	PM	ROOF DRAINS-263	0301	COMPLT	10/4/2006	10/19/2006	2444201	16	\$ 676.00
NJMT	240344	PM	ROOF DRAINS-264	0301	COMPLT	10/6/2006	1/19/2007	2444202	12	\$ 530.00
NJMT	240772	PM	SERV.COMP-261TO264-USM	0401	COMPLT	10/10/2006	10/16/2006	2447051	2	\$ 89.00
NJMT	240348	PM	ROOF DRAINS-296	0301	COMPLT	10/12/2006	1/2/2007	2444207	4	\$ 192.00
NJMT	243928	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	10/26/2006	11/1/2006	2446003	5	\$ 186.00
NJMT	243954	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	10/27/2006	11/1/2006	2446019	4.8	\$ 176.00
NJMT	240728	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/30/2006	10/31/2006	2447022	0	\$ -
NJMT	240385	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	10/30/2006	11/17/2006	2445210	6	\$ 269.00
NJMT	260151	CO	ROOF AT B/262	0301	COMPLT	10/30/2006	12/28/2006		6	\$ 288.00
NJMT	240387	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	10/31/2006	11/1/2006	2445214	0	\$ -
NJMT	240386	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	10/31/2006	12/22/2006	2445213	7	\$ 320.00
NJMT	243962	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/6/2006	11/6/2006	2446020	2	\$ 89.00
NJMT	243929	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/9/2006	11/27/2006	2446003	4	\$ 148.00
NJMT	243955	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/10/2006	12/11/2006	2446019	3	\$ 111.00
NJMT	243963	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/20/2006	11/21/2006	2446020	7	\$ 205.00
NJMT	243930	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/23/2006	11/30/2006	2446003	5.5	\$ 204.00
NJMT	243956	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/24/2006	12/11/2006	2446019	4	\$ 148.00
NJMT	243964	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/4/2006	12/5/2006	2446020	2	\$ 59.00
NJMT	242461	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	12/6/2006	12/15/2006	2445258	4	\$ 252.00
NJMT	242478	PM	DRUM HEAT-138/296/142/188	0101	COMPLT	12/6/2006	1/26/2007	2445332	11	\$ 694.00
NJMT	243931	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/7/2006	12/12/2006	2446003	7	\$ 259.00
NJMT	242458	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	12/7/2006	12/13/2006	2445254	8	\$ 504.00
NJMT	242460	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-290	0101	COMPLT	12/7/2006	12/20/2006	2445257	3	\$ 135.00
NJMT	243957	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/8/2006	12/8/2006	2446019	4	\$ 148.00
NJMT	242778	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/12/2006	12/13/2006	2447027	1	\$ 32.00
NJMT	242471	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	12/13/2006	12/22/2006	2445284	8	\$ 336.00
NJMT	262302	EM	B/261 SEC-A TRUCK DOOR #1	0201	COMPLT	12/13/2006	1/3/2007		13.5	\$ 612.00
NJMT	243965	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/18/2006	12/18/2006	2446020	4	\$ 148.00
NJMT	243932	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/21/2006	12/28/2006	2446003	4	\$ 148.00
NJMT	243958	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/22/2006	12/27/2006	2446019	12	\$ 444.00
NJMT	242527	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	12/26/2006	1/3/2007	2446070	3	\$ 134.00
NJMT	243966	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/1/2007	1/10/2007	2446020	2	\$ 89.00
NJMT	244112	PM	DRAIN TEST F.S.296	0201	COMPLT	1/1/2007	1/10/2007	2446083	2	\$ 89.00
NJMT	244418	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/2/2007	1/3/2007	2447027	1	\$ 45.00
NJMT	243933	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/4/2007	1/4/2007	2446003	2	\$ 89.00
NJMT	243431	PM	SWEEP VALVE ROOMS-261TO264	0201	COMPLT	1/4/2007	1/18/2007	2440340	4.5	\$ 167.00
NJMT	243959	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/5/2007	1/5/2007	2446019	5	\$ 185.00
NJMT	264216	EM	B/264 AIR LINE	0201	COMPLT	1/5/2007	7/3/2007		20	\$ 1,035.00
NJMT	243967	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/8/2007	1/8/2007	2446020	3	\$ 88.00
NJMT	244409	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/8/2007	1/9/2007	2447022	2	\$ 89.00
NJMT	244529	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	1/10/2007	3/1/2007	2447050	2	\$ 89.00
NJMT	244410	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/15/2007	1/16/2007	2447022	1	\$ 32.00
NJMT	243968	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/15/2007	1/18/2007	2446020	2	\$ 74.00
NJMT	243934	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/18/2007	1/18/2007	2446003	4	\$ 178.00
NJMT	243960	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/19/2007	1/19/2007	2446019	4	\$ 178.00
NJMT	240979	PM	TRACK-290-291-292	0501	COMPLT	1/22/2007	1/26/2007	2448018	0	\$ -
NJMT	243756	PM	EXIT LITES-261	0101	COMPLT	1/23/2007	2/21/2007	2445158	7	\$ 355.00
NJMT	243757	PM	EXIT LITES-262	0101	COMPLT	1/23/2007	2/21/2007	2445159	7	\$ 355.00
NJMT	243758	PM	EXIT LITES-263	0101	COMPLT	1/24/2007	2/13/2007	2445160	2	\$ 102.00
NJMT	243759	PM	EXIT LITES-264	0101	COMPLT	1/24/2007	2/27/2007	2445168	4	\$ 203.00
NJMT	243969	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/29/2007	2/2/2007	2446020	2	\$ 74.00
NJMT	245413	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/1/2007	2/6/2007	2446003	4	\$ 148.00
NJMT	266369	EM	B/261 AIR LEAK	0201	COMPLT	2/2/2007	2/2/2007		8.5	\$ 389.00
NJMT	245425	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/2/2007	2/8/2007	2446019	4	\$ 148.00
NJMT	266359	CO	B/261 AIR LEAK	0201	COMPLT	2/2/2007	7/3/2007		30	\$ 1,474.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	245696	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/5/2007	2/6/2007	2447022	1	\$ 45.00
NJMT	245495	PM	INSPECT/SERVICE FIRE HOSE-290	0201	COMPLT	2/5/2007	3/20/2007	2446242	2	\$ 89.00
NJMT	245704	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/6/2007	2/7/2007	2447027	1	\$ 45.00
NJMT	245333	PM	EXIT LITES-290	0101	COMPLT	2/7/2007	7/10/2007	2445182	5	\$ 280.00
NJMT	245061	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	2/9/2007	2/12/2007	2440107	8	\$ 312.00
NJMT	245698	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/19/2007	2/20/2007	2447022	1	\$ 33.00
NJMT	245706	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/20/2007	2/21/2007	2447027	1	\$ 33.00
NJMT	266471	CO	REPAIR VALVE HOUSE DOOR 261	0301	COMPLT	2/28/2007	3/6/2007		8	\$ 384.00
NJMT	266483	EM	B/263 RESTORE SYSTEMS DUE TO POWER FAILURE	0201	COMPLT	3/2/2007	7/3/2007		24	\$ 958.00
NJMT	246885	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/12/2007	3/13/2007	2447022	2	\$ 89.00
NJMT	246894	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/20/2007	5/3/2007	2447027	1	\$ 67.00
NJMT	246895	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/27/2007	3/28/2007	2447027	1	\$ 33.00
NJMT	246631	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	3/27/2007	4/2/2007	2446070	5	\$ 223.00
NJMT	247861	PM	DRAIN TEST F.S.296	0201	COMPLT	4/2/2007	4/3/2007	2446083	4	\$ 178.00
NJMT	248114	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/3/2007	4/4/2007	2447027	1	\$ 45.00
NJMT	247679	PM	BUMPERS-261	0301	COMPLT	4/3/2007	7/16/2008	2444238	16	\$ 747.00
NJMT	248106	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/9/2007	4/27/2007	2447022	1	\$ 45.00
NJMT	248149	PM	SERV.COMP-261TO264-USM	0401	COMPLT	4/10/2007	4/19/2007	2447051	2	\$ 89.00
NJMT	247680	PM	BUMPERS-262	0301	COMPLT	4/10/2007	4/25/2007	2444239	16	\$ 620.00
NJMT	248148	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	4/11/2007	6/12/2007	2447050	2	\$ 72.00
NJMT	269061	CO	C/BASIN B/261 SEC A	0501	COMPLT	4/12/2007	1/12/2010		0	\$ -
NJMT	248107	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/16/2007	4/17/2007	2447022	1	\$ 45.00
NJMT	247681	PM	BUMPERS-263	0301	COMPLT	4/17/2007	11/26/2008	2444240	15	\$ 695.00
NJMT	248108	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/23/2007	5/7/2007	2447022	2	\$ 66.00
NJMT	248117	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/24/2007	4/25/2007	2447027	1	\$ 45.00
NJMT	247682	PM	BUMPERS-264	0301	COMPLT	4/24/2007	12/29/2008	2444241	16	\$ 747.00
NJMT	269116	CO	REPAIR ROOF LEAKS BLDG. 262	0301	COMPLT	4/26/2007	5/16/2007		20	\$ 833.00
NJMT	248109	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/30/2007	5/1/2007	2447022	2	\$ 134.00
NJMT	247727	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	4/30/2007	6/27/2007	2445210	12	\$ 672.00
NJMT	248909	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	5/1/2007	5/2/2007	2445213	4	\$ 204.00
NJMT	248910	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	5/1/2007	5/2/2007	2445214	2	\$ 102.00
NJMT	249337	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/7/2007	5/8/2007	2447022	2	\$ 89.00
NJMT	248950	PM	INSPECT/SERVICE PANELS-262	0101	COMPLT	5/7/2007	5/31/2007	2445242	7	\$ 356.00
NJMT	249347	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/8/2007	5/9/2007	2447027	1	\$ 45.00
NJMT	248952	PM	INSPECT/SERVICE PANELS-263	0101	COMPLT	5/8/2007	5/31/2007	2445245	6	\$ 304.00
NJMT	248956	PM	INSPECT/SERVICE PANELS-264	0101	COMPLT	5/9/2007	5/31/2007	2445249	8	\$ 406.00
NJMT	270199	CO	C/BASIN GRATE B/264 SEC C	0501	COMPLT	5/11/2007	5/19/2007		16	\$ 550.00
NJMT	255075	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	5/14/2007	5/14/2007	2440108	8	\$ 312.00
NJMT	249103	PM	TRIP DPV'S-1TO3-290-1993	0201	COMPLT	5/14/2007	5/17/2007	2446326	16.5	\$ 746.00
NJMT	249112	PM	TRIP TEST D.P.V.#4-5-290-1993	0201	COMPLT	5/15/2007	5/16/2007	2446505	20.5	\$ 923.00
NJMT	249348	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/15/2007	5/16/2007	2447027	1	\$ 49.00
NJMT	255076	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	5/15/2007	5/16/2007	2440109	6	\$ 234.00
NJMT	248959	PM	INSPECT/SERVICE PANELS-290	0101	COMPLT	5/15/2007	5/31/2007	2445266	16	\$ 812.00
NJMT	249339	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/21/2007	5/22/2007	2447022	2	\$ 117.00
NJMT	249349	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/22/2007	6/11/2007	2447027	2	\$ 147.00
NJMT	249340	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/28/2007	5/29/2007	2447022	1	\$ 45.00
NJMT	248862	PM	ROOF/SIDING-261	0301	COMPLT	5/28/2007	4/29/2009	2444220	24	\$ 1,218.00
NJMT	249350	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/29/2007	6/18/2007	2447027	1	\$ 74.00
NJMT	248863	PM	ROOF/SIDING-262	0301	COMPLT	5/31/2007	6/1/2007	2444221	12	\$ 530.00
NJMT	253016	PM	DRUM HEAT-290TO292	0101	COMPLT	6/4/2007	6/4/2007	2445330	15	\$ 762.00
NJMT	253299	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/4/2007	6/5/2007	2447022	1	\$ 33.00
NJMT	270245	CO	B/263 ASPHALT AT DOORS	0501	COMPLT	6/4/2007	9/8/2007		186.5	\$ 6,773.00
NJMT	253308	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/5/2007	6/12/2007	2447027	1	\$ 74.00
NJMT	252924	PM	ROOF/SIDING-263	0301	COMPLT	6/5/2007	6/19/2007	2444222	8	\$ 423.00
NJMT	252993	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	6/6/2007	6/7/2007	2445258	5	\$ 280.00
NJMT	252990	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	6/7/2007	6/8/2007	2445254	8	\$ 448.00
NJMT	253300	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/11/2007	6/14/2007	2447022	2	\$ 147.00
NJMT	252925	PM	ROOF/SIDING-264	0301	COMPLT	6/11/2007	6/19/2007	2444223	7	\$ 370.00
NJMT	253309	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/12/2007	6/14/2007	2447027	1	\$ 36.00
NJMT	253004	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	6/13/2007	6/19/2007	2445284	9	\$ 504.00
NJMT	253301	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/18/2007	6/22/2007	2447022	3	\$ 109.00
NJMT	253310	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/19/2007	6/22/2007	2447027	1	\$ 36.00
NJMT	253091	PM	TRIP TEST ACCELERATOR-262	0201	COMPLT	6/22/2007	7/2/2007	2446187	6	\$ 294.00
NJMT	253302	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/25/2007	7/5/2007	2447022	2	\$ 98.00
NJMT	253092	PM	TRIP TEST ACCELERATOR-264	0201	COMPLT	6/25/2007	8/11/2007	2446188	16	\$ 784.00
NJMT	253311	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/26/2007	6/26/2007	2447027	1	\$ 36.00
NJMT	253070	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	6/26/2007	6/27/2007	2446070	4	\$ 196.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	254413	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/2/2007	7/3/2007	2447022	1	\$ 64.00
NJMT	254134	PM	DRAIN TEST F.S.296	0201	COMPLT	7/2/2007	7/6/2007	2446083	2	\$ 98.00
NJMT	254424	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/10/2007	8/24/2007	2447027	2	\$ 105.00
NJMT	254461	PM	SERV.COMP-261TO264-USM	0401	COMPLT	7/10/2007	9/18/2007	2447051	4	\$ 196.00
NJMT	254460	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	7/11/2007	7/12/2007	2447050	1	\$ 36.00
NJMT	254425	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/17/2007	7/18/2007	2447027	1	\$ 49.00
NJMT	254162	PM	TRIP TEST ACCELERATOR-263	0201	COMPLT	7/19/2007	10/30/2007	2446205	8	\$ 366.00
NJMT	254416	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/23/2007	9/10/2007	2447022	2	\$ 109.00
NJMT	254426	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/24/2007	7/25/2007	2447027	1	\$ 54.00
NJMT	254417	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/30/2007	8/3/2007	2447022	1	\$ 36.00
NJMT	254427	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/31/2007	8/29/2007	2447027	2	\$ 85.00
NJMT	272524	CO	PLACE DELINATORS AT VALVE HOUSE 261	0301	COMPLT	7/31/2007	10/19/2007		4	\$ 211.00
NJMT	272525	CO	PLACE DELINATORS AT VALVE HOUSE 262	0301	COMPLT	7/31/2007	10/19/2007		4	\$ 211.00
NJMT	255705	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/7/2007	8/29/2007	2447027	2	\$ 105.00
NJMT	255482	PM	TRIP TEST DRY PIPE VALVE -296-1993	0201	COMPLT	8/8/2007	8/8/2007	2446343	18	\$ 882.00
NJMT	264541	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	8/10/2007	12/6/2007	2440107	4	\$ 172.00
NJMT	255698	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/13/2007	8/14/2007	2447022	2	\$ 129.00
NJMT	264544	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	8/13/2007	8/14/2007	2440108	8	\$ 344.00
NJMT	255839	PM	SERVICE SIAMESE CONN.261-262-263-264	0201	COMPLT	8/13/2007	8/16/2007	2447976	4	\$ 196.00
NJMT	264547	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	8/14/2007	8/14/2007	2440109	8	\$ 344.00
NJMT	255706	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/14/2007	10/9/2007	2447027	0	\$ -
NJMT	255484	PM	TRIP TEST D.P.V.#1-2-261-1994	0201	COMPLT	8/16/2007	8/17/2007	2446350	12	\$ 588.00
NJMT	255483	PM	TRIP TEST D.P.V.#3-4-261-1994	0201	COMPLT	8/17/2007	10/15/2007	2446347	24	\$ 1,200.00
NJMT	273567	EM	B/290 WATER MAIN LEAKING	0201	COMPLT	8/20/2007	8/21/2007		68	\$ 3,686.00
NJMT	255485	PM	TRIP TEST D.P.V.#1-2-262-1994	0201	COMPLT	8/20/2007	8/24/2007	2446351	24	\$ 1,176.00
NJMT	255497	PM	TRIP TEST D.P.V.#3-4-262-1994	0201	COMPLT	8/21/2007	8/21/2007	2446514	16	\$ 784.00
NJMT	255707	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/21/2007	8/22/2007	2447027	1	\$ 49.00
NJMT	273565	CO	B/290 SINKHOLES IN BUILDING	0501	COMPLT	8/21/2007	9/8/2007	2449477	153.5	\$ 6,195.00
NJMT	255486	PM	TRIP TEST D.P.V.#1-2-263-1994	0201	COMPLT	8/22/2007	10/9/2007	2446352	12	\$ 588.00
NJMT	255498	PM	TRIP TEST D.P.V.#3-4-263-1994	0201	COMPLT	8/23/2007	10/4/2007	2446515	20.5	\$ 1,003.00
NJMT	255700	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/27/2007	8/28/2007	2447022	2	\$ 105.00
NJMT	255487	PM	TRIP TEST D.P.V.#1-2-264-1994	0201	COMPLT	8/27/2007	8/29/2007	2446353	24	\$ 1,176.00
NJMT	255708	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/28/2007	8/29/2007	2447027	2	\$ 105.00
NJMT	255499	PM	TRIP TEST D.P.V.#3-4-264-1994	0201	COMPLT	8/28/2007	9/10/2007	2446516	16	\$ 784.00
NJMT	256986	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/3/2007	9/4/2007	2447022	1	\$ 46.00
NJMT	256356	PM	V.R.LITES-261,262,263,264,266,268	0101	COMPLT	9/3/2007	11/14/2007	2445129	8	\$ 456.00
NJMT	256994	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/4/2007	9/5/2007	2447027	1	\$ 54.00
NJMT	274708	CO	CHECK POWER FAILURE 290	0101	COMPLT	9/7/2007	10/18/2007		1	\$ 84.00
NJMT	256987	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/10/2007	10/31/2007	2447022	2	\$ 78.00
NJMT	256988	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/17/2007	9/18/2007	2447022	2	\$ 72.00
NJMT	256989	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/24/2007	9/25/2007	2447022	1	\$ 49.00
NJMT	256778	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	9/25/2007	9/26/2007	2446070	6.5	\$ 319.00
NJMT	256997	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/25/2007	9/26/2007	2447027	1	\$ 49.00
NJMT	258616	PM	DRAIN TEST F.S.296	0201	COMPLT	10/1/2007	10/1/2007	2446083	1	\$ 50.00
NJMT	258820	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/1/2007	10/2/2007	2447022	1	\$ 32.00
NJMT	258830	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/2/2007	10/3/2007	2447027	1	\$ 32.00
NJMT	258319	PM	ROOF DRAINS-264	0301	COMPLT	10/5/2007	10/19/2007	2444202	8	\$ 431.00
NJMT	258821	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/8/2007	10/9/2007	2447022	2	\$ 150.00
NJMT	258316	PM	ROOF DRAINS-261	0301	COMPLT	10/8/2007	6/24/2008	2444199	24	\$ 1,284.00
NJMT	258831	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/9/2007	10/10/2007	2447027	1	\$ 55.00
NJMT	258866	PM	SERV.COMP-261TO264-USM	0401	COMPLT	10/9/2007	10/10/2007	2447051	1	\$ 50.00
NJMT	258317	PM	ROOF DRAINS-262	0301	COMPLT	10/9/2007	10/30/2007	2444200	12	\$ 648.00
NJMT	258865	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	10/10/2007	10/25/2007	2447050	1.5	\$ 112.00
NJMT	258318	PM	ROOF DRAINS-263	0301	COMPLT	10/10/2007	10/30/2007	2444201	12	\$ 648.00
NJMT	245427	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	10/22/2007	10/22/2007	2446020	3	\$ 133.00
NJMT	258833	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/23/2007	10/24/2007	2447027	1	\$ 75.00
NJMT	245414	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	10/25/2007	10/25/2007	2446003	7	\$ 298.00
NJMT	275878	CO	REPAIR GUTTER BLDG. 262 SEC A	0301	COMPLT	10/25/2007	12/18/2007		14	\$ 754.00
NJMT	245426	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	10/26/2007	10/26/2007	2446019	4	\$ 200.00
NJMT	258824	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/29/2007	10/30/2007	2447022	2	\$ 100.00
NJMT	258362	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	10/29/2007	11/14/2007	2445210	16	\$ 912.00
NJMT	258834	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/30/2007	10/31/2007	2447027	1	\$ 50.00
NJMT	275884	EM	B/262 AIR LEAK	0201	COMPLT	10/30/2007	10/31/2007		38	\$ 1,832.00
NJMT	260589	PM	HYDRO-SIAMESE-262	0201	COMPLT	11/1/2007	4/21/2008	2446821	16	\$ 727.00
NJMT	245428	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/5/2007	11/6/2007	2446020	4	\$ 200.00
NJMT	246548	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/8/2007	11/19/2007	2446003	2	\$ 100.00
NJMT	246561	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/9/2007	11/9/2007	2446019	2	\$ 100.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	264542	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	11/9/2007	6/17/2008	2440107	8	\$ 348.00
NJMT	260689	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/12/2007	5/15/2008	2447022	2	\$ 99.00
NJMT	260697	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/13/2007	11/14/2007	2447027	1	\$ 58.00
NJMT	276778	EM	B/262 FIRE SPRINKLER LEAK	0201	COMPLT	11/13/2007	11/16/2007		92	\$ 5,160.00
NJMT	246564	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/19/2007	11/19/2007	2446020	2	\$ 100.00
NJMT	276806	CO	B.264 REPAIR COMPRESSOR	0101	COMPLT	11/20/2007	12/7/2007		8	\$ 456.00
NJMT	276807	EM	B/264 AIR COMPRESSOR O/S	0401	COMPLT	11/20/2007	6/17/2008		14	\$ 700.00
NJMT	276812	EM	B/290 FERNCO COULPING	0201	COMPLT	11/21/2007	11/21/2007		21	\$ 1,050.00
NJMT	276809	CO	REPAIR ROOF LEAK BLDG. 290	0301	COMPLT	11/21/2007	12/18/2007		8	\$ 432.00
NJMT	246549	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/22/2007	12/1/2007	2446003	2	\$ 100.00
NJMT	246562	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/23/2007	12/6/2007	2446019	6	\$ 300.00
NJMT	260691	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/26/2007	11/27/2007	2447022	3	\$ 116.00
NJMT	276832	EM	B/263-C AIR LEAK	0201	COMPLT	11/28/2007	11/29/2007		20	\$ 1,315.00
NJMT	276825	CO	B/263 LEAKING FIRE SPRINKLERS	0201	COMPLT	11/28/2007	2/26/2008		16	\$ 727.00
NJMT	246565	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/3/2007	12/3/2007	2446020	2	\$ 100.00
NJMT	261488	PM	DRUM HEAT-290TO292	0101	COMPLT	12/3/2007	12/4/2007	2445330	10	\$ 570.00
NJMT	261740	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/3/2007	12/4/2007	2447022	2	\$ 100.00
NJMT	261749	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/4/2007	12/6/2007	2447027	0	\$ -
NJMT	261473	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	12/5/2007	12/5/2007	2445258	2	\$ 114.00
NJMT	261490	PM	DRUM HEAT-138/296/142/188	0101	COMPLT	12/5/2007	12/5/2007	2445332	11	\$ 627.00
NJMT	261470	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	12/6/2007	12/7/2007	2445254	5	\$ 285.00
NJMT	261472	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-290	0101	COMPLT	12/6/2007	12/7/2007	2445257	3	\$ 171.00
NJMT	246550	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/6/2007	12/13/2007	2446003	6	\$ 300.00
NJMT	246563	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/7/2007	12/7/2007	2446019	2	\$ 100.00
NJMT	261483	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	12/12/2007	12/14/2007	2445284	15	\$ 855.00
NJMT	247816	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/17/2007	12/18/2007	2446020	3	\$ 150.00
NJMT	261742	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/17/2007	12/18/2007	2447022	1	\$ 58.00
NJMT	277887	EM	B/263-D AIR LEAK OVER OFFICE	0201	COMPLT	12/18/2007	1/31/2008		2	\$ 137.00
NJMT	247799	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/20/2007	1/11/2008	2446003	2	\$ 99.00
NJMT	247814	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/21/2007	1/18/2008	2446019	2	\$ 99.00
NJMT	261752	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/25/2007	12/26/2007	2447027	1	\$ 74.00
NJMT	261543	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	12/25/2007	1/10/2008	2446070	8	\$ 398.00
NJMT	247817	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/31/2007	12/31/2007	2446020	0	\$ -
NJMT	261554	PM	DRAIN TEST F.S.296	0201	COMPLT	12/31/2007	1/17/2008	2446083	1	\$ 50.00
NJMT	263531	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/1/2008	1/2/2008	2447027	1	\$ 39.00
NJMT	247800	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/3/2008	1/25/2008	2446003	3	\$ 124.00
NJMT	247815	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/4/2008	1/7/2008	2446019	2	\$ 99.00
NJMT	263522	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/7/2008	1/8/2008	2447022	2	\$ 99.00
NJMT	249029	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/7/2008	1/28/2008	2446020	2	\$ 99.00
NJMT	263674	PM	SERV.COMP-261TO264-USM	0401	COMPLT	1/8/2008	1/9/2008	2447051	2	\$ 99.00
NJMT	263673	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	1/9/2008	7/10/2008	2447050	1	\$ 32.00
NJMT	263523	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/14/2008	1/15/2008	2447022	1	\$ 32.00
NJMT	279742	CO	B/261 AIR LEAK	0201	COMPLT	1/16/2008	1/16/2008		16	\$ 794.00
NJMT	249010	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/17/2008	1/29/2008	2446003	3	\$ 124.00
NJMT	249027	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/18/2008	1/18/2008	2446019	2	\$ 99.00
NJMT	263524	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/21/2008	1/22/2008	2447022	1	\$ 48.00
NJMT	249030	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/21/2008	2/1/2008	2446020	1.5	\$ 74.00
NJMT	263534	PM	INSP.E.ROOM-290-USM	0401	COMPLT	1/22/2008	1/23/2008	2447027	1	\$ 58.00
NJMT	279792	CO	REPAIR ROOF LEAK BLDG. 263	0301	COMPLT	1/30/2008	6/17/2008		24	\$ 1,284.00
NJMT	249011	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/31/2008	2/29/2008	2446003	8	\$ 364.00
NJMT	249028	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/1/2008	2/1/2008	2446019	2	\$ 99.00
NJMT	265565	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/4/2008	2/5/2008	2447022	1	\$ 39.00
NJMT	263106	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	2/4/2008	2/6/2008	2446020	1	\$ 50.00
NJMT	265444	PM	INSPECT/SERVICE FIRE HOSE-290	0201	COMPLT	2/4/2008	4/16/2008	2446242	6	\$ 281.00
NJMT	265573	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/5/2008	2/6/2008	2447027	1	\$ 39.00
NJMT	280911	CO	B/262 CHANGE AIR COMPRESSOR OIL	0401	COMPLT	2/5/2008	6/17/2008		1	\$ 50.00
NJMT	264543	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	2/8/2008	2/8/2008	2440107	8	\$ 348.00
NJMT	264546	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	2/11/2008	2/11/2008	2440108	8	\$ 348.00
NJMT	265566	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/11/2008	2/12/2008	2447022	1	\$ 50.00
NJMT	280934	CO	PADLOCK DOORS BLDG.262	0301	COMPLT	2/11/2008	3/27/2008		12	\$ 642.00
NJMT	265574	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/12/2008	2/13/2008	2447027	1	\$ 50.00
NJMT	265352	PM	EXIT LITES-290	0101	COMPLT	2/13/2008	2/15/2008	2445182	18	\$ 1,020.00
NJMT	263075	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/14/2008	2/15/2008	2446003	3	\$ 124.00
NJMT	263099	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/15/2008	2/29/2008	2446019	3	\$ 124.00
NJMT	265575	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/19/2008	2/20/2008	2447027	1	\$ 32.00
NJMT	265576	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/26/2008	2/27/2008	2447027	1	\$ 58.00
NJMT	280985	CO	B/262 ACCELERATORS	0201	COMPLT	2/28/2008	2/29/2008		12	\$ 596.00

FACILITY	WO	WO	WO DESCRIPTION	SECT	WO	NEED	COMPLETE	PM/PROJECT	ACT	ACT
	NUMBER	TYPE		SUBS	STATUS	DATE	DATE	NUMBER	LABOR	TOTAL
									HOURS	COST
NJMT	280987	CO	B/290 ACCELERATORS	0201	COMPLT	2/28/2008	3/3/2008		19.5	\$ 900.00
NJMT	263076	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/28/2008	3/4/2008	2446003	4	\$ 165.00
NJMT	266943	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/29/2008	3/4/2008	2446019	3	\$ 124.00
NJMT	266946	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/3/2008	3/6/2008	2446020	4	\$ 182.00
NJMT	282235	EM	B/264 RESET RISER#1	0201	COMPLT	3/4/2008	3/4/2008		24	\$ 1,124.00
NJMT	267220	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/10/2008	3/11/2008	2447022	1	\$ 39.00
NJMT	282265	EM	B/264 #1 REPAIR RESET SYSTEM	0201	COMPLT	3/11/2008	3/11/2008		24	\$ 1,124.00
NJMT	267229	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/11/2008	3/12/2008	2447027	1	\$ 39.00
NJMT	266934	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/13/2008	3/13/2008	2446003	4	\$ 199.00
NJMT	266944	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/14/2008	3/17/2008	2446019	4	\$ 199.00
NJMT	266947	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/17/2008	3/18/2008	2446020	2	\$ 99.00
NJMT	267230	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/18/2008	3/19/2008	2447027	1	\$ 50.00
NJMT	267222	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/24/2008	3/25/2008	2447022	1	\$ 32.00
NJMT	267012	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	3/25/2008	3/25/2008	2446070	9	\$ 447.00
NJMT	267231	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/25/2008	3/26/2008	2447027	1	\$ 32.00
NJMT	266935	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/27/2008	3/27/2008	2446003	4	\$ 165.00
NJMT	266945	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/28/2008	3/31/2008	2446019	2	\$ 99.00
NJMT	266948	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/31/2008	3/31/2008	2446020	4	\$ 199.00
NJMT	267023	PM	DRAIN TEST F.S.296	0201	COMPLT	3/31/2008	3/31/2008	2446083	3	\$ 149.00
NJMT	267223	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/31/2008	4/1/2008	2447022	1	\$ 50.00
NJMT	268644	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/1/2008	4/2/2008	2447027	1	\$ 50.00
NJMT	268635	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/7/2008	4/8/2008	2447022	1	\$ 50.00
NJMT	268645	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/8/2008	4/9/2008	2447027	1	\$ 50.00
NJMT	268672	PM	SERV.COMP-261TO264-USM	0401	COMPLT	4/8/2008	4/9/2008	2447051	4	\$ 162.00
NJMT	268263	PM	BUMPERS-261	0301	COMPLT	4/8/2008	7/16/2008	2444238	16	\$ 747.00
NJMT	268671	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	4/9/2008	4/10/2008	2447050	1	\$ 41.00
NJMT	268375	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/10/2008	4/14/2008	2446003	0	\$ -
NJMT	268384	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/11/2008	4/14/2008	2446019	4	\$ 165.00
NJMT	268150	PM	HYDRO AIR TANK-290	0201	COMPLT	4/13/2008	4/18/2008	2440507	16	\$ 727.00
NJMT	268386	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/14/2008	4/14/2008	2446020	2	\$ 83.00
NJMT	268636	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/14/2008	4/15/2008	2447022	2	\$ 77.00
NJMT	268646	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/15/2008	4/17/2008	2447027	1	\$ 39.00
NJMT	268264	PM	BUMPERS-262	0301	COMPLT	4/15/2008	4/22/2008	2444239	22	\$ 1,147.00
NJMT	268637	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/21/2008	4/22/2008	2447022	1	\$ 74.00
NJMT	268647	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/22/2008	4/23/2008	2447027	1	\$ 58.00
NJMT	268265	PM	BUMPERS-263	0301	COMPLT	4/22/2008	4/29/2008	2444240	8	\$ 417.00
NJMT	268376	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/24/2008	5/1/2008	2446003	3	\$ 124.00
NJMT	268385	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/25/2008	5/1/2008	2446019	2	\$ 83.00
NJMT	268387	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/28/2008	4/30/2008	2446020	3	\$ 124.00
NJMT	268309	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	4/28/2008	5/2/2008	2445210	11	\$ 623.00
NJMT	268648	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/29/2008	4/30/2008	2447027	0	\$ -
NJMT	268266	PM	BUMPERS-264	0301	COMPLT	4/29/2008	12/29/2008	2444241	16	\$ 747.00
NJMT	269793	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/5/2008	5/6/2008	2447022	1	\$ 50.00
NJMT	284529	CO	REMOVE FENCE BLDG. 263	0301	COMPLT	5/5/2008	6/17/2008		36	\$ 1,918.00
NJMT	269801	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/6/2008	5/7/2008	2447027	1	\$ 50.00
NJMT	284530	CO	REPAIR VALVE HOUSE DOOR 261 EAST	0301	COMPLT	5/6/2008	6/17/2008		16	\$ 856.00
NJMT	269513	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/8/2008	4/30/2008	2446003	4	\$ 165.00
NJMT	269151	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	5/9/2008	5/12/2008	2440107	3	\$ 130.00
NJMT	269525	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/9/2008	5/12/2008	2446019	3	\$ 124.00
NJMT	269527	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/12/2008	5/13/2008	2446020	3	\$ 124.00
NJMT	269794	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/12/2008	5/13/2008	2447022	1	\$ 50.00
NJMT	269611	PM	TRIP DPV'S-1TO3-290-1993	0201	COMPLT	5/12/2008	5/15/2008	2446326	24	\$ 1,124.00
NJMT	269473	PM	INSPECT/SERVICE PANELS-262	0101	COMPLT	5/12/2008	7/30/2008	2445242	16	\$ 907.00
NJMT	269802	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/13/2008	5/13/2008	2447027	1	\$ 50.00
NJMT	269153	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	5/13/2008	5/14/2008	2440109	8	\$ 348.00
NJMT	269620	PM	TRIP TEST D.P.V.#4-5-290-1993	0201	COMPLT	5/13/2008	6/4/2008	2446505	24	\$ 1,191.00
NJMT	269475	PM	INSPECT/SERVICE PANELS-263	0101	COMPLT	5/13/2008	7/30/2008	2445245	14	\$ 793.00
NJMT	269479	PM	INSPECT/SERVICE PANELS-264	0101	COMPLT	5/14/2008	5/15/2008	2445249	16	\$ 906.00
NJMT	269795	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/19/2008	5/20/2008	2447022	2	\$ 77.00
NJMT	269803	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/20/2008	5/22/2008	2447027	1	\$ 39.00
NJMT	269483	PM	INSPECT/SERVICE PANELS-290	0101	COMPLT	5/20/2008	12/5/2008	2445266	13	\$ 609.00
NJMT	269514	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/22/2008	5/22/2008	2446003	3	\$ 124.00
NJMT	269526	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/23/2008	5/27/2008	2446019	3	\$ 124.00
NJMT	269796	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/26/2008	5/27/2008	2447022	2	\$ 99.00
NJMT	269528	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/26/2008	6/6/2008	2446020	4	\$ 165.00
NJMT	269804	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/27/2008	5/28/2008	2447027	1	\$ 50.00
NJMT	284615	CO	B263 REPAIR LEAKING MAIN DRAIN VALVE SYSTEM #3	0201	COMPLT	5/30/2008	6/25/2008		16	\$ 794.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	270591	PM	DRUM HEAT-290TO292	0101	COMPLT	6/2/2008	6/17/2008	2445330	17	\$ 943.00
NJMT	270507	PM	ROOF/SIDING-261	0301	COMPLT	6/2/2008	10/1/2009	2444220	16	\$ 856.00
NJMT	284620	EM	B/261-C FIRE SPRINKLER	0201	COMPLT	6/3/2008	6/3/2008		28	\$ 1,736.00
NJMT	270859	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/3/2008	6/4/2008	2447027	1	\$ 32.00
NJMT	270593	PM	DRUM HEAT-138/296/142/188	0101	COMPLT	6/4/2008	6/5/2008	2445332	16	\$ 906.00
NJMT	270508	PM	ROOF/SIDING-262	0301	COMPLT	6/5/2008	9/4/2009	2444221	24	\$ 1,284.00
NJMT	270850	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/9/2008	6/10/2008	2447022	2	\$ 99.00
NJMT	270860	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/10/2008	6/11/2008	2447027	1	\$ 50.00
NJMT	270509	PM	ROOF/SIDING-263	0301	COMPLT	6/10/2008	10/23/2008	2444222	16	\$ 856.00
NJMT	270581	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	6/11/2008	12/14/2008	2445284	0	\$ -
NJMT	270851	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/16/2008	6/17/2008	2447022	2	\$ 99.00
NJMT	285645	CO	REBUILD STAIRS BLDG. 261	0301	COMPLT	6/16/2008	3/30/2009		376	\$ 18,258.00
NJMT	270861	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/17/2008	6/18/2008	2447027	1	\$ 50.00
NJMT	270663	PM	TRIP TEST ACCELERATOR-262	0201	COMPLT	6/20/2008	6/23/2008	2446187	20	\$ 892.00
NJMT	270664	PM	TRIP TEST ACCELERATOR-264	0201	COMPLT	6/23/2008	7/24/2008	2446188	2.5	\$ 137.00
NJMT	270640	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	6/24/2008	6/30/2008	2446070	4	\$ 199.00
NJMT	270651	PM	DRAIN TEST F.S.296	0201	COMPLT	6/30/2008	6/30/2008	2446083	1	\$ 50.00
NJMT	270853	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/30/2008	7/1/2008	2447022	2	\$ 99.00
NJMT	271995	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/1/2008	7/2/2008	2447027	1	\$ 50.00
NJMT	271409	PM	SWEEP VALVE ROOMS-261TO264	0201	COMPLT	7/3/2008	7/3/2008	2440340	2	\$ 83.00
NJMT	272023	PM	SERV.COMP-261TO264-USM	0401	COMPLT	7/8/2008	7/9/2008	2447051	0	\$ -
NJMT	272022	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	7/9/2008	7/16/2008	2447050	1	\$ 32.00
NJMT	271987	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/14/2008	7/15/2008	2447022	1	\$ 50.00
NJMT	271755	PM	TRIP TEST ACCELERATOR-261	0201	COMPLT	7/16/2008	7/24/2008	2446204	3	\$ 149.00
NJMT	271756	PM	TRIP TEST ACCELERATOR-263	0201	COMPLT	7/17/2008	7/24/2008	2446205	2	\$ 99.00
NJMT	271988	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/21/2008	7/23/2008	2447022	1	\$ 50.00
NJMT	271759	PM	TRIP TEST ACCELERATOR-290	0201	COMPLT	7/23/2008	7/23/2008	2446209	4	\$ 199.00
NJMT	271989	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/28/2008	7/29/2008	2447022	2	\$ 77.00
NJMT	271644	PM	EXIT LITES-261	0101	COMPLT	7/29/2008	7/30/2008	2445158	8	\$ 454.00
NJMT	271645	PM	EXIT LITES-262	0101	COMPLT	7/29/2008	7/30/2008	2445159	8	\$ 454.00
NJMT	271999	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/29/2008	7/30/2008	2447027	2	\$ 77.00
NJMT	271646	PM	EXIT LITES-263	0101	COMPLT	7/30/2008	7/31/2008	2445160	8	\$ 454.00
NJMT	271647	PM	EXIT LITES-264	0101	COMPLT	7/30/2008	7/31/2008	2445168	8	\$ 454.00
NJMT	273125	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/5/2008	8/6/2008	2447027	1	\$ 50.00
NJMT	272930	PM	TRIP TEST DRY PIPE VALVE -296-1993	0201	COMPLT	8/6/2008	8/6/2008	2446343	24	\$ 1,150.00
NJMT	272562	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	8/8/2008	1/22/2009	2440107	4	\$ 174.00
NJMT	273184	PM	SERVICE SIAMESE CONN.261-262-263-264	0201	COMPLT	8/11/2008	8/11/2008	2447976	4	\$ 212.00
NJMT	273118	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/11/2008	8/12/2008	2447022	1	\$ 58.00
NJMT	272564	PM	SEWER CK-290-291-292-296-301-302-303-304-305-321	0801	COMPLT	8/12/2008	8/22/2008	2440109	4	\$ 174.00
NJMT	272825	PM	EXIT LITES-290	0101	COMPLT	8/13/2008	11/5/2008	2445182	6	\$ 300.00
NJMT	272932	PM	TRIP TEST D.P.V.#1-2-261-1994	0201	COMPLT	8/14/2008	8/14/2008	2446350	24	\$ 1,124.00
NJMT	272931	PM	TRIP TEST D.P.V.#3-4-261-1994	0201	COMPLT	8/15/2008	8/16/2008	2446347	21	\$ 975.00
NJMT	272933	PM	TRIP TEST D.P.V.#1-2-262-1994	0201	COMPLT	8/18/2008	8/19/2008	2446351	24	\$ 1,124.00
NJMT	273119	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/18/2008	8/19/2008	2447022	1	\$ 50.00
NJMT	272943	PM	TRIP TEST D.P.V.#3-4-262-1994	0201	COMPLT	8/19/2008	8/20/2008	2446514	24	\$ 1,124.00
NJMT	273127	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/19/2008	8/20/2008	2447027	1	\$ 50.00
NJMT	287912	EM	B/262 WATER FLOW RESET SYSTEMS 3&4	0201	COMPLT	8/19/2008	10/28/2008		8	\$ 565.00
NJMT	272934	PM	TRIP TEST D.P.V.#1-2-263-1994	0201	COMPLT	8/20/2008	5/6/2008	2446352	24	\$ 1,124.00
NJMT	272944	PM	TRIP TEST D.P.V.#3-4-263-1994	0201	COMPLT	8/21/2008	5/6/2008	2446515	24	\$ 1,124.00
NJMT	272935	PM	TRIP TEST D.P.V.#1-2-264-1994	0201	COMPLT	8/25/2008	4/30/2008	2446353	24	\$ 1,191.00
NJMT	273120	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/25/2008	8/26/2008	2447022	0	\$ -
NJMT	287906	CO	B/261 SPRINKLERS	0201	COMPLT	8/25/2008	8/29/2008		0	\$ -
NJMT	272945	PM	TRIP TEST D.P.V.#3-4-264-1994	0201	COMPLT	8/26/2008	5/2/2008	2446516	24	\$ 1,124.00
NJMT	273128	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/26/2008	8/27/2008	2447027	1	\$ 74.00
NJMT	274338	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/1/2008	9/2/2008	2447022	1	\$ 39.00
NJMT	274040	PM	V.R.LITES-261,262,263,264,266,268	0101	COMPLT	9/1/2008	9/17/2008	2445129	12	\$ 562.00
NJMT	274348	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/2/2008	9/3/2008	2447027	1	\$ 39.00
NJMT	288945	CO	INSTALL LATCHES AND LOCKS BLDG 261	0201	COMPLT	9/3/2008	9/3/2008		2	\$ 84.00
NJMT	274339	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/8/2008	9/9/2008	2447022	2	\$ 99.00
NJMT	274349	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/9/2008	9/10/2008	2447027	1	\$ 74.00
NJMT	288967	CO	B/263 DOWN SPOUT	0201	COMPLT	9/10/2008	9/11/2008		47	\$ 2,283.00
NJMT	288962	CO	B/264 HYD. SPRINKLERS	0201	COMPLT	9/12/2008	9/12/2008		16	\$ 794.00
NJMT	288981	CO	B/296 COMPRESSOR	0201	COMPLT	9/12/2008	9/12/2008		14	\$ 932.00
NJMT	274340	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/15/2008	9/16/2008	2447022	2	\$ 83.00
NJMT	288993	CO	REPAIR SINK HOLE BLDG 290 FAPS	0501	COMPLT	9/18/2008	10/11/2008		20	\$ 788.00
NJMT	274124	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	9/23/2008	9/23/2008	2446070	8.5	\$ 434.00
NJMT	274351	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/23/2008	9/24/2008	2447027	1	\$ 50.00

	WO	WO		SECT	WO	NEED	COMPLETE	PM/PROJECT	ACT	ACT
FACILITY	NUMBER	TYPE	WO DESCRIPTION	SUBS	STATUS	DATE	DATE	NUMBER	LABOR	TOTAL
									HOURS	COST
NJMT	274342	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/29/2008	9/30/2008	2447022	1	\$ 50.00
NJMT	274135	PM	DRAIN TEST F.S.296	0201	COMPLT	9/29/2008	10/6/2008	2446083	2	\$ 100.00
NJMT	275060	PM	ROOF DRAINS-261	0301	COMPLT	10/6/2008	10/23/2008	2444199	28	\$ 1,498.00
NJMT	275414	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/7/2008	10/8/2008	2447027	1	\$ 39.00
NJMT	275441	PM	SERV.COMP-261TO264-USM	0401	COMPLT	10/7/2008	10/8/2008	2447051	2	\$ 90.00
NJMT	275061	PM	ROOF DRAINS-262	0301	COMPLT	10/7/2008	10/23/2008	2444200	16	\$ 856.00
NJMT	275062	PM	ROOF DRAINS-263	0301	COMPLT	10/8/2008	10/23/2008	2444201	16	\$ 856.00
NJMT	275063	PM	ROOF DRAINS-264	0301	COMPLT	10/10/2008	10/23/2008	2444202	8	\$ 428.00
NJMT	275407	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/13/2008	10/14/2008	2447022	1	\$ 30.00
NJMT	275415	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/14/2008	10/15/2008	2447027	1	\$ 30.00
NJMT	290088	CO	B/261 AIR LEAK	0201	COMPLT	10/15/2008	10/15/2008		36	\$ 1,720.00
NJMT	275067	PM	ROOF DRAINS-296	0301	COMPLT	10/16/2008	10/23/2008	2444207	16	\$ 856.00
NJMT	275408	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/20/2008	10/21/2008	2447022	3	\$ 187.00
NJMT	290115	EM	RESET DRY VALVE BLDG 261	0201	COMPLT	10/20/2008	11/12/2008		4	\$ 298.00
NJMT	290123	CO	REPAIR COMPRESSOR BLDG 261	0101	COMPLT	10/21/2008	11/5/2008		2.5	\$ 142.00
NJMT	275101	PM	ACTIVATE/SERVICE ROOF DRAIN HEAT-290	0101	COMPLT	10/21/2008	2/17/2009	2445165	8	\$ 375.00
NJMT	290102	CO	2 C/BASINS @ B/261	0501	COMPLT	10/22/2008	12/10/2008		108	\$ 4,398.00
NJMT	278748	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	10/23/2008	10/23/2008	2446003	4	\$ 199.00
NJMT	278766	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	10/24/2008	10/27/2008	2446019	3.5	\$ 144.00
NJMT	278774	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	10/27/2008	10/27/2008	2446020	3	\$ 124.00
NJMT	275117	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	10/28/2008	11/1/2008	2445213	4	\$ 187.00
NJMT	275118	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	10/28/2008	11/1/2008	2445214	4	\$ 187.00
NJMT	290156	CO	ROOF LEAK B/296 FAPS	0501	COMPLT	10/30/2008	5/27/2009		8	\$ 428.00
NJMT	290166	CO	ROOF/SIDING B/263	0501	COMPLT	10/31/2008	12/30/2008		10	\$ 535.00
NJMT	276396	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/3/2008	11/4/2008	2447022	0	\$ -
NJMT	276297	PM	HYDRO-SIAMESE-263	0201	COMPLT	11/4/2008	11/5/2008	2446822	4	\$ 182.00
NJMT	276404	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/4/2008	11/5/2008	2447027	1	\$ 50.00
NJMT	278749	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/6/2008	11/6/2008	2446003	2	\$ 99.00
NJMT	278767	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/7/2008	11/14/2008	2446019	3	\$ 149.00
NJMT	276397	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/10/2008	11/12/2008	2447022	1	\$ 39.00
NJMT	291069	EM	B/261 AIR LEAK	0201	COMPLT	11/10/2008	11/13/2008		38	\$ 1,992.00
NJMT	278775	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/10/2008	11/14/2008	2446020	2	\$ 99.00
NJMT	276398	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/17/2008	11/18/2008	2447022	1	\$ 58.00
NJMT	276406	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/18/2008	11/20/2008	2447027	1	\$ 58.00
NJMT	278750	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/20/2008	11/26/2008	2446003	8	\$ 398.00
NJMT	278768	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/21/2008	11/21/2008	2446019	7	\$ 289.00
NJMT	276399	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/24/2008	11/25/2008	2447022	1	\$ 42.00
NJMT	278776	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/24/2008	12/11/2008	2446020	5	\$ 206.00
NJMT	277180	PM	DRUM HEAT-290TO292	0101	COMPLT	12/1/2008	12/3/2008	2445330	8	\$ 375.00
NJMT	277444	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/2/2008	5/18/2009	2447027	1	\$ 50.00
NJMT	277161	PM	SERVICE/ACTIVATE/DEACTIVATE VALVE ROOM HEAT-296	0101	COMPLT	12/3/2008	12/22/2008	2445258	1	\$ 70.00
NJMT	277182	PM	DRUM HEAT-138/296/142/188	0101	COMPLT	12/3/2008	1/13/2009	2445332	4	\$ 227.00
NJMT	278751	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/4/2008	12/8/2008	2446003	8	\$ 330.00
NJMT	292062	EM	B/261 #4 AIR LEAK	0201	COMPLT	12/4/2008	12/18/2008		20	\$ 1,207.00
NJMT	277158	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	12/4/2008	12/22/2008	2445254	3	\$ 210.00
NJMT	277160	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-290	0101	COMPLT	12/4/2008	12/22/2008	2445257	1	\$ 70.00
NJMT	278769	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/5/2008	12/5/2008	2446019	4	\$ 165.00
NJMT	292074	EM	B/261 AIR LEAK	0201	COMPLT	12/8/2008	12/8/2008		19	\$ 900.00
NJMT	277435	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/8/2008	12/9/2008	2447022	0	\$ -
NJMT	278777	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/8/2008	12/9/2008	2446020	6	\$ 273.00
NJMT	292072	CO	INSTALL NEW STAIRS BLDG 261	0301	COMPLT	12/8/2008	3/30/2009		27	\$ 1,234.00
NJMT	277171	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	12/10/2008	12/11/2008	2445284	10	\$ 468.00
NJMT	292103	CO	B.262 REPAIR VH HEAT	0101	COMPLT	12/14/2008	12/22/2008		2	\$ 141.00
NJMT	292104	EM	B/290 RISER 3 RESTORE	0201	COMPLT	12/15/2008	12/15/2008		16	\$ 727.00
NJMT	292107	EM	B/296 AIR COMPRESSOR	0201	COMPLT	12/15/2008	12/15/2008		12	\$ 596.00
NJMT	277436	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/15/2008	12/16/2008	2447022	1	\$ 39.00
NJMT	292100	CO	B.296 REPAIR COMPRESSOR	0101	COMPLT	12/15/2008	12/22/2008		8	\$ 394.00
NJMT	277446	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/16/2008	12/17/2008	2447027	1	\$ 39.00
NJMT	292110	CO	REPLACE C/BASIN COVER B/264	0501	COMPLT	12/16/2008	1/12/2009		16	\$ 691.00
NJMT	278752	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/18/2008	12/18/2008	2446003	2	\$ 83.00
NJMT	278770	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/19/2008	12/19/2008	2446019	16	\$ 727.00
NJMT	278778	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/22/2008	12/30/2008	2446020	2	\$ 83.00
NJMT	292153	EM	B/262 RESTORE TRIPPED SYSTEMS DUE TO POWER FAILURE	0201	COMPLT	12/22/2008	5/24/2010		8	\$ 364.00
NJMT	277232	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	12/23/2008	12/23/2008	2446070	16	\$ 794.00
NJMT	277447	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/23/2008	5/18/2009	2447027	1	\$ 30.00
NJMT	292161	CO	B.262 WEST VH REPAIR HEAT	0101	COMPLT	12/26/2008	12/30/2008		4	\$ 281.00
NJMT	292162	CO	B.290 EAST VH REPAIR HEAT	0101	COMPLT	12/26/2008	12/30/2008		4	\$ 281.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	292165	CO	B.263 REPAIR FIRE SPRINKLER	0201	COMPLT	12/26/2008	5/24/2010		15	\$ 703.00
NJMT	292172	EM	B/292&B/263SPRINKLERS	0201	COMPLT	12/29/2008	12/29/2008		14	\$ 645.00
NJMT	292174	EM	B/262 EXHAUSTER	0201	COMPLT	12/29/2008	1/2/2009		4	\$ 199.00
NJMT	292176	EM	B/264 EXHAUSTER 2&3	0201	COMPLT	12/29/2008	1/2/2009		4	\$ 199.00
NJMT	292175	EM	B/263 ACCEL. 1,2,4	0201	COMPLT	12/29/2008	1/5/2009		8	\$ 397.00
NJMT	292177	EM	B/261 EXHAUSTER 1,2,3	0201	COMPLT	12/29/2008	1/5/2009		8	\$ 397.00
NJMT	277243	PM	DRAIN TEST F.S.296	0201	COMPLT	12/29/2008	1/6/2009	2446083	1	\$ 50.00
NJMT	278753	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/1/2009	1/9/2009	2446003	3	\$ 149.00
NJMT	278771	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/2/2009	1/2/2009	2446019	4	\$ 199.00
NJMT	278779	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/5/2009	1/6/2009	2446020	2	\$ 83.00
NJMT	278754	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/8/2009	1/8/2009	2446003	0	\$ -
NJMT	279312	PM	SERV.COMP-261TO264-USM	0401	COMPLT	1/13/2009	1/14/2009	2447051	2	\$ 99.00
NJMT	294387	EM	B/264,202 HEAT	0101	COMPLT	1/14/2009	1/15/2009		5	\$ 279.00
NJMT	278755	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/15/2009	1/15/2009	2446003	4	\$ 199.00
NJMT	278772	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/16/2009	1/20/2009	2446019	8	\$ 364.00
NJMT	279172	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	1/19/2009	1/20/2009	2447022	1	\$ 39.00
NJMT	278780	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	1/19/2009	2/2/2009	2446020	2	\$ 83.00
NJMT	294412	EM	B/296 # 1 RESET	0201	COMPLT	1/20/2009	1/20/2009		12	\$ 794.00
NJMT	294416	EM	B/296 AIRCOMPRESSOR O/S	0401	COMPLT	1/21/2009	5/24/2010		4	\$ 199.00
NJMT	279545	PM	TRACK-290-291-292	0501	COMPLT	1/26/2009	2/13/2009	2448018	0	\$ -
NJMT	278595	PM	EXIT LITES-261	0101	COMPLT	1/27/2009	2/3/2009	2445158	0	\$ -
NJMT	278596	PM	EXIT LITES-262	0101	COMPLT	1/27/2009	2/3/2009	2445159	3	\$ 170.00
NJMT	278598	PM	EXIT LITES-264	0101	COMPLT	1/28/2009	2/17/2009	2445168	4	\$ 227.00
NJMT	278597	PM	EXIT LITES-263	0101	COMPLT	1/28/2009	2/26/2009	2445160	8	\$ 454.00
NJMT	278756	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	1/29/2009	2/3/2009	2446003	2	\$ 83.00
NJMT	278773	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	1/30/2009	2/3/2009	2446019	2	\$ 83.00
NJMT	280525	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/3/2009	2/4/2009	2447027	1	\$ 42.00
NJMT	279837	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	2/9/2009	2/10/2009	2440108	4	\$ 174.00
NJMT	280518	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/9/2009	2/10/2009	2447022	1	\$ 50.00
NJMT	279838	PM	SEWER CK-290-292-296-301-302-303-304-305-321	0801	COMPLT	2/10/2009	5/5/2009	2440109	4	\$ 174.00
NJMT	280214	PM	EXIT LITES-290	0101	COMPLT	2/11/2009	4/6/2009	2445182	4	\$ 227.00
NJMT	280277	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	2/12/2009	2/18/2009	2446003	3	\$ 124.00
NJMT	280519	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/16/2009	2/17/2009	2447022	1	\$ 50.00
NJMT	295597	EM	B/290 STANDPIPE HOSES	0201	COMPLT	2/18/2009	2/19/2009		8	\$ 330.00
NJMT	280520	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	2/23/2009	2/24/2009	2447022	1	\$ 39.00
NJMT	280528	PM	INSP.E.ROOM-290-USM	0401	COMPLT	2/24/2009	2/25/2009	2447027	1	\$ 39.00
NJMT	295632	EM	B/262-D AIR LEAK	0201	COMPLT	2/25/2009	3/17/2009		10	\$ 498.00
NJMT	295631	CO	REPAIR FLASHING 290 WEST END	0301	COMPLT	2/25/2009	3/30/2009		16	\$ 856.00
NJMT	280286	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	2/27/2009	2/27/2009	2446019	3	\$ 124.00
NJMT	281808	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/2/2009	3/3/2009	2447022	1	\$ 30.00
NJMT	281544	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/2/2009	3/10/2009	2446020	2	\$ 83.00
NJMT	281818	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/3/2009	3/4/2009	2447027	1	\$ 30.00
NJMT	281809	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/9/2009	3/11/2009	2447022	2	\$ 83.00
NJMT	281819	PM	INSP.E.ROOM-290-USM	0401	COMPLT	3/10/2009	3/11/2009	2447027	1	\$ 42.00
NJMT	281532	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/12/2009	3/12/2009	2446003	4	\$ 165.00
NJMT	281542	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/13/2009	3/13/2009	2446019	4	\$ 199.00
NJMT	281545	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/16/2009	3/17/2009	2446020	1	\$ 50.00
NJMT	281810	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/16/2009	3/17/2009	2447022	2	\$ 99.00
NJMT	281811	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/23/2009	3/24/2009	2447022	1	\$ 50.00
NJMT	281606	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	3/24/2009	3/24/2009	2446070	8	\$ 397.00
NJMT	281533	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	3/26/2009	3/26/2009	2446003	2	\$ 83.00
NJMT	281543	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	3/27/2009	3/27/2009	2446019	4	\$ 199.00
NJMT	281546	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	3/30/2009	3/31/2009	2446020	4	\$ 199.00
NJMT	281617	PM	DRAIN TEST F.S.296	0201	COMPLT	3/30/2009	3/31/2009	2446083	2	\$ 99.00
NJMT	281812	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	3/30/2009	3/31/2009	2447022	1	\$ 74.00
NJMT	282980	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/6/2009	4/7/2009	2447022	1	\$ 30.00
NJMT	282601	PM	BUMPERS-261	0301	COMPLT	4/7/2009	10/1/2009	2444238	16	\$ 790.00
NJMT	283012	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	4/8/2009	4/9/2009	2447050	2	\$ 90.00
NJMT	282718	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/9/2009	4/10/2009	2446003	2	\$ 99.00
NJMT	282729	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/13/2009	4/14/2009	2446020	2	\$ 83.00
NJMT	282981	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/13/2009	4/14/2009	2447022	2	\$ 99.00
NJMT	282549	PM	HYDRO AIR TANK-261	0201	COMPLT	4/13/2009	7/2/2009	2440578	16	\$ 727.00
NJMT	282483	PM	HYDRO AIR TANK-262	0201	COMPLT	4/14/2009	4/15/2009	2440493	14	\$ 694.00
NJMT	282989	PM	INSP.E.ROOM-290-USM	0401	COMPLT	4/14/2009	4/15/2009	2447027	1	\$ 50.00
NJMT	282602	PM	BUMPERS-262	0301	COMPLT	4/14/2009	4/29/2009	2444239	16	\$ 790.00
NJMT	283013	PM	SERV.COMP-261TO264-USM	0401	COMPLT	4/14/2009	5/21/2009	2447051	3	\$ 100.00
NJMT	282982	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/20/2009	4/21/2009	2447022	2	\$ 99.00

FACILITY	WO NUMBER	WO TYPE	WO DESCRIPTION	SECT SUBS	WO STATUS	NEED DATE	COMPLETE DATE	PM/PROJECT NUMBER	ACT LABOR HOURS	ACT TOTAL COST
NJMT	282603	PM	BUMPERS-263	0301	COMPLT	4/21/2009	10/27/2009	2444240	32	\$ 1,596.00
NJMT	282719	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	4/23/2009	4/29/2009	2446003	4	\$ 199.00
NJMT	282728	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	4/24/2009	4/24/2009	2446019	0	\$ -
NJMT	282730	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	4/27/2009	4/28/2009	2446020	2	\$ 83.00
NJMT	282983	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	4/27/2009	4/28/2009	2447022	0	\$ -
NJMT	282647	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	4/27/2009	6/12/2009	2445210	16	\$ 749.00
NJMT	282649	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	4/28/2009	5/8/2009	2445213	4	\$ 227.00
NJMT	282650	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	4/28/2009	5/8/2009	2445214	4	\$ 227.00
NJMT	282604	PM	BUMPERS-264	0301	COMPLT	4/28/2009	7/26/2011	2444241	16	\$ 790.00
NJMT	284148	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/4/2009	5/5/2009	2447022	1	\$ 74.00
NJMT	284156	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/5/2009	5/6/2009	2447027	1	\$ 40.00
NJMT	283868	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/7/2009	5/8/2009	2446003	4	\$ 199.00
NJMT	283880	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/8/2009	5/8/2009	2446019	8	\$ 398.00
NJMT	283508	PM	SEWER CK-236-238-250-255-256-260-261-262	0801	COMPLT	5/8/2009	5/19/2009	2440107	4	\$ 174.00
NJMT	283829	PM	INSPECT/SERVICE PANELS-261	0101	COMPLT	5/8/2009	7/2/2009	2445240	30	\$ 1,562.00
NJMT	283509	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	5/11/2009	5/12/2009	2440108	8	\$ 348.00
NJMT	283830	PM	INSPECT/SERVICE PANELS-262	0101	COMPLT	5/11/2009	5/12/2009	2445242	13	\$ 737.00
NJMT	283882	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	5/11/2009	5/12/2009	2446020	2	\$ 83.00
NJMT	283966	PM	TRIP DPV'S-1TO3-290-1993	0201	COMPLT	5/11/2009	5/12/2009	2446326	24	\$ 1,124.00
NJMT	299303	EM	B/290 AIR LEAK #4	0201	COMPLT	5/11/2009	5/12/2009		24	\$ 1,124.00
NJMT	284149	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/11/2009	6/8/2009	2447022	3	\$ 149.00
NJMT	283975	PM	TRIP TEST D.P.V.#4-5-290-1993	0201	COMPLT	5/12/2009	5/14/2009	2446505	24	\$ 1,191.00
NJMT	283510	PM	SEWER CK-290-292-296-301-302-303-304-305-321	0801	COMPLT	5/12/2009	5/19/2009	2440109	4	\$ 174.00
NJMT	283832	PM	INSPECT/SERVICE PANELS-263	0101	COMPLT	5/12/2009	6/12/2009	2445245	15	\$ 712.00
NJMT	283836	PM	INSPECT/SERVICE PANELS-264	0101	COMPLT	5/13/2009	6/17/2009	2445249	8	\$ 375.00
NJMT	284150	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/18/2009	5/19/2009	2447022	2	\$ 99.00
NJMT	283840	PM	INSPECT/SERVICE PANELS-290	0101	COMPLT	5/19/2009	5/21/2009	2445266	15	\$ 850.00
NJMT	283869	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	5/21/2009	6/1/2009	2446003	4	\$ 165.00
NJMT	283881	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	5/22/2009	5/22/2009	2446019	4	\$ 165.00
NJMT	284151	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	5/25/2009	5/26/2009	2447022	1	\$ 50.00
NJMT	284159	PM	INSP.E.ROOM-290-USM	0401	COMPLT	5/26/2009	5/27/2009	2447027	1	\$ 50.00
NJMT	299355	EM	B/290 AIR COMPRESSOR	0201	COMPLT	6/1/2009	6/3/2009		16	\$ 794.00
NJMT	285222	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/1/2009	6/15/2009	2447022	1	\$ 30.00
NJMT	284963	PM	DRUM HEAT- 290 & 292	0101	COMPLT	6/1/2009	9/30/2010	2445330	5	\$ 283.00
NJMT	284879	PM	ROOF/SIDING-262	0301	COMPLT	6/4/2009	6/29/2009	2444221	16	\$ 856.00
NJMT	300368	CO	REMOVE RR SWITCH PARTS B/264 & 262	0501	COMPLT	6/5/2009	6/19/2009		40	\$ 1,627.00
NJMT	300367	CO	CLEAN B/264 REMOVE RACK	0501	COMPLT	6/5/2009	8/25/2009		332	\$ 14,133.00
NJMT	285223	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/8/2009	6/9/2009	2447022	1	\$ 40.00
NJMT	285234	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/9/2009	6/11/2009	2447027	1	\$ 40.00
NJMT	300388	CO	REMOVE AND RECYCLE METAL FROM BLDG 264	0701	COMPLT	6/10/2009	6/23/2009		18	\$ 483.00
NJMT	284953	PM	ACTIVATE/DEACTIVATE DRUM HEAT-261TO264	0101	COMPLT	6/10/2009	9/30/2010	2445284	8	\$ 454.00
NJMT	285224	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/15/2009	6/22/2009	2447022	1	\$ 74.00
NJMT	284881	PM	ROOF/SIDING-264	0301	COMPLT	6/15/2009	6/29/2009	2444223	22.5	\$ 1,204.00
NJMT	285235	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/16/2009	6/17/2009	2447027	1	\$ 30.00
NJMT	285037	PM	TRIP TEST ACCELERATOR-262	0201	COMPLT	6/19/2009	6/26/2009	2446187	8	\$ 397.00
NJMT	285038	PM	TRIP TEST ACCELERATOR-264	0201	COMPLT	6/22/2009	6/26/2009	2446188	8	\$ 397.00
NJMT	285011	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	6/23/2009	6/23/2009	2446070	2	\$ 99.00
NJMT	285022	PM	DRAIN TEST F.S.296	0201	COMPLT	6/29/2009	6/29/2009	2446083	3	\$ 149.00
NJMT	285226	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	6/29/2009	6/30/2009	2447022	2	\$ 99.00
NJMT	285237	PM	INSP.E.ROOM-290-USM	0401	COMPLT	6/30/2009	7/1/2009	2447027	1	\$ 50.00
NJMT	286396	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/6/2009	7/7/2009	2447022	2	\$ 121.00
NJMT	286404	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/7/2009	7/8/2009	2447027	1	\$ 61.00
NJMT	301589	CO	REMOVE RACKS AND FENCEING 264 FAPS	0301	COMPLT	7/7/2009	7/29/2009		152	\$ 7,868.00
NJMT	285798	PM	SWEEP VALVE ROOMS-261TO264	0201	COMPLT	7/9/2009	7/10/2009	2440340	2	\$ 83.00
NJMT	286397	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/13/2009	7/14/2009	2447022	2	\$ 81.00
NJMT	286405	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/14/2009	7/15/2009	2447027	1	\$ 40.00
NJMT	286431	PM	SERV.COMP-261TO264-USM	0401	COMPLT	7/14/2009	7/15/2009	2447051	4	\$ 199.00
NJMT	286430	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	7/15/2009	7/16/2009	2447050	1	\$ 50.00
NJMT	286160	PM	TRIP TEST ACCELERATOR-261	0201	COMPLT	7/15/2009	9/8/2009	2446204	32	\$ 1,454.00
NJMT	286161	PM	TRIP TEST ACCELERATOR-263	0201	COMPLT	7/16/2009	10/27/2009	2446205	12	\$ 607.00
NJMT	286398	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/20/2009	8/10/2009	2447022	2	\$ 99.00
NJMT	286406	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/21/2009	7/22/2009	2447027	1	\$ 30.00
NJMT	286164	PM	TRIP TEST ACCELERATOR-290	0201	COMPLT	7/22/2009	7/23/2009	2446209	16	\$ 727.00
NJMT	286399	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	7/27/2009	7/28/2009	2447022	1	\$ 50.00
NJMT	286407	PM	INSP.E.ROOM-290-USM	0401	COMPLT	7/28/2009	7/30/2009	2447027	1	\$ 50.00
NJMT	301644	CO	B/263 AIR COMPRESSOR	0201	COMPLT	7/29/2009	7/29/2009		18.5	\$ 869.00
NJMT	287474	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/3/2009	8/13/2009	2447022	4	\$ 199.00

	WO	WO		SECT	WO	NEED	COMPLETE	PM/PROJECT	ACT	ACT
FACILITY	NUMBER	TYPE	WO DESCRIPTION	SUBS	STATUS	DATE	DATE	NUMBER	LABOR	TOTAL
									HOURS	COST
NJMT	287483	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/4/2009	8/5/2009	2447027	1	\$ 50.00
NJMT	287286	PM	TRIP TEST DRY PIPE VALVE -296-1993	0201	COMPLT	8/5/2009	8/5/2009	2446343	32	\$ 1,521.00
NJMT	287539	PM	SERVICE SIAMESE CONN.261-262-263-264	0201	COMPLT	8/10/2009	8/11/2009	2447976	8	\$ 364.00
NJMT	286915	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	8/10/2009	8/12/2009	2440108	8	\$ 348.00
NJMT	287475	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/10/2009	8/18/2009	2447022	3	\$ 149.00
NJMT	287484	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/11/2009	8/19/2009	2447027	2	\$ 99.00
NJMT	286916	PM	SEWER CK-290-292-296-301-302-303-304-305-321	0801	COMPLT	8/11/2009	9/17/2009	2440109	8	\$ 348.00
NJMT	287187	PM	EXIT LITES-290	0101	COMPLT	8/12/2009	10/1/2009	2445182	8	\$ 596.00
NJMT	287287	PM	TRIP TEST D.P.V.#3-4-261-1994	0201	COMPLT	8/14/2009	10/29/2009	2446347	16	\$ 810.00
NJMT	287476	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/17/2009	8/18/2009	2447022	2	\$ 81.00
NJMT	287485	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/18/2009	9/23/2009	2447027	1	\$ 51.00
NJMT	287290	PM	TRIP TEST D.P.V.#1-2-263-1994	0201	COMPLT	8/19/2009	8/19/2009	2446352	24	\$ 1,124.00
NJMT	287300	PM	TRIP TEST D.P.V.#3-4-263-1994	0201	COMPLT	8/20/2009	8/21/2009	2446515	24	\$ 1,124.00
NJMT	287291	PM	TRIP TEST D.P.V.#1-2-264-1994	0201	COMPLT	8/24/2009	8/25/2009	2446353	23	\$ 1,083.00
NJMT	287477	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/24/2009	8/31/2009	2447022	2	\$ 60.00
NJMT	287301	PM	TRIP TEST D.P.V.#3-4-264-1994	0201	COMPLT	8/25/2009	8/25/2009	2446516	24	\$ 1,124.00
NJMT	287486	PM	INSP.E.ROOM-290-USM	0401	COMPLT	8/25/2009	9/8/2009	2447027	1	\$ 45.00
NJMT	287178	PM	V.R.LITES-261,262,263,264,266,268	0101	COMPLT	8/31/2009	9/3/2009	2445129	11	\$ 525.00
NJMT	287478	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	8/31/2009	9/16/2009	2447022	4	\$ 202.00
NJMT	288582	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/1/2009	9/2/2009	2447027	1	\$ 50.00
NJMT	288573	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/7/2009	9/8/2009	2447022	1	\$ 50.00
NJMT	288583	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/8/2009	9/9/2009	2447027	2	\$ 99.00
NJMT	288575	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/21/2009	9/23/2009	2447022	1	\$ 41.00
NJMT	288353	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	9/22/2009	9/22/2009	2446070	2	\$ 101.00
NJMT	288585	PM	INSP.E.ROOM-290-USM	0401	COMPLT	9/22/2009	9/23/2009	2447027	1	\$ 41.00
NJMT	288576	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	9/28/2009	9/29/2009	2447022	1	\$ 62.00
NJMT	289645	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/5/2009	10/6/2009	2447022	2	\$ 101.00
NJMT	304841	CO	B/261 WATER KEAK	0201	COMPLT	10/6/2009	10/6/2009		28	\$ 1,720.00
NJMT	289653	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/6/2009	10/8/2009	2447027	1	\$ 51.00
NJMT	304846	CO	W/MAIN EXCAVATION B/261	0501	COMPLT	10/6/2009	11/3/2009		111	\$ 4,623.00
NJMT	304853	EM	B/290 RESET FIRE SPRINKLERS	0201	COMPLT	10/7/2009	10/9/2009		23.8	\$ 1,136.00
NJMT	289310	PM	ROOF DRAINS-264	0301	COMPLT	10/9/2009	10/27/2009	2444202	16	\$ 874.00
NJMT	289646	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/12/2009	11/17/2009	2447022	1	\$ 51.00
NJMT	289654	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/13/2009	10/14/2009	2447027	1	\$ 51.00
NJMT	289680	PM	SERV.COMP-261TO264-USM	0401	COMPLT	10/13/2009	10/19/2009	2447051	1.5	\$ 76.00
NJMT	289679	PM	SERVICE COMPRESSOR-B290-USM	0401	COMPLT	10/14/2009	10/19/2009	2447050	1	\$ 51.00
NJMT	289314	PM	ROOF DRAINS-296	0301	COMPLT	10/15/2009	10/27/2009	2444207	28	\$ 1,546.00
NJMT	289647	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/19/2009	10/27/2009	2447022	2	\$ 101.00
NJMT	293420	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	10/22/2009	10/22/2009	2446003	4	\$ 202.00
NJMT	304892	EM	B/261 RESET FIRE SPRINKLERS	0201	COMPLT	10/22/2009	11/2/2009		0	\$ -
NJMT	293438	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	10/23/2009	10/29/2009	2446019	2	\$ 101.00
NJMT	289648	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	10/26/2009	10/27/2009	2447022	1	\$ 41.00
NJMT	293447	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	10/26/2009	10/27/2009	2446020	2	\$ 84.00
NJMT	304905	EM	REPAIR AIR LEAK B/264	0201	COMPLT	10/26/2009	10/27/2009		36	\$ 2,124.00
NJMT	289360	PM	SERVICE COMPRESSOR & CONTROLS-261TO264	0101	COMPLT	10/26/2009	11/4/2009	2445210	30.5	\$ 1,611.00
NJMT	289656	PM	INSP.E.ROOM-290-USM	0401	COMPLT	10/27/2009	10/28/2009	2447027	1	\$ 41.00
NJMT	289361	PM	SERVICE COMPRESSOR & CONTROLS-290	0101	COMPLT	10/27/2009	3/10/2010	2445213	4	\$ 230.00
NJMT	289362	PM	SERVICE COMPRESSOR & CONTROLS-296	0101	COMPLT	10/27/2009	3/10/2010	2445214	4	\$ 230.00
NJMT	290688	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/3/2009	2/10/2011	2447027	1	\$ 46.00
NJMT	293421	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/5/2009	11/10/2009	2446003	4	\$ 168.00
NJMT	293439	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/6/2009	11/16/2009	2446019	4	\$ 168.00
NJMT	293448	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/9/2009	11/10/2009	2446020	2	\$ 84.00
NJMT	290194	PM	SEWER CK-263-264-265-266-267-270-395	0801	COMPLT	11/9/2009	11/12/2009	2440108	6	\$ 266.00
NJMT	290680	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/9/2009	11/12/2009	2447022	2	\$ 101.00
NJMT	290195	PM	SEWER CK-290-292-296-301-302-303-304-305-321	0801	COMPLT	11/10/2009	11/12/2009	2440109	4	\$ 178.00
NJMT	290681	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/16/2009	11/17/2009	2447022	0	\$ -
NJMT	293422	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	11/19/2009	11/24/2009	2446003	8	\$ 405.00
NJMT	293440	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	11/20/2009	11/20/2009	2446019	8	\$ 405.00
NJMT	290682	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	11/23/2009	11/24/2009	2447022	1	\$ 51.00
NJMT	293449	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	11/23/2009	11/24/2009	2446020	4	\$ 202.00
NJMT	290691	PM	INSP.E.ROOM-290-USM	0401	COMPLT	11/24/2009	11/25/2009	2447027	1	\$ 51.00
NJMT	291418	PM	SERVICE/ACTIVATE/DEACTIVATE HEAT-261TO264	0101	COMPLT	12/3/2009	12/3/2009	2445254	4	\$ 231.00
NJMT	293423	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/3/2009	12/14/2009	2446003	8	\$ 337.00
NJMT	293441	PM	*BLOW DOWN LOW POINTS B262/B264 - MPC 27	0201	COMPLT	12/4/2009	12/7/2009	2446019	8	\$ 404.00
NJMT	293450	PM	*BLOW DOWN LOW POINTS B290 - MPC 27	0201	COMPLT	12/7/2009	12/8/2009	2446020	5	\$ 210.00
NJMT	291675	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/7/2009	12/9/2009	2447022	0	\$ -
NJMT	291685	PM	INSP.E.ROOM-290-USM	0401	COMPLT	12/8/2009	2/10/2011	2447027	1	\$ 51.00

	WO	WO		SECT	WO	NEED	COMPLETE		ACT	ACT
FACILITY	NUMBER	TYPE	WO DESCRIPTION	SUBS	STATUS	DATE	DATE	PM/PROJECT NUMBER	LABOR HOURS	TOTAL COST
NJMT	306938	EM	B/263 RESET SYS.3/4	0201	COMPLT	12/11/2009	12/11/2009		16	\$ 810.00
NJMT	291676	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/14/2009	12/15/2009	2447022	1	\$ 51.00
NJMT	293424	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/17/2009	2/8/2010	2446003	2	\$ 84.00
NJMT	291677	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/21/2009	12/22/2009	2447022	1	\$ 51.00
NJMT	291472	PM	DRAIN TEST F.S.261,262,263,264	0201	COMPLT	12/22/2009	12/23/2009	2446070	4	\$ 202.00
NJMT	291678	PM	INSP.E.ROOMS-261TO264-USM	0401	COMPLT	12/28/2009	12/29/2009	2447022	1	\$ 51.00
NJMT	293425	PM	*LOW POINTS B261/263 - BLOW DOWN PER MPC27	0201	COMPLT	12/31/2009	1/26/2010	2446003	8	\$ 337.00
										\$ 391,079.00