

# **THE PORT AUTHORITY OF NY & NJ**

**PROCUREMENT DEPARTMENT  
4 WORLD TRADE CENTER  
150 GREENWICH STREET, 21<sup>ST</sup> FLOOR  
NEW YORK, NY 10007**

11/4/2015

## **ADDENDUM # 1**

To prospective Bidder(s) on Bid #44303 for Oil, Hydraulic Biodegradable, (Vegetable Based) – Three (3) Year Requirements Contract for PATH See Attached Specifications

Due back on 11/19/2015, no later than 11:00AM

### **BIDDER'S QUESTIONS AND ANSWERS**

The following information is available in response to questions submitted by prospective Bidders. The responses should not be deemed to answer all questions, which have been submitted by Bidders to the Port Authority. It addresses only those questions, which the Port Authority has deemed to require additional information and/or clarification. The fact that information has not been supplied with respect to any questions asked by a Bidder does not mean or imply, nor should it be deemed to mean or imply, any meaning, construction, or implication with respect to the terms.

The Port Authority makes no representations, warranties or guarantees that the information contained herein is accurate, complete or timely or that such information accurately represents the conditions that would be encountered during the performance of the Contract. The furnishing of such information by the Port Authority shall not create or be deemed to create any obligation or liability upon it for any reason whatsoever and each Bidder, by submitting its Bid, expressly agrees that it has not relied upon the foregoing information, and that it shall not hold the Port Authority liable or responsible therefore in any manner whatsoever. Accordingly, nothing contained herein and no representation, statement or promise, of the Port Authority, its Commissioners, officers, agents, representatives, or employees, oral or in writing, shall impair or limit the effect of the warranties of the Bidder required by this Bid or Contract and the Bidder agrees that it shall not hold the Port Authority liable or responsible therefore in any manner whatsoever.

The Questions and Answers numbering sequence will be continued sequentially in any forthcoming Addenda that may be issued.

PS11All

<i>Question #1</i>	Can you send the vendors name, current contract prices, product name and data sheets?
<i>Answer # 1</i>	Yes, see attached.

THE PORT AUTHORITY OF NY & NJ

SELENE ORTEGA  
MANAGER  
COMMODITIES AND SERVICES DIVISION

BIDDER'S FIRM NAME: \_\_\_\_\_  
INITIALED: \_\_\_\_\_  
DATE: \_\_\_\_\_

QUESTIONS CONCERNING THIS ADDENDUM MAY BE ADDRESSED TO  
LARRY WAXMAN, WHO CAN BE REACHED AT (212) 435-4639 or at  
[Lwaxman@panynj.gov](mailto:Lwaxman@panynj.gov). BID #44303



*Addendum #1  
44303*

DAVID WEBER OIL COMPANY  
ATTN: MAUREEN MCGONAGLE  
601 INDUSTRIAL ROAD  
CARLSTADT NJ 07072

**CONTRACT**

**Contract Number/Date**  
4600009381 / 01/07/2013  
**Contact person/Telephone**  
Dinesh Chheda/201-395-3432  
**Our fax number**  
201-395-3425

Please deliver to:  
Path  
Foot of Cape May Road  
Harrison NJ 07029

Valid from: 01/10/2013  
Valid to: 01/09/2016

Item	Material Quantity	Unit	Description	Price per unit	Net value
------	----------------------	------	-------------	----------------	-----------

SUPPLY AND DELIVER HYDRAULIC BIODEGRADABLE OIL (MUST BE VEGETABLE BASED ONLY) TO PATH CONSOLIDATED SHOP, 120 ACADEMY STREET, JERSEY CITY, NJ. 07304. THREE-YEAR REQUIREMENTS CONTRACT COMMENCING ON OR ABOUT JANUARY 10, 2013 TO JANUARY 09, 2016.

Received signed quote from Noel Weber on 12-12-12 with attached General Requirements (1 page), "Insurance Procured by the Contractor", CITS #4101N (2 pages) and Pricing Sheet (1 page).

Price shall be firm for all three-years at \$11.94/gallon as per pricing sheet.

Contract administrator: Ken Bransky at 201-216-6212

This is not to be considered an order for delivery, but merely, upon issuance, vendor shall be bound to honor requests from the facilities for the materials shown for the term of the contract. Quantities shown are for bid evaluation only and constitute no guarantee what quantity, if any may actually be called for. Buildings may be added or deleted as required.

00010			Supply Hydraulic Biodegradable Oil- PATH		128,952.00
-------	--	--	--	--	------------

The item covers the following services:

20			3 Yr Requirements Contr -1/10/13-1/09/16		128,952.00
----	--	--	--	--	------------



*Ind. Chem. Dept.  
14303*

DAVID WEBER OIL COMPANY  
601 INDUSTRIAL ROAD  
CARLSTADTNJ 07072

Contract Number/Date  
4600009381 / 01/07/2013

Page 2 Of 2

Item	Material Quantity	Unit	Description	Price per unit	Net value
	128,952.00				

For Director,  
Procurement Department

*Add Receipt  
4/30/23*

ESTIMATED QUANTITY OF HYRAULIC OIL FOR BID COMPARISON					
BID ITEM (YEAR)	ITEM DESCRIPTION	TANK SIZE	UNIT PRICE PER GALLON		ESTIMATED ANNUAL PRICE
			(A)	(B)	
Year 1	Hydraulic Oil	1,000 GALLONS	11.94	3,600	42,984
Year 2	Hydraulic Oil	1,000 GALLONS	11.94	3,600	42,984
Year 3	Hydraulic Oil	1,000 GALLONS	11.94	3,600	42,984
TOTAL BID AMOUNT IN FIGURES: (Year One + Year Two + Year Three)					128,952
<p>Note: Minimum delivery or order will be 200 gallons</p>					
<p>TOTAL BID AMOUNT IN WORDS: <u>ONE HUNDRED TWENTY EIGHT THOUSAND NINE HUNDRED FIFTY TWO DOLLARS</u> <u>00ths</u></p>					



# DAVID WEBER OIL COMPANY

601 Industrial Road, Carlstadt, New Jersey 07072, Phone: (201) 438-7333, Fax: (201) 438-3178

[www.weberoil.com](http://www.weberoil.com)

*Add Remark 4/2003*

## GIBRALTAR BIO-SAFE Premium Biodegradable Anti-Wear Hydraulic Oil

**Gibraltar Bio-Safe** was developed in response to growing environmental concern over ground soil and water supply contamination. The main objective in the formulation of **Gibraltar Bio-Safe** was to create a readily biodegradable hydraulic oil without sacrificing the stringent performance requirements of hydraulic/circulating systems. **Gibraltar Bio-Safe** surpasses previous efforts in this field. Not only is **Gibraltar Bio-Safe** over 90% biodegradable by the CEC-L-33-A-94 test, but it is also up to three times as oxidatively stable at elevated temperatures as similar vegetable based products and also provides better wear protection than conventional petroleum based hydraulic oils.\*

Wherever a premium grade anti-wear hydraulic oil is required in an application where ground soil contamination is a possibility, the safest choice for your equipment and the environment is **Gibraltar Bio-Safe**.

### Summary of Benefits:

- Biodegradable
- Higher viscosity index
- Higher oxidation stability than competitive biodegradable oils
- Less pump wear\*
- Better lubricity allows smoother operation
- Higher flash point

## TYPICAL INSPECTIONS

*Adulm #1  
4/303*

ISO Viscosity Grade	32
Flash Point (D92)°C	280
Kinematic Viscosity (D2290), cSt	
40°C	34.7
100°	8
Pour Point (D97)°C	-24
Viscosity at 25°C (D2983), cP	2,680
Oxidation Stability (D-2272) R.B.O.T., min.	81
Iron Corrosion (D665)	
A: Distilled Water	Pass-Clean
B: Synthetic Sea Water	Pass-Clean
Hydrolytic Stability, Denison HF-O wt. loss (mg/cm <sup>2</sup> ), ASTM D-2619, 0.20 max copper strip appearance, acidity of water layer, 4.0 mg KOH max	0.0 1B 0.21
Copper Strip (D130) Rating	1B
Foaming (D892) Tendency/Stability, ml Sequence I,II, III	0/0
Demulsibility (D1401) Oil/Water/Emuln (30min), ml	40/40/0
4-Ball Wear, Scar Diameter (mm)	0.36
FZG, DIN 51354 load stage	12
Biodegradability, CEC-L-33-A-94	>90%

\* As measured by ASTM D 2266 4-Ball Wear Test.



# DAVID WEBER OIL COMPANY

601 Industrial Road, Carlstadt, New Jersey 07072, Phone: (201) 438-7333, Fax: (201) 438-3178

www.weberoil.com

*Addendum  
8/4/03*

## BIODEGRADABILITY OF VEGETABLE OIL/PETROLEUM OIL MIXTURES TEST METHOD: CEC-L-33-A-94

(a)	Petroleum Oil	25%
	Vegetable-Based Hydraulic Oil	75%
	Total	<u>100%</u>
	Biodegradability	87%
(b)	Petroleum Oil	30%
	Vegetable-Based Hydraulic Oil	70%
	Total	<u>100%</u>
	Biodegradability	85%
(c)	Petroleum Oil	37%
	Vegetable-Based Hydraulic Oil	63%
	Total	<u>100%</u>
	Biodegradability	82%

These three results indicate that when vegetable oils are mixed with 25% to 35% mineral oil, the biodegradability of the mixture stays above 80% per the CEC test method. Products that meet this criteria are generally considered biodegradable or environmentally friendly.



David Weber Oil Co.

# Material Safety Data Sheet

*added  
7/3/03*

**Product Name:** GIBRALTAR BIO-SAFE  
**Date Printed:** March 14, 2008  
**Last Updated:** October 3, 1999  
**Product Group:** biosafe

---

TRANSPORTATION EMERGENCY PH NO (CHEMTREC): (800)-424-9300

CHEMICAL NAME: The specific chemical name and percent composition of the components not disclosed are trade secrets.

## SECTION 1 - HAZARDOUS INGREDIENTS

None

## SECTION 2-FIRE AND EXPLOSION HAZARDS

FLASH POINT: 550°F (PMCC)  
UPPER FLAMMABLE LIMIT: Not determined  
LOWER FLAMMABLE LIMIT: Not determined  
EXTINGUISHING MEDIA: CO-2 or foam  
SPECIAL FIREFIGHTING PROCEDURES: Wear self-contained breathing apparatus with full face piece.

## SECTION 3-HEALTH HAZARD DATA

ORAL TOXICITY: Not expected to cause any significant effects.  
EYE IRRITATION: Not expected to cause eye irritation. Based on data from components.  
SKIN IRRITATION: Not expected to be a primary skin irritant. Based on data from components.  
OTHER: Unknown  
TLV: None established.

David Weber Oil Company 601 Industrial Road, Carlstadt, NJ 07072 (201) 438-7333

## EMERGENCY FIRST AID PROCEDURES

SKIN: Wash with soap and water.

EYE: Flush with water for at least 15 minutes.

INHALATION: Remove to fresh air. See physician if irritation persists.

ORAL: Call a physician. Give 2 glasses of water if conscious. Do not induce vomiting.

*update #1  
4/4/03*

## SECTION 4- SPECIAL PROTECTION INFORMATION

VENTILATION PROCEDURE: Under normal conditions mechanical ventilation is usually not necessary.

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

EYE PROTECTION: Safety glasses if there is a possibility of splashing.

## SECTION 5- PHYSICAL DATA

VAPOR PRESSURE:	Not Determined
SPECIFIC GRAVITY:	0.9 @ 15.6c
WATER SOLUBILITY:	Insoluble
PERCENT VOLATILE:	Not Determined
VAPOR DENSITY:	Not Determined
EVAPORATION RATE:	Not Determined
ODOR:	Mild
APPEARANCE:	Light liquid

## SECTION 6- STABILITY

STABILITY:	Stable
INCOMPATIBILITY:	Oxidizing agents
POLYMERIZATION:	Will not occur
THERMAL DECOMPOSITION:	Oxides of carbon

## SECTION 7- SPILL OR LEAK PROCEDURES

SPILL PROCEDURES: Pick up free liquid for recycle/disposal. Absorb small amounts on inert material for disposal.

WASTE DISPOSAL: If disposed of, this material is believed to be non-hazardous. Disposal should be in compliance with federal, state and local laws.

## SECTION 8- SPECIAL PRECAUTIONS

SPECIAL PRECAUTIONS: Remove contaminated clothing and launder before reuse.

## SECTION 9- TRANSPORTATION AND LABELING

U.S DOT BULK SHIPPING DESCRIPTION:	Not applicable
U.S. DOT NON-BULK SHIPPING DESCRIPTION:	Not applicable
IMDG SHIPPING DESCRIPTION:	Not applicable
ICAO SHIPPING DESCRIPTION:	Not applicable
ADR/RID HAZARD CLASS	Not applicable
CERCLA HAZARDOUS SUBSTANCES:	None known
PRECAUTIONARY LABELS:	This material has no known hazards

SECTION 10- OTHER REGULATORY INFORMATION

*cd*  
*4/10/03*

U.S. TSCA INVENTORY: All components are included on the U.S. TSCA Inventory.  
SARA SECTION 313 STATUS: This material is not known to contain any chemicals on the SARA Section 313 list at a concentration greater than 1.0% or any carcinogen chemical on that list at a concentration greater than 0.1%.

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of David Weber Oil Company's knowledge; however, David Weber Oil Company makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof, David Weber Oil Company assumes no responsibility for injury to recipient or to third persons or for any damage to any property and recipient assumes all such risks.