

April 28, 2016

SUBJECT: REQUEST FOR PROPOSALS FOR PERFORMANCE OF EXPERT PROFESSIONAL SERVICES FOR GEORGE WASHINGTON BRIDGE REPLACEMENT AND UPGRADE OF INTELLIGENT TRANSPORTATION SYSTEM SIGNS AND FIELD DEVICES (RFP# 45566) - ADDENDUM # 1

Dear Sir or Madam:

The Port Authority of New York and New Jersey hereby amends the subject Request for Proposals (RFP), dated April 22, 2016, as follows:

Attachment A

On page 8, Section III. Description of Consultant's Tasks, item C. Electrical/Electronics Engineering, after sub item 11), ending in "backbone", skip a space and insert:

- "12) The Consultant shall conduct a comprehensive site survey at the GWB Administration Building Communications Desk IT Equipment Closet/Server Room, and the 2nd Floor Communications Equipment Closet/Server Room to identify the existing equipment therein, to determine power and communications availability, equipment rack space, and climate control. The site survey shall identify equipment racks/cabinets and wall-mounted equipment and panel boards, their purpose and whether the equipment is in use, and power and communications points of entry. The site survey shall also identify type of enclosure, make and model of rack-mounted equipment, including server and communications equipment, auxiliary equipment, unplugged or powered-off equipment, and power draw, where available.

The Consultant shall prepare and submit a report documenting the findings of the site survey. The report shall include existing equipment plan views and elevations, and diagrams showing existing cabinet and panel board layouts. In addition, the report shall include one-line diagrams showing sources of power (including emergency power) and communications network block diagrams.

The purpose of the IT/Communications Equipment Closet/Server Rooms survey is to document the existing conditions as needed to design modifications and upgrades to support the functions of the Communications Desk recommended in the GWB Communications Desk Concept of Operations, and to identify any equipment no longer in use that is to be de-commissioned and removed."

*Procurement Department
150 Greenwich Street
4 World Trade Center, 21st Floor
New York, NY 10007*

The date for receipt of proposals for the subject RFP remains 2:00 P.M. on May 13, 2016.

If you have any questions, please contact Mr. Gustavo Orduz, Contract Specialist, at gorduz@panynj.gov.

Sincerely,

David Gutiérrez, CPPO
Assistant Director
Procurement Department