

THE PORT AUTHORITY OF NY & NJ

PROCUREMENT DEPARTMENT
2 MONTGOMERY STREET, 3RD FL.
JERSEY CITY, NJ 07302

12/2/2014

ADDENDUM #4

To prospective Bidder(s) on Bid # 40250 - Overhaul Of PATH's 1460 DC Traction Motors

Now Due back on 12/12/2014, no later than 11:00 A.M.

Formally Due back on 12/08/2014, no later than 11:00 A.M.

I. CHANGES TO BID DOCUMENTS

The following changes/modifications are hereby made to the solicitation documents:

- The bid due date has been extended until 12/12 /2014, no later than 11:00 A.M.
- Delete Part IV, "Signature Sheet, Name And Residence Of Principals Sheet And Pricing Sheet(s)" in its entirety and replace it with the attached Part IV, "Signature Sheet, Name And Residence Of Principals Sheet And Pricing Sheet(S) Revised 12/02/2014".

<i>Question #4</i>	Who will supply the brushes and if the bidder is to supply them, who is the manufacturer and what type and grade are the brushes to be supplied?
<i>Answer #4</i>	PATH will supply the brushes.
<i>Question #5</i>	There are numerous places in Part IV where the line item lists 4/motor, 2/motor or 122/motor. Should we insert each unit price in this line item or the total price for the quantity listed per motor?
<i>Answer #5</i>	The price to be entered shall be the Unit Price per Item.
<i>Question #6</i>	Are only machined surfaces to be measured to the spec provided in section 3.4.3? Will rotors and stators also be measured with the CMM machine?
<i>Answer #6</i>	All machined surfaces including the rotor and stators will be measured since, as a minimum, the commutator will be machined.
<i>Question #7</i>	Will threaded holes be requalified as well?
<i>Answer #7</i>	Where required, threaded holes will have to be re-tapped and damaged threads repaired.
<i>Question #8</i>	Could you provide photographs of the traction motors to be serviced under this Contract?
<i>Answer #8</i>	Attached are some photographs of the traction motors to be serviced under this Contract.
<i>Question #9</i>	Can you remove the prerequisite requiring the bidder to be licensed by the Original Equipment Manufacturer?

Answer #9

No. This prerequisite is required to ensure that the overhaul of the motors is performed in adherence to OEM standards.

This communication should be initialed by you and annexed to your Bid upon submission.

In case any Bidder fails to conform to these instructions, its Bid will nevertheless be construed as though this communication had been so physically annexed and initialed.

THE PORT AUTHORITY OF NY & NJ

KATHY LESLIE WHELAN
ASSISTANT DIRECTOR
COMMODITIES AND SERVICES DIVISION

BIDDER'S FIRM NAME: _____

INITIALED: _____

DATE: _____

QUESTIONS CONCERNING THIS ADDENDUM MAY BE ADDRESSED TO MARGARET D'EMIC, WHO CAN BE REACHED AT (201) 395-3410 or at mdemic@panynj.gov.

PART IV – SIGNATURE SHEET, NAME AND RESIDENCE OF PRINCIPALS SHEET AND PRICING SHEET(S), TABLE OF CONTENTS – REVISED 12/02/2014

1.	SIGNATURE SHEET	2
2.	NAME AND RESIDENCE OF PRINCIPALS SHEET	3
3.	PRICING SHEET(S)	4
	Entry of Prices	4

PART IV – SIGNATURE SHEET, NAME AND RESIDENCE OF PRINCIPALS SHEET AND PRICING SHEET(S)

SIGNATURE SHEET

OFFER: The undersigned offers and agrees to furnish to the Port Authority of New York and New Jersey the services and/or materials in compliance with all terms, conditions, specifications and addenda of the Contract. Signature also certifies understanding and compliance with the certification requirements of the standard terms and conditions as contained in the Standard Contract Terms and Conditions. This offer shall be irrevocable for 90 days after the date on which the Port Authority opens this bid.

ONLY THE COMPANY NAMED AS THE BIDDING ENTITY BELOW WILL RECEIVE PAYMENT. THIS MUST BE THE SAME NAMED COMPANY AS INDICATED ON THE COVER SHEET

Bidding Entity _____

Bidder's Address _____

City, State, Zip _____

Telephone No. _____ FAX _____

Email _____ EIN# _____

SIGNATURE _____ Date _____

Print Name and Title _____

Note: This offer shall be irrevocable for 90 days after the date on which the Port Authority opens this bid.

Signature of Person Signing Above

ACKNOWLEDGEMENT:

STATE OF: _____

COUNTY OF: _____

On this ___ day of _____, 20___, personally came before me, _____, who duly sworn by me, did depose that (s)he has knowledge of the matters herein stated and they are in all respects true and that (s)he has been authorized to execute the foregoing offer and statement of irrevocability on behalf of said corporation, partnership or firm.

Notary Public

NOTE: If a joint venture is allowed, duplicate this Signature Sheet and have each party to the joint venture sign separately and affix to the back of this Signature Sheet.

Bidder attention is called to the certification requirements contained in the Standard Contract Terms and Conditions, Part III. Indicate below if a signed, explanatory statement in connection with this section is attached hereto.

If certified by the Port Authority as an SBE or MWBE: _____ (indicate which one and date).

NAME AND RESIDENCE OF PRINCIPALS SHEET

Names and Residence of Principals of Bidder. If general or limited partner, or individual, so indicate.

NAME

TITLE

ADDRESS OF RESIDENCE

(Do not give business address)

PRICING SHEET(S)**Entry of Prices**

- a. The prices quoted shall be written in figures, in ink, preferably in black ink, where required in the spaces provided on the Pricing Sheet(s) attached hereto and made a part hereof.
- b. All Bidders are asked to ensure that all charges quoted for similar items in the Contract are consistent.
- c. Prices must be submitted for each Item required on the Pricing Sheet(s).
- d. All Bidders are asked to ensure that all figures are inserted as required, and that all computations made have been verified for accuracy. The Bidder is advised that the Port Authority may verify only that Bid or those Bids that it deems appropriate and may not check each and every Bid submitted for computational errors. In the event that errors in computation are made by the Bidder, the Port Authority reserves the right to correct any error and to recompute the Estimated Delivered Contract Price, as required, based upon the applicable Unit Price inserted by the Bidder, which amount shall govern in all cases.
- e. In the event that a Bidder quotes an amount in the Estimated Contract Price column but omits to quote a Unit Price for that amount in the space provided, the Port Authority reserves the right to compute and insert the appropriate Unit Price.
- f. The "Estimated Total Delivered Contract Price" is solely for the purpose of facilitating the comparisons of Bids. Compensation shall be in accordance with the section of this Contract entitled "Payment".
- g. The "Unit Price" shall be deemed to include all items of cost including, but not limited to, supplies, materials, labor, equipment, transport, shipping, salaries, benefits, insurance, administrative overhead, any applicable fees and profit necessary to perform the services as indicated in this Contract, whether the aforementioned are actually employed in the furnishing of such services or whether incidental thereto.

Overhaul, Repair and Upgrade of PATH Traction Motors

**1.0 PRICING SHEET FOR CLASSIFIED MATERIALS AND WORK
FOR WESTINGHOUSE TYPE 1460 TRACTION MOTORS**

1	2	3	4	5
ITEM #	ITEM	QUANTITY	UNIT PRICE	ANNUAL CONTRACT PRICE (Column 3 x Column 4)
1.	Basic Overhaul of Traction Motor, see Part V, Section 3, "Scope of Work"	80	\$	\$
2.	ESTIMATED TOTAL DELIVERED CONTRACT PRICE for all Classified Materials and Work Section 1.0 (Item 1)			\$

Overhaul, Repair and Upgrade of PATH Traction Motors

1.1 PRICING SHEET FOR UNCLASSIFIED MATERIALS AND WORK FOR WESTINGHOUSE TYPE 1460 TRACTION MOTORS

1 ITEM #	2 ITEM	3 ESTIMATED QTY	4 UNIT PRICE	5 EST. ANNUAL CONTRACT PRICE (Column 3 x Column 4)
1.	Furnish and install commutator, new	1	\$	\$
2.	Furnish and install commutator, refurbish/recondition	4	\$	\$
3.	Tig welding of commutator	1	\$	\$
4.	Furnish and install material for armature rewind	12	\$	\$
5.	Furnish and install armature laminations/lb 122/mtr	250	\$	\$
6.	Restacking armature laminations	10	\$	\$
7.	Furnish and install arm lamination end plate 2/mtr	8	\$	\$
8.	Furnish and install armature shaft	2	\$	\$
9.	Furnish and install armature fan	4	\$	\$
10.	Furnish and install half coupling hub	1	\$	\$
11.	Furnishing and install coupling washer and screw	25	\$	\$
12.	Furnish and install coupling key	1	\$	\$
13.	Furnish and install main field coil 4/mtr	48	\$	\$
14.	Furnish and install commutating field coil 4/mtr	48	\$	\$
15.	Furnish and install cap block 4/mtr	8	\$	\$

1 ITEM #	2 ITEM	3 ESTIMATED QTY	4 UNIT PRICE	5 EST. ANNUAL CONTRACT PRICE (Column 3 x Column 4)
16.	Furnish and install lead cleat support bracket	1	\$	\$
17.	Furnish and install bearing cartridge	8	\$	\$
18.	Furnish and install bearing hsg (coupling end)	1	\$	\$
19.	Furnish and install bearing plate and bolts	4	\$	\$
20.	Furnish and install CE bearing cap	1	\$	\$
21.	Furnish and install brushholder complete w/o brushes 4/mtr	1	\$	\$
22.	Furnish and install lead cleat – center section	20	\$	\$
23.	Furnish and install lead cleat – top or bottom section 2/mtr	20	\$	\$
24.	Furnish and install lead cleat plate	4	\$	\$
25.	Furnish and install lead cleat clamp	4	\$	\$
26.	Furnish and install motor lifting eyeball 2/mtr	1	\$	\$
27.	Furnish and install main pole piece 4/mtr	4	\$	\$
28.	Furnish and install comm pole piece 4/mtr	4	\$	\$
29.	Furnish and install PE ring	1	\$	\$
30.	Furnish and install CE coil support	1	\$	\$
31.	Furnish and install PE coil support	1	\$	\$
32.	Spin season commutator	1	\$	\$

1 ITEM #	2 ITEM	3 ESTIMATED QTY	4 UNIT PRICE	5 EST. ANNUAL CONTRACT PRICE (Column 3 x Column 4)
33.	Rebuild frame bore for CE bearing cartridge; grind & machine to size	1	\$	\$
34.	Rebuild burn holes in comm end of frame; grind & machine to size	1	\$	\$
35.	Rebuild, rebore, rethread 3/4" bolt holes in side stabilizer	1	\$	\$
36.	Drill & tap new 1/2" hole for ground lead on motor support bracket; rebuild worn out hole and grind smooth	1	\$	\$
37.	Bore out vent armature shaft	1	\$	\$
38.	Rebuild frame bore for coupling end bearing housing; grind, and machine to size	1	\$	\$
39.	Repair brushholder block surface in commutator end of frame	1	\$	\$
40.	Bore out coupling end of frame to fit new framehead	1	\$	\$
41.	Repair coupling end housing surfaces; bearing bore	1	\$	\$
42.	Repair coupling end bearing housing seal surface	1	\$	\$
43.	Repair coupling end bearing housing outer diameter of mounting flange	1	\$	\$

1 ITEM #	2 ITEM	3 ESTIMATED QTY	4 UNIT PRICE	5 EST. ANNUAL CONTRACT PRICE (Column 3 x Column 4)
44.	Repair cover hook	1	\$	\$
45.	Commutator end cover modification	1	\$	\$
46.	Drill motor frame for Commutator Interpole	1	\$	\$
47.	Repair flash ring on frame	10	\$	\$
48.	Replace coupling	1	\$	\$
49.	ESTIMATED TOTAL DELIVERED CONTRACT PRICE for all Unclassified Materials and Work Section 1.1 (Sum of Items 1 through 48):			\$

1.2 TOTAL ESTIMATED CONTRACT AMOUNT (Recapitulation)

ITEM #	ITEM	ESTIMATED CONTRACT PRICE
Section 1.0 2	Estimated Total Delivered Contract Price for Classified Materials and Work (Item 2 from Table 1.0)	\$
Section 1.1 49	Estimated Total Delivered Contract Price for Unclassified Materials and Work (Item 49 from Table 1.1)	\$
2 PLUS 49	Estimated Total Delivered Contract Price (Sections 1.0 and 1.1)	\$

Bidder shall certify in the form prescribed below (CERTIFICATE OF CURRENT COST OR PRICING DATA) that, to the best of its knowledge and belief, the cost or pricing data submitted was accurate, complete and current.

**AWARD WILL BE MADE TO THE LOWEST RESPONSIVE AND RESPONSIBLE
BIDDER FOR THE TOTAL ESTIMATED CONTRACT PRICE.**

CERTIFICATE OF CURRENT COST OR PRICING DATA:

This is to certify that, to the best of my knowledge and belief, the cost or pricing data submitted, either actually or by specific identification in writing, to The Port Authority of NY & NJ or to The Port Authority of NY & NJ's representative in support of:

Bid No. 40250 is accurate, complete, and current as of ____/____/2014.

This certification includes the cost or pricing data supporting any advance agreements and forward pricing rate agreements between the offeror and The Port Authority of NY & NJ that are part of the bid.

Firm: _____

Signature: _____

Name: _____

Title: _____

Date: _____



