






13





















































65th Street Expansion - Cross Harbor

2nd Avenue / 65th Street Brooklyn, NY 11220

Inquiry Number: 3164235.3

September 19, 2011

Certified Sanborn® Map Report



Certified Sanborn® Map Report

9/19/11

Site Name: Client Name:

65th Street Expansion - Cross STV Inc.
2nd Avenue / 65th Street 225 Park Ave S
Brooklyn, NY 11220 New York, NY 10003

EDR Inquiry # 3164235.3 Contact: Doane E. Cafferty



The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by STV Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: 65th Street Expansion - Cross Harbor

Address: 2nd Avenue / 65th Street City, State, Zip: Brooklyn, NY 11220

Cross Street:

P.O. # 4014403

Project: Cross Harbor - 65th Street Exp

Certification # A8C9-4044-9FE7

Maps Provided:



Sanborn® Library search results Certification # A8C9-4044-9FE7

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

Library of Congress

✓ University Publications of America

▼ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

STV Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails

This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.



Bush Terminal Yard - Cross Harbor Portfolio

1st Avenue and 48th Street Brooklyn, NY 11232

Inquiry Number: 3040645.4

April 15, 2011

The EDR-City Directory Abstract



TABLE OF CONTENTS

SECTION

Executive Summary

Findings

Thank you for your business.Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OR DAMAGE, INCLUDING. WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction orforecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2009 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc. or its affiliates is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

EXECUTIVE SUMMARY

DESCRIPTION

Environmental Data Resources, Inc.'s (EDR) City Directory Abstract is a screening tool designed to assist environmental professionals in evaluating potential liability on a target property resulting from past activities. EDR's City Directory Abstract includes a search and abstract of available city directory data. For each address, the directory lists the name of the corresponding occupant at five year intervals.

Business directories including city, cross reference and telephone directories were reviewed, if available, at approximately five year intervals for the years spanning 1928 through 2005. This report compiles information gathered in this review by geocoding the latitude and longitude of properties identified and gathering information about properties within 100 feet of the target property.

A summary of the information obtained is provided in the text of this report.

RESEARCH SUMMARY

The following research sources were consulted in the preparation of this report. An "X" indicates where information was identified in the source and provided in this report.

<u>Year</u>	Source	<u>TP</u>	<u>Adjoining</u>	Text Abstract	Source Image
2005	Hill-Donnelly Corporation	-	-	-	-
2000	Cole Information Services	-	-	-	-
1997	NYNEX	-	-	-	-
1992	NYNEX Informantion Resource Co.	-	-	-	-
1985	NYNEX Information Resources Company	-	-	-	-
1980	New York Telephone	-	-	-	-
1976	New York Telephone	-	-	-	-
1973	New York Telephone	-	-	-	-
1970	New York Telephone	-	-	-	-
1965	New York Telephone	-	-	-	-
1960	New York Telephone	-	-	-	-
1949	New York Telephone	-	-	-	-
1945	New York Telephone	-	-	-	-
1940	New York Telephone	-	-	-	-
1934	R. L. Polk & Co.	-	-	-	-
1928	New York Telephone	-	-	-	-

FINDINGS

TARGET PROPERTY INFORMATION

ADDRESS

1st Avenue and 48th Street Brooklyn, NY 11232

FINDINGS DETAIL

Target Property research detail.

No Addresses Found

FINDINGS

ADJOINING PROPERTY DETAIL

The following Adjoining Property addresses were researched for this report. Detailed findings are provided for each address.

No Addresses Found

3040645-4 Page 3

Bush Terminal Yard - Cross Harbor Portfolio

1st Avenue and 48th Street Brooklyn, NY 11232

Inquiry Number: 3040645.2s

April 15, 2011

The EDR Radius Map™ Report with GeoCheck®




TABLE OF CONTENTS

SECTION	PAGE
Executive Summary	ES1
Overview Map.	2
Detail Map.	
Map Findings Summary	4
Map Findings.	7
Orphan Summary.	
Government Records Searched/Data Currency Tracking.	GR-1
GEOCHECK ADDENDUM	
Physical Setting Source Addendum	A-1
Physical Setting Source Summary	
Physical Setting Source Map.	A-7
Physical Setting Source Map Findings.	A-8
Physical Setting Source Records Searched.	

Thank you for your business. Please contact EDR at 1-800-352-0050 with any questions or comments.

Disclaimer - Copyright and Trademark Notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL, CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

A search of available environmental records was conducted by Environmental Data Resources, Inc (EDR). The report was designed to assist parties seeking to meet the search requirements of EPA's Standards and Practices for All Appropriate Inquiries (40 CFR Part 312), the ASTM Standard Practice for Environmental Site Assessments (E 1527-05) or custom requirements developed for the evaluation of environmental risk associated with a parcel of real estate.

TARGET PROPERTY INFORMATION

ADDRESS

1ST AVENUE AND 48TH STREET BROOKLYN, NY 11232

COORDINATES

BROOKLYN, NY

Latitude (North): 40.652900 - 40° 39' 10.4" Longitude (West): 74.017700 - 74° 1' 3.7"

Universal Tranverse Mercator: Zone 18 UTM X (Meters): 583047.6 UTM Y (Meters): 4500479.5

Elevation: 4 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH TARGET PROPERTY

Target Property Map: 40074-F1 JERSEY CITY, NJ

Most Recent Revision: 1981

East Map: 40073-F8 BROOKLYN, NY

Most Recent Revision: 1995

AERIAL PHOTOGRAPHY IN THIS REPORT

Portions of Photo from: 2006, 2008 Source: USDA

TARGET PROPERTY SEARCH RESULTS

The target property was identified in the following records. For more information on this property see page 7 of the attached EDR Radius Map report:

Site	Database(s)	EPA ID
NYCDEP-BUSH TERMINAL 49TH STREET BROOKLYN, NY 11232	FINDS	N/A
BUSH TERMINAL LANDFILL PIERS 1-4 47TH TO 52ND STREET AND 1ST AVE BROOKLYN, NY 11232		N/A
BUSH TERMINAL COMPLEX FIRST AVE & 43RD ST	NY Hist Spills	N/A

BUSH TERMINAL NY Spills N/A

43RD ST AND 1ST AVE Date Closed: 2/9/1998

BROOKLYN, NY NY Hist Spills

BUSH TERMINAL PORTS & TERMINAL ICIS N/A

1 BUSH PLZ & 43RD ST BROOKLYN NY 11201

BROOKLYN, NY 11201

RCRA-NonGen **BUSH TERMINAL PORTS & TERMINAL** NYD981080914

FOOT OF 43RD ST - PUMP HOUSE **FINDS**

BROOKLYN, NY 11222

BUSH TERMINAL COMPLEX RCRA-NonGen NYP000936211

NYC ECONOMIC DEVELOPMENT CORP

BROOKLYN, NY 11232

REAR OF BUSH TERMINAL BUILDING END OF 47 THRU 52ND STREETS

Class Code: Does not present a significant threat to the public health or the environment - action

N/A

BROOKLYN, NY 11220 may be deferred.

FLAT BUSH TERMINAL NY Spills N/A

SHWS

FLAT BUSH AV/HANSEN PL Date Closed: 7/27/2001

BROOKLYN, NY NY Hist Spills

REAR BUSH TERMINAL BUILDING

END OF 47TH THRU 52ND STREET

BROOKLYN, NY 11232

CERC-NFRAP NYD982181059

BUSH TERMINAL COMPLEX

NYC ECONOMIC DEVELOPMENT CORP

BROOKLYN, NY 11232

FINDS N/A

BUSH TERMINAL COMPLEX FIRST AVE & 43RD ST

BROOKLYN, NY

NY Spills N/A

Date Closed: 9/13/2005

NY Spills **BUSH TERMINAL** N/A

FIRST AVE BTWN 40 & 51ST NY Hist Spills

BROOKLYN, NY

BUSH TERMINAL NY Spills N/A

4302 FIRST AVE Date Closed: 10/3/1995

BROOKLYN, NY

NY Hist Spills

DATABASES WITH NO MAPPED SITES

No mapped sites were found in EDR's search of available ("reasonably ascertainable ") government records either on the target property or within the search radius around the target property for the following databases:

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list	
NPL	
Proposed NPL	Proposed National Priority List Sites
NPL LIENS	_ Federal Superfund Liens
Federal Delisted NPL site li	st
Delisted NPL	National Priority List Deletions
Federal CERCLIS list	
	Comprehensive Environmental Response, Compensation, and Liability Information System
FEDERAL FACILITY	Federal Facility Site Information listing
Federal RCRA CORRACTS	facilities list
CORRACTS	Corrective Action Report
Federal RCRA non-CORRA	CTS TSD facilities list
RCRA-TSDF	RCRA - Treatment, Storage and Disposal
Federal RCRA generators I	ist
RCRA-LQG	RCRA - Large Quantity Generators
RCRA-SOG	RCRA - Small Quantity Generators
1.0101.040	
	ls / engineering controls registries
Federal institutional control US ENG CONTROLS	Is / engineering controls registries Engineering Controls Sites List
Federal institutional control US ENG CONTROLS	ls / engineering controls registries
Federal institutional control US ENG CONTROLS	Is / engineering controls registries Engineering Controls Sites List Sites with Institutional Controls
Federal institutional control US ENG CONTROLS US INST CONTROL State- and tribal - equivaler	Is / engineering controls registries Engineering Controls Sites List Sites with Institutional Controls
Federal institutional control US ENG CONTROLS US INST CONTROL State- and tribal - equivaler	Is / engineering controls registries Engineering Controls Sites List Sites with Institutional Controls at CERCLIS Vapor Intrusion Legacy Site List
Federal institutional control US ENG CONTROLS US INST CONTROL State- and tribal - equivaler VAPOR REOPENED State and tribal leaking sto	Is / engineering controls registries Engineering Controls Sites List Sites with Institutional Controls at CERCLIS Vapor Intrusion Legacy Site List
Federal institutional control US ENG CONTROLS	Is / engineering controls registries Engineering Controls Sites List Sites with Institutional Controls At CERCLIS Vapor Intrusion Legacy Site List rage tank lists Leaking Underground Storage Tanks on Indian Land
Federal institutional control US ENG CONTROLS	Is / engineering controls registries Engineering Controls Sites List Sites with Institutional Controls At CERCLIS Vapor Intrusion Legacy Site List rage tank lists Leaking Underground Storage Tanks on Indian Land

State and tribal institutional control / engineering control registries

State and tribal voluntary cleanup sites

INDIAN VCP......Voluntary Cleanup Priority Listing VCP.....Voluntary Cleanup Agreements

State and tribal Brownfields sites

BROWNFIELDS..... Brownfields Site List

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS..... A Listing of Brownfields Sites

Local Lists of Landfill / Solid Waste Disposal Sites

DEBRIS REGION 9.......... Torres Martinez Reservation Illegal Dump Site Locations ODI.................. Open Dump Inventory

SWRCY...... Registered Recycling Facility List
SWTIRE...... Registered Waste Tire Storage & Facility List

INDIAN ODI...... Report on the Status of Open Dumps on Indian Lands

Local Lists of Hazardous waste / Contaminated Sites

US CDL...... Clandestine Drug Labs DEL SHWS...... Delisted Registry Sites

US HIST CDL..... National Clandestine Laboratory Register

Local Land Records

LIENS 2..... CERCLA Lien Information

LUCIS.....Land Use Control Information System

Other Ascertainable Records

CONSENT..... Superfund (CERCLA) Consent Decrees

MINES..... Mines Master Index File

TRIS...... Toxic Chemical Release Inventory System

TSCA...... Toxic Substances Control Act

FTTS......FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide

Act)/TSCA (Toxic Substances Control Act)

HIST FTTS...... FIFRA/TSCA Tracking System Administrative Case Listing

SSTS..... Section 7 Tracking Systems PADS...... PCB Activity Database System MLTS..... Material Licensing Tracking System RADINFO...... Radiation Information Database

RAATS......RCRA Administrative Action Tracking System

HSWDS..... Hazardous Substance Waste Disposal Site Inventory

UIC...... Underground Injection Control Wells

DRYCLEANERS...... Registered Drycleaners

NPDES...... State Pollutant Discharge Elimination System

AIRS..... Air Emissions Data

E DESIGNATION..... E DESIGNATION SITE LISTING

INDIAN RESERV..... Indian Reservations

SCRD DRYCLEANERS...... State Coalition for Remediation of Drycleaners Listing

COAL ASH..... Coal Ash Disposal Site Listing

PCB TRANSFORMER...... PCB Transformer Registration Database COAL ASH DOE...... Sleam-Electric Plan Operation Data

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants____ EDR Proprietary Manufactured Gas Plants

SURROUNDING SITES: SEARCH RESULTS

Surrounding sites were identified in the following databases.

Elevations have been determined from the USGS Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified. Sites with an elevation equal to or higher than the target property have been differentiated below from sites with an elevation lower than the target property.

Page numbers and map identification numbers refer to the EDR Radius Map report where detailed data on individual sites can be reviewed.

Sites listed in **bold italics** are in multiple databases.

Unmappable (orphan) sites are not considered in the foregoing analysis.

STANDARD ENVIRONMENTAL RECORDS

Federal CERCLIS NFRAP site List

CERC-NFRAP: Archived sites are sites that have been removed and archived from the inventory of CERCLIS

sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

A review of the CERC-NFRAP list, as provided by EDR, and dated 10/28/2010 has revealed that there are 3 CERC-NFRAP sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BUSH TERMINALS, PIER SIX SITE	FIRST AVE. AND 43RD ST	0 - 1/8 (0.000 mi.)	A19	47
SIGNO TRADING KENSTON	1ST AVE BTWN 43RD & 50T	0 - 1/8 (0.000 mi.)	C28	73
KENSTON WAREHOUSE	50TH ST & 1ST AVE	0 - 1/8 (0.000 mi.)	C31	79

Federal RCRA generators list

RCRA-CESQG: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

A review of the RCRA-CESQG list, as provided by EDR, and dated 02/17/2010 has revealed that there is 1 RCRA-CESQG site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CON EDISON	42ND ST & 1ST AVE	NE 0 - 1/8 (0.051 mi.)	F63	196

Federal ERNS list

ERNS: The Emergency Response Notification System records and stores information on reported releases of oil and hazardous substances. The source of this database is the U.S. EPA.

A review of the ERNS list, as provided by EDR, and dated 12/31/2010 has revealed that there is 1 ERNS site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
5101 1ST AVE	5101 1ST AVE	SSW 0 - 1/8 (0.049 mi.)	E54	171

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: The Solid Waste Facilities/Landfill Sites records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. The data come from the list.

A review of the SWF/LF list, as provided by EDR, and dated 01/12/2011 has revealed that there is 1

SWF/LF site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NY CROSS HARBOR RAILROAD TERMI	1ST AVE AND 43RD ST	NE 0 - 1/8 (0.001 mi.)	B41	107

State and tribal leaking storage tank lists

LTANKS: Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills

A review of the LTANKS list, as provided by EDR, and dated 02/23/2011 has revealed that there are 7 LTANKS sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NYC DEP. OF SANITATION #7 Date Closed: 11/10/2006	5100 1ST AVENUE	SSW 0 - 1/8 (0.048 mi.)	C46	118
UPS/PRESTON COURT Date Closed: 1/12/1993	5101 1ST AVENUE	SSW 0 - 1/8 (0.048 mi.)	C47	120
DEPT OF SANITATION Date Closed: 2/8/2006	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E50	128
DSNY BK DISTRICT 7/10 GARAGE Date Closed: 2/24/2005	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E51	139
140 43RD STREET/BKLYN	140 43RD STREET	SE 0 - 1/8 (0.059 mi.)	G69	210
129 51 STREET Date Closed: 3/10/2003	129 51 STREET	S 0 - 1/8 (0.062 mi.)	E71	215
16-68 42ND STREET Date Closed: 11/5/1993	16-68 42ND STREET	N 0 - 1/8 (0.065 mi.)	173	222

HIST LTANKS: A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database.

A review of the HIST LTANKS list, as provided by EDR, and dated 01/01/2002 has revealed that there are 7 HIST LTANKS sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
4901 FIRST AVENUE Date Closed: 04/30/98	4901 FIRST AVENUE	0 - 1/8 (0.000 mi.)	C29	73
UPS/PRESTON COURT Date Closed: 01/12/93	5101 1ST AVENUE	SSW 0 - 1/8 (0.048 mi.)	C47	120
DEPT OF SANITATION Date Closed: / / Date Closed: / /	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E50	128
DSNY BK DISTRICT 7/10 GARAGE Date Closed: / /	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E51	139

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
140 43RD STREET/BKLYN Date Closed: / /	140 43RD STREET	SE 0 - 1/8 (0.059 mi.)	G69	210
129 51 STREET Date Closed: / / Date Closed: / /	129 51 STREET	S 0 - 1/8 (0.062 mi.)	E71	215
16-68 42ND STREET Date Closed: 11/05/93	16-68 42ND STREET	N 0 - 1/8 (0.065 mi.)	<i>1</i> 73	222

State and tribal registered storage tank lists

UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the UST list, as provided by EDR, and dated 01/04/2011 has revealed that there are 6 UST sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
1ST AVE RAILROAD	4302 1ST AVE	0 - 1/8 (0.000 mi.)	B26	64
DSNY BK DISTRICT 7/10 GARAGE	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E51	139
UNITED PARCEL SERVICE	5101-5123 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E56	174
COMMODORE MANUFACURING CORP	ORAI40 43RD STREET	SE 0 - 1/8 (0.059 mi.)	G68	205
PS REALTY	125 51ST STREET	S 0 - 1/8 (0.059 mi.)	E70	212
129-155 51ST STREET REALTY, LL	135 51ST STREET	S 0 - 1/8 (0.068 mi.)	H77	240

AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the AST list, as provided by EDR, and dated 01/04/2011 has revealed that there are 2 AST sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
1ST AVE RAILROAD/NY CROSS HARB	4302 1ST AVE	0 - 1/8 (0.000 mi.)	B16	31
SUPREME EQUIPMENT & SYSTEMS CO	4901 1ST AVENUE	0 - 1/8 (0.000 mi.)	C34	95

CBS AST: Chemical Bulk Storage Database. Registration data collected as required by 6 NYCRR Part 596. It includes facilities storing hazardous substances listed in 6 NYCRR Part 597, in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size. Includes facilities registered (and closed) since effective date of CBS regulations (July 15, 1988) through the date request is processed.

A review of the CBS AST list, as provided by EDR, and dated 01/01/2002 has revealed that there is 1 CBS AST site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
4901 FIRST AVENUE	4901 FIRST AVENUE	0 - 1/8 (0.000 mi.)	C29	73

CBS: These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

A review of the CBS list, as provided by EDR, and dated 01/04/2011 has revealed that there is 1 CBS site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
4901 FIRST AVENUE	4901 FIRST AVENUE	0 - 1/8 (0.000 mi.)	C29	73

ADDITIONAL ENVIRONMENTAL RECORDS

Local Lists of Registered Storage Tanks

HIST UST: The Underground Storage Tank database contains registered USTs. USTs are regulated under Subtitle I of the Resource Conservation and Recovery Act (RCRA). The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database

A review of the HIST UST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 6 HIST UST sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
1ST AVE RAILROAD/NY CROSS HARB	4302 1ST AVE	0 - 1/8 (0.000 mi.)	B16	31
DSNY BK DISTRICT 7/10 GARAGE	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E51	139
UNITED PARCEL SERVICE	5101-5123 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E56	174
COMMODORE MANUFACURING CORPO	RAI40 43RD STREET	SE 0 - 1/8 (0.059 mi.)	G68	205
PS REALTY	125 51ST STREET	S 0 - 1/8 (0.059 mi.)	E70	212
129-155 51ST STREET REALTY, LL	135 51ST STREET	S 0 - 1/8 (0.068 mi.)	H77	240

HIST AST: The Aboveground Storage Tank database contains registered ASTs. The data come from the Department of Environmental Conservation's Petroleum Bulk Storage (PBS) Database.

A review of the HIST AST list, as provided by EDR, and dated 01/01/2002 has revealed that there are 2 HIST AST sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
1ST AVE RAILROAD/NY CROSS HARB	4302 1ST AVE	0 - 1/8 (0.000 mi.)	B16	31
SUPREME EQUIPMENT & SYSTEMS CO	4901 1ST AVENUE	0 - 1/8 (0.000 mi.)	C34	95

Records of Emergency Release Reports

HMIRS: The Hazardous Materials Incident Report System contains hazardous material spill incidents reported to the Department of Transportation. The source of this database is the U.S. EPA.

A review of the HMIRS list, as provided by EDR, and dated 12/31/2010 has revealed that there is 1 HMIRS site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
5101 FIRST AVENUE	5101 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E57	186

NY Spills: Data collected on spills reported to NYSDEC. is required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

A review of the NY Spills list, as provided by EDR, and dated 02/23/2011 has revealed that there are 22 NY Spills sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CROSS HARBOR RAILROAD Date Closed: 6/5/1998	4302 1ST AVE	0 - 1/8 (0.000 mi.)	B15	29
NY CROSS HARBOR RR Date Closed: 9/16/1996	4302 FIRST AVE	0 - 1/8 (0.000 mi.)	B17	45
DRUM RUN Date Closed: 9/28/2010	4473 FIRST AVE	0 - 1/8 (0.000 mi.)	21	53
MANHOLE TM2785 Date Closed: 12/14/2001	4301 1ST AVE	0 - 1/8 (0.000 mi.)	B22	54
BROOKLYN CROSS HARBOR Date Closed: 10/9/1996	RAILYARD 4302 1ST AV	0 - 1/8 (0.000 mi.)	B24	59
4302 1ST AVENUE Date Closed: 7/19/1994	4302 FIRST AVE	0 - 1/8 (0.000 mi.)	B25	61
4901 FIRST AVENUE REGULATOR OH-7D Date Closed: 3/2/2010	4901 FIRST AVENUE 43RD STREET AND 1ST AVE	0 - 1/8 (0.000 mi.) NE 0 - 1/8 (0.001 mi.)	C29 B37	73 100
ON ROAD AT 43RD STREET Date Closed: 3/20/1998	43RD STREET & 1ST AVENU	NE 0 - 1/8 (0.001 mi.)	B39	102
BUSCH TERMINAL Date Closed: 11/28/1995	43RD STREET & 1ST AVENU	NE 0 - 1/8 (0.001 mi.)	B40	104
43RD ST & 1ST AVE Date Closed: 8/29/1995	43RD STREET & 1ST AVENU	NE 0 - 1/8 (0.001 mi.)	B42	108
51-46 48TH ST Date Closed: 3/20/2003	51-51 48TY ST	SE 0 - 1/8 (0.035 mi.)	D44	116
5100 1ST AVENUE DEPT OF SANITATION Date Closed: 10/12/2010 Date Closed: 2/24/2005	5100 1ST AVENUE 5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.) SSW 0 - 1/8 (0.049 mi.)	E49 E50	124 128
AIRBORN EXPRESS Date Closed: 5/6/1999	5101 FIRST AVE	SSW 0 - 1/8 (0.049 mi.)	E53	168
UPS PRESTON COURT Date Closed: 1/12/1993	5101 FIRST AVE	SSW 0 - 1/8 (0.049 mi.)	E55	171
UPS/PRESTON COURT Date Closed: 2/17/1992	5101 1ST AVE	SSW 0 - 1/8 (0.049 mi.)	E58	186
TRANSFORMER MANHOLE 60 Date Closed: 6/23/2004	42ND ST & 1ST AVE	NE 0 - 1/8 (0.051 mi.)	F59	189
VAULT #TM60 Date Closed: 11/15/2004	42 ST & 1ST AVE	NE 0 - 1/8 (0.051 mi.)	F60	190
ON THE STREET Date Closed: 11/15/2004	42ND/WEST 1ST AVE	NE 0 - 1/8 (0.051 mi.)	F65	198
129 51 STREET Date Closed: 3/10/2003	129 51 STREET	S 0 - 1/8 (0.062 mi.)	E71	215
DAVIDSON PIPE SUPPLY CO Date Closed: 9/26/2005	37TH ST/BET. 2ND & 3RD	NE 0 - 1/8 (0.069 mi.)	F78	245

NY Hist Spills: This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database.

A review of the NY Hist Spills list, as provided by EDR, and dated 01/01/2002 has revealed that there are 15 NY Hist Spills sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
CROSS HARBOR RAILROAD	4302 1ST AVE	0 - 1/8 (0.000 mi.)	B15	29
NY CROSS HARBOR RR	4302 FIRST AVE	0 - 1/8 (0.000 mi.)	B17	45
MANHOLE TM2785	4301 1ST AVE	0 - 1/8 (0.000 mi.)	B22	54
BROOKLYN CROSS HARBOR	RAILYARD 4302 1ST AV	0 - 1/8 (0.000 mi.)	B24	59
4302 1ST AVENUE	4302 FIRST AVE	0 - 1/8 (0.000 mi.)	B25	61
ON ROAD AT 43RD STREET	43RD STREET & 1ST AVENU	NE 0 - 1/8 (0.001 mi.)	B39	102
BUSCH TERMINAL	43RD STREET & 1ST AVENU	NE 0 - 1/8 (0.001 mi.)	B40	104
43RD ST & 1ST AVE	43RD STREET & 1ST AVENU	NE 0 - 1/8 (0.001 mi.)	B42	108
51-46 48TH ST	51-51 48TY ST	SE 0 - 1/8 (0.035 mi.)	D44	116
5100 1ST AVENUE	5100 1ST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E49	124
DEPT OF SANITATION	5100 FIRST AVENUE	SSW 0 - 1/8 (0.049 mi.)	E50	128
AIRBORN EXPRESS	5101 FIRST AVE	SSW 0 - 1/8 (0.049 mi.)	E53	168
UPS PRESTON COURT	5101 FIRST AVE	SSW 0 - 1/8 (0.049 mi.)	E55	171
UPS/PRESTON COURT	5101 1ST AVE	SSW 0 - 1/8 (0.049 mi.)	E58	186
DAVIDSON PIPE SUPPLY CO	37TH ST/BET. 2ND & 3RD	NE 0 - 1/8 (0.069 mi.)	F78	245

Other Ascertainable Records

RCRA-NonGen: RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous waste.

A review of the RCRA-NonGen list, as provided by EDR, and dated 02/17/2010 has revealed that there are 13 RCRA-NonGen sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BUSH TERMINALS, PIER SIX SITE	FIRST AVE. AND 43RD ST	0 - 1/8 (0.000 mi.)	A19	47
NEW YORK CROSS HARBOR RWY CORP	4302 FIRST AVE	0 - 1/8 (0.000 mi.)	B20	51
NYC ECONOMIC DEVELOPMENT CORP	4301 1ST AVE	0 - 1/8 (0.000 mi.)	B23	57
NEW YORK DOCK RAILWAY	1ST AVE & 50TH ST	0 - 1/8 (0.000 mi.)	C30	<i>7</i> 8
A P S C O SPORTS ENTERPRISES I	50TH ST & FIRST AVE	0 - 1/8 (0.000 mi.)	C32	80
NYC ECONOMIC DEVELOPMENT	4901 FIRST AVE	0 - 1/8 (0.000 mi.)	C33	83
NYC DEPT OF SANITATION	5100 1ST AVE - BK-7	SSW 0 - 1/8 (0.049 mi.)	E48	122
NYC DEPT OF SANITATION	5100 FIRST AVE - BROOKL	SSW 0 - 1/8 (0.049 mi.)	E52	167
UNITED PARCEL SERVICE	5105 1ST AVE	SSW 0 - 1/8 (0.051 mi.)	E66	200
SEA JET TRUCKING CORP	140 43RD ST	SE 0 - 1/8 (0.059 mi.)	G67	203
NYC SANITATION	BK-7A 129 51ST ST	SSE 0 - 1/8 (0.065 mi.)	H72	221
UNITED NATIONS	1ST AVE & 42ND ST ROOM	NE 0 - 1/8 (0.066 mi.)	F76	225
DEPT PORTS INTL TRADE & COMM	44TH ST BETW 1ST AVE &	SE 0 - 1/8 (0.076 mi.)	G79	248

ICIS: The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

A review of the ICIS list, as provided by EDR, and dated 01/07/2011 has revealed that there is 1 ICIS site within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NEW YORK DOCK RAILWAY	1ST AVE & 50TH ST BR	0 - 1/8 (0.000 mi.)	C27	72

FINDS: The Facility Index System contains both facility information and "pointers" to other sources of information that contain more detail. These include: RCRIS; Permit Compliance System (PCS); Aerometric Information Retrieval System (AIRS); FATES (FIFRA [Federal Insecticide Fungicide Rodenticide Act] and TSCA Enforcement System, FTTS [FIFRA/TSCA Tracking System]; CERCLIS; DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); Federal Underground Injection Control (FURS); Federal Reporting Data System (FRDS); Surface Impoundments (SIA); TSCA Chemicals in Commerce Information System (CICS); PADS; RCRA-J (medical waste transporters/disposers); TRIS; and TSCA. The source of this database is the U.S. EPA/NTIS.

A review of the FINDS list, as provided by EDR, and dated 04/14/2010 has revealed that there are 20 FINDS sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
DOWN RIGHT	4603 1ST AVE	0 - 1/8 (0.000 mi.)	A18	47
BUSH TERMINALS, PIER SIX SITE	FIRST AVE. AND 43RD ST	0 - 1/8 (0.000 mi.)	A19	47
NEW YORK CROSS HARBOR RWY CORP	4302 FIRST AVE	0 - 1/8 (0.000 mi.)	B20	51
NYC ECONOMIC DEVELOPMENT CORP	4301 1ST AVE	0 - 1/8 (0.000 mi.)	B23	57
NEW YORK DOCK RAILWAY	1ST AVE & 50TH ST	0 - 1/8 (0.000 mi.)	C30	78
A P S C O SPORTS ENTERPRISES I	50TH ST & FIRST AVE	0 - 1/8 (0.000 mi.)	C32	80
NYC ECONOMIC DEVELOPMENT	4901 FIRST AVE	0 - 1/8 (0.000 mi.)	C33	83
SUPREME EQUIPMENT & SYSCORP	4901 1ST AVENUE	0 - 1/8 (0.000 mi.)	C35	99
NEW YORK CROSS HARBOR RAILROAD	1ST AVENUE/43RD STREET	NE 0 - 1/8 (0.001 mi.)	B38	102
F & D ASSOCIATES	57 49TH ST	SE 0 - 1/8 (0.041 mi.)	45	118
NYC DEPT OF SANITATION	5100 1ST AVE - BK-7	SSW 0 - 1/8 (0.049 mi.)	E48	122
NYC DEPT OF SANITATION	5100 FIRST AVE - BROOKL	SSW 0 - 1/8 (0.049 mi.)	E52	167
CON EDISON	42ND ST & 1ST AVE	NE 0 - 1/8 (0.051 mi.)	F61	192
UNITED PARCEL SERVICE	5105 1ST AVE	SSW 0 - 1/8 (0.051 mi.)	E66	200
SEA JET TRUCKING CORP	140 43RD ST	SE 0 - 1/8 (0.059 mi.)	G67	203
NYC SANITATION	BK-7A 129 51ST ST	SSE 0 - 1/8 (0.065 mi.)	H72	221
JANTON INDUSTRIES-13 42ND ST	13 42ND ST #1	N 0 - 1/8 (0.066 mi.)	174	225
DEAN & SILVA LLC	13 42ND ST #4	N 0 - 1/8 (0.066 mi.)	175	225
UNITED NATIONS	1ST AVE & 42ND ST ROOM	NE 0 - 1/8 (0.066 mi.)	F76	225
DEPT PORTS INTL TRADE & COMM	44TH ST BETW 1ST AVE &	SE 0 - 1/8 (0.076 mi.)	G79	248

MANIFEST: Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

A review of the MANIFEST list, as provided by EDR, and dated 12/31/2010 has revealed that there are 11 MANIFEST sites within approximately 0.076 miles of the target property.

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
BUSH TERMINALS, PIER SIX SITE	FIRST AVE. AND 43RD ST	0 - 1/8 (0.000 mi.)	A19	47
NYC ECONOMIC DEVELOPMENT CORP	4301 1ST AVE	0 - 1/8 (0.000 mi.)	B23	57
A P S C O SPORTS ENTERPRISES I	50TH ST & FIRST AVE	0 - 1/8 (0.000 mi.)	C32	80

Equal/Higher Elevation	Address	Direction / Distance	Map ID	Page
NYC ECONOMIC DEVELOPMENT	4901 FIRST AVE	0 - 1/8 (0.000 mi.)	C33	83
NEW YORK CITY DEP SITE	48TH STREET & 1ST AVENU	0 - 1/8 (0.000 mi.)	D36	99
CONSOLIDATED EDISON	34 50 AINSLEE ST	SE 0 - 1/8 (0.022 mi.)	C43	110
CONSOLIDATED EDISON - MH 74510	1ST AVE & 42ND ST	NE 0 - 1/8 (0.051 mi.)	F62	192
CONSOLIDATED EDISON	42 ST & 1 AVE TM60	NE 0 - 1/8 (0.051 mi.)	F64	197
UNITED PARCEL SERVICE	5105 1ST AVE	SSW 0 - 1/8 (0.051 mi.)	E66	200
UNITED NATIONS	1ST AVE & 42ND ST ROOM	NE 0 - 1/8 (0.066 mi.)	F76	225
DEPT PORTS INTL TRADE & COMM	44TH ST BETW 1ST AVE &	SE 0 - 1/8 (0.076 mi.)	G79	248

Due to poor or inadequate address information, the following sites were not mapped. Count: 20 records.

Site Name Database(s)

POSEIDON POOLS OF AMERICA, INC

CONSOLIDATED EDISON CONSOLIDATED EDISON

CONSOLIDATED EDISON

NYCTA-CPM ENVIRONMENTAL ENGINEERIN

NYNEX

CONSOLIDATED EDISON BELL ATLANTIC-NY CONSOLIDATED EDISON

NORTHEAST MARINE TERMINAL CO INC

NYSDOT BIN 1076750 CON ED - MH 62020 CON ED - MH5582 CON ED - MH 5581 CON ED - MH 70942 E 29TH ST & KINGS HWY

BETW/AVE X & BOX 38486

KINGS HIGHWAY MOBIL 205842; KINGS HWY FTTS, HIST FTTS INSP, FINDS

RCRA-NLR,MANIFEST RCRA-NLR,MANIFEST RCRA-NLR,MANIFEST

FINDS, MANIFEST, RCRA-CESQG

RCRA-NLR,MANIFEST RCRA-NLR,MANIFEST

MANIFEST

RCRA-NLR, MANIFEST

CORRACTS, FINDS, RCRA-NLR

RCRA-LQG FINDS FINDS FINDS FINDS


SPILLS, HIST SPILLS

SPILLS

SPILLS, HIST SPILLS

SPILLS SPILLS

OVERVIEW MAP - 3040645.2s




ADDRESS: 1st Avenue and 48th Street

Brooklyn NY 11232 LAT/LONG: 40.6529 / 74.0177

CLIENT: STV Inc. CONTACT: Douglas Glorie INQUIRY#: 3040645.2s

DATE: April 15, 2011 3:06 pm

DETAIL MAP - 3040645.2s



DATE: April 15, 2011 3:06 pm Copyright © 2011 EDR, Inc. © 2010 Tele Atlas Rel. 07/2009.

INQUIRY #:

3040645.2s

ADDRESS:

LAT/LONG:

1st Avenue and 48th Street

Brooklyn NY 11232

40.6529 / 74.0177

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	Total Plotted	
STANDARD ENVIRONMENTAL RECORDS									
Federal NPL site list									
NPL Proposed NPL NPL LIENS		0.076 0.076 0.076	0 0 0	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 0	
Federal Delisted NPL site list									
Delisted NPL		0.076	0	NR	NR	NR	NR	0	
Federal CERCLIS list									
CERCLIS FEDERAL FACILITY		0.076 0.076	0 0	NR NR	NR NR	NR NR	NR NR	0 0	
Federal CERCLIS NFRAP site List									
CERC-NFRAP	Χ	0.076	3	NR	NR	NR	NR	3	
Federal RCRA CORRAC	TS facilities li	st							
CORRACTS		0.076	0	NR	NR	NR	NR	0	
Federal RCRA non-CORRACTS TSD facilities list									
RCRA-TSDF		0.076	0	NR	NR	NR	NR	0	
Federal RCRA generator	s list								
RCRA-LQG RCRA-SQG RCRA-CESQG		0.076 0.076 0.076	0 0 1	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 1	
Federal institutional controls / engineering controls registries									
US ENG CONTROLS US INST CONTROL		0.076 0.076	0 0	NR NR	NR NR	NR NR	NR NR	0 0	
Federal ERNS list									
ERNS		0.076	1	NR	NR	NR	NR	1	
State- and tribal - equivalent CERCLIS									
SHWS VAPOR REOPENED	X	0.076 0.076	0 0	NR NR	NR NR	NR NR	NR NR	0 0	
State and tribal landfill a solid waste disposal site									
SWF/LF		0.076	1	NR	NR	NR	NR	1	
State and tribal leaking storage tank lists									
LTANKS HIST LTANKS INDIAN LUST		0.076 0.076 0.076	7 7 0	NR NR NR	NR NR NR	NR NR NR	NR NR NR	7 7 0	
State and tribal registered storage tank lists									
UST		0.076	6	NR	NR	NR	NR	6	

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted	
CBS UST MOSF UST AST CBS AST MOSF AST CBS MOSF INDIAN UST FEMA UST		0.076 0.076 0.076 0.076 0.076 0.076 0.076 0.076	0 0 2 1 0 1 0 0	NR NR NR NR NR NR NR	NR NR NR NR NR NR NR	NR NR NR NR NR NR NR	NR NR NR NR NR NR NR NR	0 0 2 1 0 1 0 0	
State and tribal institutional control / engineering control / engineering control registries									
ENG CONTROLS INST CONTROL RES DECL		0.076 0.076 0.076	0 0 0	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 0	
State and tribal voluntary	cleanup site	es							
INDIAN VCP VCP		0.076 0.076	0 0	NR NR	NR NR	NR NR	NR NR	0 0	
State and tribal Brownfiel	ds sites								
ERP BROWNFIELDS	Х	0.076 0.076	0 0	NR NR	NR NR	NR NR	NR NR	0 0	
ADDITIONAL ENVIRONMENTAL RECORDS									
Local Brownfield lists									
US BROWNFIELDS		0.076	0	NR	NR	NR	NR	0	
Local Lists of Landfill / Solid Waste Disposal Sites									
DEBRIS REGION 9 ODI SWRCY SWTIRE INDIAN ODI		0.076 0.076 0.076 0.076 0.076	0 0 0 0	NR NR NR NR NR	NR NR NR NR NR	NR NR NR NR NR	NR NR NR NR NR	0 0 0 0	
Local Lists of Hazardous waste / Contaminated Sites									
US CDL DEL SHWS US HIST CDL		0.076 0.076 0.076	0 0 0	NR NR NR	NR NR NR	NR NR NR	NR NR NR	0 0 0	
Local Lists of Registered Storage Tanks									
HIST UST HIST AST		0.076 0.076	6 2	NR NR	NR NR	NR NR	NR NR	6 2	
Local Land Records									
LIENS 2 LUCIS		0.076 0.076	0 0	NR NR	NR NR	NR NR	NR NR	0 0	

MAP FINDINGS SUMMARY

Database	Target Property	Search Distance (Miles)	< 1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	> 1	Total Plotted
Records of Emergency I	Release Repo	orts						
HMIRS		0.076	1	NR	NR	NR	NR	1
NY Spills	X	0.076	22	NR	NR	NR	NR	22
NY Hist Spills	X	0.076	15	NR	NR	NR	NR	15
Other Ascertainable Rec	cords							
RCRA-NonGen	Χ	0.076	13	NR	NR	NR	NR	13
DOT OPS		0.076	0	NR	NR	NR	NR	0
DOD		0.076	0	NR	NR	NR	NR	0
FUDS		0.076	0	NR	NR	NR	NR	0
CONSENT		0.076	0	NR	NR	NR	NR	0
ROD		0.076	0	NR	NR	NR	NR	0
UMTRA		0.076	0	NR	NR	NR	NR	0
MINES		0.076	0	NR	NR	NR	NR	0
TRIS		0.076	0	NR	NR	NR	NR	0
TSCA		0.076	0	NR	NR	NR	NR	0
FTTS		0.076	0	NR	NR	NR	NR	0
HIST FTTS		0.076	0	NR	NR	NR	NR	0
SSTS		0.076	0	NR	NR	NR	NR	0
ICIS	X	0.076	1	NR	NR	NR	NR	1
PADS		0.076	0	NR	NR	NR	NR	0
MLTS		0.076	0	NR	NR	NR	NR	0
RADINFO	V	0.076	0	NR	NR	NR	NR	0
FINDS	X	0.076	20	NR	NR	NR	NR	20
RAATS		0.076	0	NR	NR	NR	NR	0
HSWDS		0.076	0	NR	NR	NR	NR	0
UIC		0.076	0 11	NR	NR NR	NR NR	NR NR	0 11
MANIFEST DRYCLEANERS		0.076 0.076	0	NR NR	NR NR	NR NR	NR NR	0
NPDES		0.076	0	NR NR	NR NR	NR NR	NR NR	0
AIRS		0.076	0	NR	NR NR	NR	NR	0
E DESIGNATION		0.076	0	NR	NR	NR	NR	0
INDIAN RESERV		0.076	0	NR	NR	NR	NR	0
SCRD DRYCLEANERS		0.076	0	NR	NR	NR	NR	0
COAL ASH EPA		0.076	0	NR	NR	NR	NR	0
FINANCIAL ASSURANCE	:	0.076	0	NR	NR	NR	NR	Ő
COAL ASH	-	0.076	Ö	NR	NR	NR	NR	Ö
PCB TRANSFORMER		0.076	Ö	NR	NR	NR	NR	Ö
COAL ASH DOE		0.076	Ö	NR	NR	NR	NR	0
EDR PROPRIETARY RECOI	RDS							
EDR Proprietary Record	s							
Manufactured Gas Plants		0.076	0	NR	NR	NR	NR	0

NOTES:

TP = Target Property

NR = Not Requested at this Search Distance

Sites may be listed in more than one database

Direction Distance

Elevation Site **EPA ID Number** Database(s)

Α1 **NYCDEP-BUSH TERMINAL FINDS** 1007820661

Target 49TH STREET N/A **BROOKLYN, NY 11232 Property**

Site 1 of 16 in cluster A

FINDS: Actual:

4 ft.

Registry ID: 110019832216

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

environmental facility information found across the State.

BUSH TERMINAL LANDFILL PIERS 1-4 A2 ERP S105589952 N/A

47TH TO 52ND STREET AND 1ST AVE TO GOWANUS BAY **Target**

Property BROOKLYN, NY 11232

Site 2 of 16 in cluster A

ERP: Actual:

4 ft.

Site Code: 57209 **ERP** Program: B00031 HW Code: Site Class: Α Class N: Α SWIS: 2401 Region: 2

New York City Town:

Acres: 17.300

Record Added: 10/28/2003 2:00:00 PM Record Updated: 11/29/2010 1:36:00 PM

JHOCONNE Updated By:

Site Description: The site is located along the Upper New York Bay, in the Sunset Park

Section of Brooklyn, in the western part of Kings County, New York. The site borders an access road referred to as Marginal Street (which parallels 1st Avenue), between 45th and 50th Street. The land immediately adjacent to the site is used for commercial and industrial purposes, although residential housing areas are present within approximately 1,500 to 2,000 feet of the site. The 17.3-acre site includes approximately 14 acres of urban land that was created by landfilling between four piers that were part of the former Bush Terminal warehouse complex. The remaining pier structures are dilapidated and extend 600 to 800 feet into the Bay from the existing fill areas. The site is currently fenced to prevent public access. Partial filling between two piers (Piers 3 and 4) has resulted in the presence of two ponded areas in the northeastern portion of the site. While most of the landfilled areas are covered with grasses or barren soils, the westernmost fill area between Piers 2 and 3 supports an area of mature trees (referred to as the existing wooded area). Debris piles are present in some areas, especially along the edge of the site bordering Marginal Road. The Site Investigation (SI) was conducted between May 1999 and May 2001. The field activities and findings of the investigation are described in the SI report. Additional studies were conducted between March and July 2002 to support the evaluation of remedial alternatives and are described in the Remedial Alternatives Report (RAR). The Record of Decision presenting selected remedy was finalized in March 2004. The City s

EDR ID Number

Map ID Direction Distance

Elevation

MAP FINDINGS

EPA ID Number Site Database(s)

BUSH TERMINAL LANDFILL PIERS 1-4 (Continued)

S105589952

EDR ID Number

Application for Remedial Grant was received in the end of March 2005. The Draft Scoping Document for Remedial Design Work Plan was submitted on December 9, 2005. The NYSDEC Commissioner approved Remedial Application in January 2006. The NYC Economic Development Corporation has prepared a detailed design for the proposed remedy. The design, plans and specifications regarding remedial construction were approved in January 2009. Remedial construction commenced in August 2009. It is expected to last approximately 2 years. At the end of remedial construction NYC parks is scheduled to begin landscaping activities under a separate contract with the eventual end use comprising both active and passive recreation for residents of the surrounding Sunset Park community and beyond.

Env Problem:

The primary categories of contaminants of concern at the site (in groundwater, soils and sediments) that exceed their respective Standards, Criteria and Guidance are semivolatile organic compounds (SVOCs) and inorganics (metals). VOCs, the pesticide 4,4-DDT, and PCBs were also detected at levels exceeding SCGs, but to a much lesser extent than the SVOCs and metals. While groundwater quality at the site has been lightly impacted, it is unlikely that surface water quality criteria will be exceeded when groundwater discharges to Gowanus Bay, due to the low rates of groundwater discharge and the relatively low concentrations of contaminants in groundwater. Therefore, groundwater is not expected to present a potential environmental impact. It has also been determined that no significant threat exists to the environment. Remedial Construction commenced in August 2009. It includes the following: Removal of contaminated soil in some areas; Placement of a two foot soil cover over the landfill to prevent exposures to surface soils and underlying waste materials. except in the existing wooded area where a six-inch soil cover will be provided to minimize exposures while retaining the existing mature trees; Landfill gas management to control landfill gas migration, and landfill gas monitoring to ensure that unsafe conditions do not develop in the future; Implementation of a Community Air Monitoring Plan (CAMP); Implementation of dust suppression measures; and Excavation and covering of shallow pond area sediments, filling and covering of deeper pond area sediments, and shoreline stabilization to minimize potential ecological exposures to contaminated sediments. Remedial construction is expected to last approximately two years.

Health Problem:

The area is served by public water, therefore, exposure to contaminated groundwater is unlikely. There is a potential for direct contact expsoure with contaminated surface soil. However, a clean soil cover over the site and landfill gas control measures will minimize the potential for exposures to future park users. Site access is currently restricted by a fence minimizing the potential

for exposure.

Not reported

A3 BUSH TERMINAL COMPLEX Target **FIRST AVE & 43RD ST Property BROOKLYN, NY**

Site 3 of 16 in cluster A

Caller Agency:

Actual: 4 ft

NY Hist Spills:

Region of Spill: Spill Number: 0102496 **TIPPLE** Investigator: Caller Name: Not reported

TC3040645.2s Page 8

1002986558

N/A

NY Hist Spills

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL COMPLEX (Continued)

1002986558

EDR ID Number

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 06/05/2001 12:00
Reported to Dept Date/Time: 06/05/01 17:35

SWIS: 61

Spiller Name: BUSH TERMINAL COMPLEX

Spiller Contact: Not reported Spiller Phone: Not reported

Spiller Address: FIRST AVE & 43RD ST Spiller City,St,Zip: BROOKLYN, NY

Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01

Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /

Cleanup Meets Std: False
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: //

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 06/05/01
Date Spill Entered In Computer Data File: Not reported

Update Date: 06/06/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Hazardous Material

Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: SOLVENT

Material: SOLVENTS
Class Type: SOLVENTS
Times Material Entry In File: 424

CAS Number: Not reported Last Date: 19940928

DEC Remarks: Not reported

Remark: test pit excavation resulted in contaminated soil being found and lab results

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSH TERMINAL COMPLEX (Continued)

1002986558

recieved today indicate same

NY Spills S102662976 Α4 **BUSH TERMINAL** 43RD ST AND 1ST AVE **NY Hist Spills Target** N/A **BROOKLYN, NY Property**

Site 4 of 16 in cluster A

Reported to Dept:

NY Spills: Actual: 4 ft.

Site ID: 102782 Facility Addr2: Not reported Facility ID: 9701894 Spill Number: 9701894 Facility Type: ER SWIS: 2401 O'DOWD Investigator: Referred To: Not reported Spill Date: 5/12/1997

370 CID: Spill Cause: **Abandoned Drums** Water Affected: Not reported

Commercial/Industrial Spill Source:

Spill Notifier: DEC Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

5/13/1997

UST Trust: False

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 2/9/1998 Remediation Phase:

Date Entered In Computer: 5/13/1997 Spill Record Last Update: 7/7/2005 Spiller Name: **ABOVE**

Spiller Company: **BUSH TERMINAL** Spiller Address: 43RD ST AND 1ST AVE

Spiller City,St,Zip: BROOKLYN, ZZ

Spiller Company: 001 **ABOVE** Contact Name: Contact Phone: Not reported

DEC Region: DER Facility ID: 107237 DEC Memo: Not reported

FOUND ABANDONED DRUMS NO LEAK NYS ECONOMICAL CORP. OWNER OF SITET WILL Remarks:

PROBLABLY CLEAN UP

Material:

Site ID: 102782 Operable Unit ID: 1047905 Operable Unit: 01 Material ID: 558225 Material Code: 0064A

Material Name: **UNKNOWN MATERIAL**

Case No.: Not reported Material FA: Other

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL (Continued)

S102662976

EDR ID Number

Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9701894 Investigator: O'DOWD

Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 05/12/1997 12:00 05/13/97 14:09 Reported to Dept Date/Time:

SWIS: 61

Spiller Name: BUSH TERMINAL

Spiller Contact: ABOVE
Spiller Phone: Not reported
Spiller Contact: ABOVE

Spiller Address: 43RD ST AND 1ST AVE

Spiller City,St,Zip: BROOKLYN
Spill Cause: Abandoned Drums
Reported to Dept: On Land

Water Affected: Not reported
Spill Source: 01
Spill Notifier: DEC
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False

Last Inspection: / /
Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 02/09/98

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

BUSH TERMINAL (Continued)

S102662976

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 05/13/97
Date Spill Entered In Computer Data File: Not reported

Update Date: 03/31/00 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Raw Sewage

Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Material: UNKNOWN MATERIAL Class Type: UNKNOWN MATERIAL

Times Material Entry In File: 9140
CAS Number: Not reported
Last Date: 19941109

DEC Remarks: 7/9/97 REMOVED 41 GAS CYLINDERS. ALSO FOUND 21 DRUMS, 10 SMALLER CONTAINERS

5 EMPTY DRUMS. THE DRUMS WERE SAMPLED. SOME DRUMS WERE REPACKAGED AND CONSOLIDATED IN NEW 55 GAL DRUMS OR 1 CUBIC YARD CONTAINERS. ANY MATERIAL THAT

LEAKED WAS CLEANEDUP. DRUM REMOVAL WAS DONE ON 8/13/97.

Remark: FOUND ABANDONED DRUMS NO LEAK NYS ECONOMICAL CORP. OWNER OF SITET WILL

PROBLABLY CLEAN UP

A5 BUSH TERMINAL PORTS & TERMINAL

Target 1 BUSH PLZ & 43RD ST BROOKLYN NY 11201

Property BROOKLYN, NY 11201

Site 5 of 16 in cluster A

Actual: ICIS

4 ft.

Enforcement Action ID: 02-1993-0073 FRS ID: 110007153427

Program ID: RCRAINFO NYD981080914
Action Name: THE CITY OF NEW YORK

Facility Name: BUSH TERMINAL PORTS & TERMINAL

Facility Address: 1 BUSH PLZ & 43RD ST BROOKLYN NY 11201

BROOKLYN, New York 11201

Enforcement Action Type: CERCLA 106 AO For Resp Action/Imm Haz

Facility County: Kings EPA Region #: 3

 Enforcement Action ID:
 02-1993-0073

 FRS ID:
 110007153427

 Program ID:
 FRS 110007153427

 Action Name:
 THE CITY OF NEW YORK

Facility Name: BUSH TERMINAL PORTS & TERMINAL

Facility Address: 1 BUSH PLZ & 43RD ST BROOKLYN NY 11201

BROOKLYN, New York 11201

ICIS

1011584448

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSH TERMINAL PORTS & TERMINAL (Continued)

1011584448

Enforcement Action Type: CERCLA 106 AO For Resp Action/Imm Haz

Facility County: Kings EPA Region #: 3

Program ID: FRS 110007153427

Facility Name: **BUSH TERMINAL PORTS & TERMINAL**

1 BUSH PLZ & 43RD ST Address:

Tribal Indicator: Ν Fed Facility: No NAIC Code:

Not reported SIC Code: Not reported

Program ID: **RCRAINFO NYD981080914**

Facility Name: **BUSH TERMINAL PORTS & TERMINAL**

1 BUSH PLZ & 43RD ST Address:

Tribal Indicator: Ν Fed Facility: No

NAIC Code: Not reported SIC Code: Not reported

Α6 **BUSH TERMINAL PORTS & TERMINAL Target FOOT OF 43RD ST - PUMP HOUSE Property BROOKLYN, NY 11222**

RCRA-NonGen 1000238631 **FINDS** NYD981080914

Site 6 of 16 in cluster A

RCRA-NonGen: Actual:

Date form received by agency: 01/01/2007 4 ft.

BUSH TERMINAL PORTS & TERMINAL Facility name: FOOT OF 43RD ST - PUMP HOUSE Facility address:

BROOKLYN, NY 11222

EPA ID: NYD981080914

CENTRE ST - ROOM 2436 Mailing address:

NEW YORK, NY 10007

Contact: TED NABAVI

Contact address: CENTRE ST - ROOM 2436

NEW YORK, NY 10007

Contact country: US

(718) 669-8178 Contact telephone: Contact email: Not reported

EPA Region:

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: Not reported Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country:

(212) 555-1212 Owner/operator telephone: Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported

Owner/operator name: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL PORTS & TERMINAL (Continued)

1000238631

EDR ID Number

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

Unknown U.S. importer of hazardous waste: Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: Nο

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: BUSH TERMINAL PORTS & TERMINAL

Classification: Not a generator, verified

Date form received by agency: 06/07/1985

Facility name: BUSH TERMINAL PORTS & TERMINAL

Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Registry ID: 110007153427

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL PORTS & TERMINAL (Continued)

1000238631

EDR ID Number

Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

A7 BUSH TERMINAL COMPLEX RCRA-NonGen 1007205581
Target NYC ECONOMIC DEVELOPMENT CORP NYP000936211

Property BROOKLYN, NY 11232

Site 7 of 16 in cluster A

Actual: RCRA-NonGen:

4 ft. Date form received by agency: 05/16/1998

Facility name: BUSH TERMINAL COMPLEX

Facility address: NYC ECONOMIC DEVELOPMENT CORP

4301 FIRST AVE

BROOKLYN, NY 112320000

EPA ID: NYP000936211 Mailing address: 110 WILLIAM ST

4301 FIRST AVE

NEW YORK, NY 100380000

Contact: KAY ZIAS
Contact address: 110 WILLIAM ST

JUNIACI AUGIESS.

NEW YORK, NY 100380000

Contact country: US

Contact telephone: (212) 312-3752
Contact email: Not reported
EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Unknown Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: Unknown On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Unknown Used oil processor: Unknown User oil refiner: Unknown Used oil fuel marketer to burner: Unknown Used oil Specification marketer: Unknown Used oil transfer facility: Unknown Used oil transporter: Unknown

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 05/15/1998

Direction Distance

EDR ID Number Elevation **EPA ID Number** Site Database(s)

BUSH TERMINAL COMPLEX (Continued)

1007205581

Facility name: **BUSH TERMINAL COMPLEX** Classification: Not a generator, verified

Date form received by agency: 05/14/1998

Facility name: **BUSH TERMINAL COMPLEX** Classification: Large Quantity Generator

Violation Status: No violations found

A8 REAR OF BUSH TERMINAL BUILDING END OF 47 THRU 52ND STREETS Target

SHWS S101008336 N/A

Property BROOKLYN, NY 11220

Site 8 of 16 in cluster A

SHWS: Actual:

Program: HW 4 ft. Site Code: 58024

> Classification: DOES NOT PRESENT A SIGNIFICANT THREAT TO THE PUBLIC HEALTH OR THE

> > ENVIRONMENT - ACTION MAY BE DEFERRED.

Region: 2 11.000 Acres: HW Code: 224011

11/18/1999 12:00:00 PM Record Add: Record Upd: 5/22/2008 9:13:00 AM

Updated By: **JHOCONNE**

Site Description: The site is located along the Upper New York Bay, in the Sunset Park

> Section of Brooklyn, in the western part of Kings County, New York. The site borders an access road referred to as Marginal Street (which parallels 1st Avenue), between 45th and 50th Street. The land immediately adjacent to the site is used for commercial and industrial purposes, although residential housing areas are present within approximately 1,500 to 2,000 feet of the site. The 17.3-acre site includes approximately 14 acres of urban land that was created by landfilling between four piers that were part of the former Bush Terminal warehouse complex. The remaining pier structures are dilapidated and extend 600 to 800 feet into the Bay from the existing fill areas. The site is currently fenced to prevent public access. The total landfill area is approximately 14 acres in size. Partial filling between two piers (Piers 3 and 4) has resulted in the presence of two ponded areas in the northeastern portion of the site. While most of the landfilled areas are covered with grasses or barren soils, the westernmost fill area between Piers 2 and 3 supports an area of mature trees (referred to as the existing wooded area). Debris piles are present in some areas, especially along the edge of the site bordering Marginal Road. The Site Investigation (SI)was conducted between May 1999 and May 2001. The field activities and findings of the investigation are described in the SI report.

Additional studies were conducted between March and July 2002 to support the evaluation of remedial alternatives and are described in the Remedial Alternatives Report (RAR). This site is being tracked under the Environmental Restoration Program (ERP) as site number

B00031-2.

Env Problem: The primary contaminants of concern at the site (in groundwater,

soils and sediments) that exceed their SCGs are semivolatile organic compounds (SVOCs) and inorganics (metals). VOCs, the pesticide 4,4-DDT, and PCBs were also detected at levels exceeding SCGs, but to a much lesser extent than the SVOCs and metals. Sampling has revealed contravention of groundwater standards by 23 organic chemicals and 12

Direction Distance

Elevation Site Database(s) EPA ID Number

REAR OF BUSH TERMINAL BUILDING (Continued)

S101008336

EDR ID Number

metals. It has been determined that no significant threat exists to the environment. While groundwater quality at the site has been impacted, it is unlikely that surface water quality criteria will be exceeded when groundwater discharges to the Bay, due to the low rates

of groundwater discharge and the relatively low concentrations of contaminants in groundwater. Therefore, groundwater is not expected

to present a potential environmental impact.

Health Problem: The area is served by public water, therefore, exposure to

contaminated groundwater is unlikely. There is a potential for direct contact expsoure with contaminated surface soil. However, a clean soil cover over the site and landfill gas control measures will minimize the potential for exposures to future park users. Site access is currently restricted by a fence minimizing the potential

for exposure.

Dump: True
Structure: False
Lagoon: False
Landfill: False
Pond: False
Disp Start: mid 1974
Disp Term: 1978

Lat/Long: 40:39:06:0 / 74:01:12:0

Dell: False

Record Add: 11/18/1999 12:00:00 PM Record Upd: 12/23/2004 8:50:00 AM

Updated By: JMOCONNE
Own Op: Owner
Sub Type: C01

Owner Name: PATRICIA ZEDALIS

Owner Company: UNKNOWN

Owner Address: BATTERY MARITIME BOARD, WHITEHALL ST

Owner Addr2: Not reported

Owner City,St,Zip: NEW YORK, NY 10004
Owner Country: United States of America

Own Op: On-Site Operator

Sub Type: NNN
Owner Name: Not reported
Owner Company: UNKNOWN3
Owner Address: Not reported
Owner Addr2: Not reported

Owner City,St,Zip: ZZ

Owner Country: United States of America

Own Op: Owner Sub Type: D

Owner Name: Not reported

Owner Company: United States Coast Guard

Owner Address: Not reported Owner Addr2: Not reported

Owner City,St,Zip: ZZ

Owner Country: United States of America

Own Op: Owner
Sub Type: C01
Owner Name: Not reported

Owner Company: NYC DEPT. OF PORTS AND TRADE

Owner Address: BATTERY MARITIME BOARD, WHITEHALL ST

Owner Addr2: Not reported

Owner City,St,Zip: NEW YORK, NY 10004

Direction Distance

Elevation Site Database(s) EPA ID Number

REAR OF BUSH TERMINAL BUILDING (Continued)

Owner Country: United States of America

Own Op: Owner Sub Type: C01

Owner Name: PATRICIA ZEDALIS

Owner Company: NYC Dept. of Ports and Trade

Owner Address: BATTERY MARITIME BOARD, WHITEHALL ST

Owner Addr2: Not reported

Owner City,St,Zip: NEW YORK, NY 10004
Owner Country: United States of America

HW Code: 224011 Waste Type: **LEAD** Waste Quantity: **UNKNOWN** Waste Code: Not reported HW Code: 224011 Waste Type: **CHROMIUM** Waste Quantity: **UNKNOWN** Waste Code: Not reported HW Code: 224011 Waste Type: **ANTHRACENE** UNKNOWN Waste Quantity: Waste Code: Not reported

HW Code: 224011
Waste Type: BENZ(A)ANTHRACENE

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 224011

Waste Type: BENZO(B)FLUORANTHENE

Waste Quantity: UNKNOWN
Waste Code: Not reported
HW Code: 224011

Waste Type: BENZO(A)PYRENE

Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: 224011 **ARSENIC** Waste Type: Waste Quantity: UNKNOWN Waste Code: Not reported HW Code: 224011 Waste Type: **PYRENE** UNKNOWN Waste Quantity: Waste Code: Not reported Crossref ID: NYD982181059

Cross Ref Type Code: 05

Cross Ref Type: EPA Site ID

Record Added Date: 11/18/1999 12:00:00 PM Record Updated: 5/10/2001 4:31:00 PM

Updated By: REGTRANS Crossref ID: 023

Cross Ref Type Code: 13

Cross Ref Type: Senate District

Record Added Date: 11/18/1999 12:00:00 PM Record Updated: 2/24/2005 3:54:00 PM

Updated By: INITIAL

S101008336

EDR ID Number

Direction Distance

Distance EDR ID Number
Elevation Site EDR ID Number

A9 FLAT BUSH TERMINAL NY Spills S105057414
Target FLAT BUSH AV/HANSEN PL NY Hist Spills N/A

Property BROOKLYN, NY

Site 9 of 16 in cluster A

NY Spills:

Actual: 4 ft.

Site ID: 84595
Facility Addr2: Not reported
Facility ID: 0101794
Spill Number: 0101794

Facility Type: ER
SWIS: 2401
Investigator: MXTIPPLE
Referred To: Not reported
Spill Date: 5/16/2001
Reported to Dept: 5/16/2001
CID: 382

Spill Cause: Equipment Failure Water Affected: Not reported

Spill Source: Commercial/Industrial
Spill Notifier: Affected Persons
Cleanup Ceased: Not reported
Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/27/2001 Remediation Phase: 0

Date Entered In Computer: 5/16/2001 Spill Record Last Update: 7/27/2001

Spiller Name: WILLIAM KEENAN

Spiller Company: SCHIAVONE CONSTRUCTION
Spiller Address: 150 MEADOWLANDS PKWY

Spiller City,St,Zip: SECAUCUS, NJ

Spiller Company: 001

Contact Name: WILLIAM KEENAN
Contact Phone: (718) 558-3081

DEC Region: 2 DER Facility ID: 77789

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIPPLE" MTA SUBMITTED CLEANUP DATA

Remarks: secondary containment failed causing leak into surrounding ground.

appears to be historic. clean up be complete by schivone construction

tomorrow

Material:

Site ID: 84595 Operable Unit ID: 838669 Operable Unit: 01 Material ID: 537497 Material Code: 8000 Material Name: Diesel Not reported Case No.: Material FA: Petroleum Quantity:

Quantity: 0
Units: Gallons
Recovered: No

MAP FINDINGS Map ID

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

FLAT BUSH TERMINAL (Continued)

S105057414

Resource Affected: Not reported False Oxygenate:

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 0101794 Spill Number: **TIPPLE** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 05/16/2001 10:00 Reported to Dept Date/Time: 05/16/01 13:26

SWIS:

Spiller Name: SCHIAVONE CONSTRUCTION

Spiller Contact: WILLIAM KEENAN Spiller Phone: (718) 558-3081 Spiller Contact: WILLIAM KEENAN Spiller Phone: (718) 558-3081

Spiller Address: 150 MEADOWLANDS PKWY

Spiller City,St,Zip: SECAUCUS, NJ Spill Cause: **Equipment Failure** Reported to Dept: On Land

Water Affected: Not reported

Spill Source: 01

Spill Notifier: Affected Persons PBS Number: Not reported Cleanup Ceased: //

Cleanup Meets Std: False Last Inspection: 11

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: **Enforcement Date:** // Invstgn Complete: // **UST Involvement:** False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/27/01

Corrective Action Plan Submitted: 11 Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 05/16/01

Direction Distance

Elevation Site Database(s) **EPA ID Number**

FLAT BUSH TERMINAL (Continued)

S105057414

EDR ID Number

Date Spill Entered In Computer Data File: Not reported

Update Date: 07/27/01 False Is Updated:

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: O Unkonwn Quantity Recovered: False Material: DIESEL Class Type: DIESEL 10625 Times Material Entry In File: CAS Number: Not reported 19940728 Last Date:

DEC Remarks: MTA SUBMITTED CLEANUP DATA

Remark: secondary containment failed causing leak into surrounding ground. appears to

be historic. clean up be complete by schivone construction tomorrow

A10 **REAR BUSH TERMINAL BUILDING END OF 47TH THRU 52ND STREET Target Property**

BROOKLYN, NY 11232

CERC-NFRAP 1003864120 NYD982181059

Site 10 of 16 in cluster A

Actual: 4 ft.

CERC-NFRAP:

Site ID: 0202378

Federal Facility: Not a Federal Facility NPL Status: Not on the NPL

NFRAP-Site does not qualify for the NPL based on existing information Non NPL Status:

CERCLIS-NFRAP Assessment History:

Action: DISCOVERY Date Started: Not reported Date Completed: 02/24/1987 Priority Level: Not reported

Action: PRELIMINARY ASSESSMENT

Date Started: 02/24/1987 Date Completed: 03/03/1987

Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

SITE INSPECTION Action: Date Started: 01/02/1991 Date Completed: 02/26/1991

NFRAP-Site does not qualify for the NPL based on existing information Priority Level:

Action: ARCHIVE SITE Date Started: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

REAR BUSH TERMINAL BUILDING (Continued)

1003864120

Date Completed: 02/26/1991 Priority Level: Not reported

BUSH TERMINAL COMPLEX FINDS 1007252087 A11

NYC ECONOMIC DEVELOPMENT CORP **Target**

Property BROOKLYN, NY 11232

Site 11 of 16 in cluster A

FINDS: Actual:

4 ft.

Registry ID: 110017244490

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

A12 **BUSH TERMINAL COMPLEX NY Spills**

298429

Property BROOKLYN, NY

Site 12 of 16 in cluster A

Site ID:

FIRST AVE & 43RD ST

NY Spills:

Actual: 4 ft.

Target

Not reported Facility Addr2: Facility ID: 0102496 Spill Number: 0102496 Facility Type: ER SWIS: 2401 Investigator: **RHFILKIN** Referred To: Not reported Spill Date: 6/5/2001 Reported to Dept: 6/5/2001 CID: 322 Spill Cause: Unknown Water Affected: Not reported Spill Source: Commercial/Industrial

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 9/13/2005 Remediation Phase:

Date Entered In Computer: 6/5/2001 Spill Record Last Update: 9/13/2005 Spiller Name: Not reported N/A

S107407966

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSH TERMINAL COMPLEX (Continued)

S107407966

Spiller Company: **BUSH TERMINAL COMPLEX** Spiller Address: FIRST AVE & 43RD ST BROOKLYN, NY

Spiller City, St, Zip:

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 241440

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIPPLE" Site Transferred to Filkins, June 2005. Site is being remediated under Environmental Restoration Project program, site #

B00031. Spill closed 9/13/05.

test pit excavation resulted in contaminated soil being found and lab Remarks:

results recieved today indicate same

Material:

298429 Site ID: Operable Unit ID: 841187 Operable Unit: 01 Material ID: 534612 0059A Material Code: Material Name: **SOLVENTS** Case No.: Not reported Material FA: Other Quantity: Units: Gallons Recovered: Nο Not reported Resource Affected:

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

A13 **BUSH TERMINAL Target** FIRST AVE BTWN 40 & 51ST **Property**

BROOKLYN, NY

Site 13 of 16 in cluster A

NY Spills: Actual:

Site ID: 123730 4 ft. Facility Addr2: Not reported Facility ID: 9701133 Spill Number: 9701133 Facility Type: ER SWIS: 2401

> Investigator: adzhitom Referred To: Not reported

> > TC3040645.2s Page 23

S102560626

N/A

NY Spills

NY Hist Spills

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL (Continued)

S102560626

EDR ID Number

 Spill Date:
 4/18/1997

 Reported to Dept:
 4/25/1997

 CID:
 366

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial

Spill Notifier: Local Agency
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: True

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase: 1

Date Entered In Computer: 4/25/1997

Spill Record Last Update: 11/10/2010

Spiller Name: Not reported

Spiller Company: Not reported

Spiller Address: Not reported

Spiller City,St,Zip: ***Update***, ZZ

Spiller Company: 001

Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2
DER Facility ID: 107237

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ZHITOMIRSKY" Former Valid site. PBS # 2-604841. SPILL CASE TRANSFERRED TO I. ISLAM 6/1/05- SSIP and Addendum to SSIP were submitted by Ballard Engg. back in 1998. Soil samples from soil borings (mostly within 4' bgs) exceeded NYSDEC guidance values for VOCs, SVOCs and some TCLP metals, and Ballard Engg. recommended for

installing three GW monitoring wells around the tank field as well. Subsequently, Shaw Envtl.& PMS Costn. Mgmt. took over the site and reviewed the DDC files under FOIL request in Jan/05. In a letter, dt. May 25/05 Shaw Envtl. stated the site history from FOIL review, requested DDC for a copy of SSIP prepared by Ballard Engg. and concluded for a site inspection, installation of monitoring wells, gauging the wells, monitoring for free-phase and sampling for the TAGM 4046 target list of VOCs and SVOCs. In fact, Shaw Envtl. & PMS

so far did nothing physically at this site. However, talked to Mr. Jerry Aliberti, Proj. Mgr. at NYCDDC and advised for resuming further investigation at the site for both soil and GW in the light of

Ballard's recommendation asap.- II. 07/31/06: Transferred to

S.Kraszewski. - SK 10/27/06 Spill case transferred from S. Kraszewski to J. Maisonave. - JAM 11-10-2010 The spill was transferred from J. Maisonave to Alex Zhitomirsky, as per V. Brevdo/J. Kolleeny. AZ

FOUND CONTAMINATED SOIL WHEN REMOVING A TANK. 20 YDS OF SOIL HAS BEEN

REMOVED SO FAR.

Material:

Remarks:

Site ID: 123730
Operable Unit ID: 1043780
Operable Unit: 01
Material ID: 337701
Material Code: 0009
Material Name: Gasoline

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL (Continued)

S102560626

EDR ID Number

Case No.:

Material FA:

Quantity:

Units:

Recovered:

No

Resource Affected:

Oxygenate:

Not reported

Petroleum

O

Gallons

No

No

No

Resource Affected:

Not reported

False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: Spill Number: 9701133 Investigator: **KRIMGOLD** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 04/18/1997 12:00

SWIS: 61

Reported to Dept Date/Time:

Spiller Name:

Spiller Contact:

Not reported

Spiller Phone:

Not reported

Spiller Address:

Not reported

Spiller City,St,Zip:

Not reported

Spill Cause:

Equipment Failure

04/25/97 11:18

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 01

Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Mosts Std: False

Cleanup Meets Std: False Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: / /

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSH TERMINAL (Continued)

S102560626

Corrective Action Plan Submitted: 11 Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 04/25/97 Date Spill Entered In Computer Data File: Not reported

Update Date: 04/28/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: True Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

Not reported **DEC Remarks:**

Remark: FOUND CONTAMINATED SOIL WHEN REMOVING A TANK. 20 YDS OF SOIL HAS BEEN REMOVED

SO FAR.

A14 **BUSH TERMINAL Target 4302 FIRST AVE BROOKLYN, NY Property**

NY Spills S103271840 **NY Hist Spills** N/A

Site 14 of 16 in cluster A

Actual: 4 ft.

NY Spills: Site ID:

> Facility Addr2: 4302 1ST AVE Facility ID: 9508159 Spill Number: 9508159 Facility Type: ER SWIS: 2401 Investigator: **SMMARTIN** Referred To: Not reported Spill Date: 10/3/1995 Reported to Dept: 10/3/1995 CID: 270

260882

Equipment Failure Spill Cause: Water Affected: Not reported

Spill Source: Commercial/Industrial Spill Notifier: Responsible Party Cleanup Ceased: Not reported

Cleanup Meets Std: True Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSH TERMINAL (Continued)

S103271840

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/3/1995

Remediation Phase: 0

Date Entered In Computer: 10/3/1995 Spill Record Last Update: 10/7/1999 Spiller Name: SAME

Spiller Company: **BUSH TERMINAL** Spiller Address: 4302 1ST AVE Spiller City, St, Zip: BROOKLYN, ZZ

Spiller Company: 001 Contact Name: SAME Contact Phone: Not reported

DEC Region: DER Facility ID: 182964

Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEC Memo:

"MARTINKAT" ON PAVEMENT - DRYSOL PUT DOWN - DRUMMED - ANOTHER LAYER

WILL BE PUT DOWN - NO ONE IS INJURED - MR. KISSLOFF CALLED ME.

TRUCK VALVE MALFUNCTIONED Remarks:

Material:

260882 Site ID: Operable Unit ID: 1018929 Operable Unit: 01 Material ID: 362620 Material Code: 0022

Waste Oil/Used Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: 5 Units: Gallons Recovered: 5

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Not reported Last Modified: Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

Spill Number: 9508159 Investigator: **MARTINKAT** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINAL (Continued)

S103271840

EDR ID Number

Spill Date/Time: 10/03/1995 11:15 Reported to Dept Date/Time: 10/03/95 12:31

SWIS: 61

Spiller Name: BUSH TERMINAL

Spiller Contact: SAME
Spiller Phone: Not reported
Spiller Contact: SAME
Spiller Address: SAME
Spiller Address: 4302 1ST AVE
Spiller City,St,Zip: BROOKLYN
Spill Cause: Equipment Failure
Reported to Dept: On Land

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 01

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: True
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/03/95

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 10/03/95
Date Spill Entered In Computer Data File: Not reported

Update Date: 10/07/99 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 5 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: WASTE OIL Class Type: WASTE OIL Times Material Entry In File: 9509 CAS Number: Not reported Last Date: 19940927

DEC Remarks: ON PAVEMENT - DRYSOL PUT DOWN - DRUMMED - ANOTHER LAYER WILL BE PUT DOWN - NO

ONE IS INJURED - MR. KISSLOFF CALLED ME.

Remark: TRUCK VALVE MALFUNCTIONED

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

B15 CROSS HARBOR RAILROAD NY Spills S103274969 4302 1ST AVE **NY Hist Spills** N/A

< 1/8 **BROOKLYN, NY**

1 ft.

Site 1 of 15 in cluster B

Relative: Higher

NY Spills: 260883 Site ID: Facility Addr2: 4302 1ST AVE

Actual: 10 ft.

Facility ID: 9802957 Spill Number: 9802957 Facility Type: ER SWIS: 2401 Investigator: **SMMARTIN** Referred To: Not reported Spill Date: 6/2/1998 6/5/1998 252

Reported to Dept: CID: Spill Cause: Unknown Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/5/1998 Remediation Phase: Date Entered In Computer: 6/5/1998 Spill Record Last Update: 2/4/2002 Spiller Name: unknown Spiller Company: Unknown Spiller Address: unknown Spiller City, St, Zip: unknown, ZZ Spiller Company: 999

Contact Name: JIM PERONTO Contact Phone: (860) 298-6233

DEC Region: 2 DER Facility ID: 182964

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"MARTINKAT" REFER TO HAZ WASTE REMEDIATION FOR FOLLOW UP. 2/4/02:

site investigation report received from TRC - report forwarded to

dennis wolterding for action - R. Austin

INVESTIGATION DETERMINED THAT BURIED DRUMS OF PESTICIDE CAUSED SOIL Remarks:

CONTAMINATION. 5 TOTAL CRUSHED DRUMS WERE LOCATED. SOIL HAS BEEN

EXCAVATED (APPROX 120 TONS).

Material:

260883 Site ID: Operable Unit ID: 1060819 Operable Unit: 01 Material ID: 321280 Material Code: 0057A Material Name: **PESTICIDES** Case No.: Not reported Material FA: Other Quantity: 0

Direction Distance Elevation

vation Site Database(s) EPA ID Number

CROSS HARBOR RAILROAD (Continued)

S103274969

EDR ID Number

Units: Gallons
Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Not reported Site ID: Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

Spill Number: 9802957 Investigator: **MARTINKAT** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 06/02/1998 08:00 Spill Date/Time: Reported to Dept Date/Time: 06/05/98 13:11

SWIS: 61 Spiller Name: UNK Spiller Contact: UNK

Spiller Phone: (000) 000-0000 Spiller Contact: JIM PERONTO Spiller Phone: (860) 298-6233

Spiller Address: UNK
Spiller City,St,Zip: UNK
Spill Cause: Unknown
Reported to Dept: On Land
Water Affected: Not reported
Spill Source: 01

Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 06/05/98

Corrective Action Plan Submitted: / /

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

CROSS HARBOR RAILROAD (Continued)

S103274969

Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 06/05/98 Date Spill Entered In Computer Data File: Not reported

Update Date: 06/08/98 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Not reported Gross Leak Rate:

Material:

Material Class Type: Hazardous Material

Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: True

Material: **PESTICIDES** Class Type: PESTICIDES Times Material Entry In File: 236 CAS Number: Not reported

Last Date: 19940728

DEC Remarks: REFER TO HEIZ WASTE REMEDIATION FOR FOLLOW UP

Remark: INVESTIGATION DETERMINED THAT BURIED DRUMS OF PESTICIDE CAUSED SOIL

CONTAMINATION. 5 TOTAL CRUSHED DRUMS WERE LOCATED. SOIL HAS BEEN EXCAVATED

APPROX 120 TONS).

B16 1ST AVE RAILROAD/NY CROSS HARBOR RAILROA

HIST UST U000401771

4302 1ST AVE AST N/A

BROOKLYN, NY 11232 < 1/8 **HIST AST**

1 ft.

Site 2 of 15 in cluster B

Relative:

HIST UST:

Higher

2-306002 PBS Number: SPDES Number: Not reported

Actual: 10 ft.

GREGORY C. KISLOFF **Emergency Contact:**

Emergency Telephone: (718) 788-3690 Operator: **NYCHRR** Operator Telephone: (718) 788-3690

CITY OF NEW YORK / ECONOMIC DEVEL. CORP. Owner Name:

Owner Address: 110 WILLIAM STREET Owner City, St, Zip: NEW YORK, NY 10038 Owner Telephone: (212) 312-3616 Owner Type: Local Government Owner Subtype: Not reported

Mailing Name: NYC ECONOMIC DEVELOPMENT CORP

Mailing Address: 110 WILLIAM STREET

Mailing Address 2: Not reported

Mailing City, St, Zip: NEW YORK, NY 10038 Mailing Contact: MR JACK POWERS Mailing Telephone: (212) 312-3616 Owner Mark: Second Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

Direction Distance

Elevation Site Database(s) EPA ID Number

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

or not at the facility. 4302 1ST AVE

Facility Addr2: 4302 1ST AV SWIS ID: 6101
Old PBS Number: Not reported

Facility Type: TRUCKING/TRANSPORTATION

Not reported Inspected Date: Not reported Inspector: Inspection Result: Not reported Federal ID: Not reported Certification Flag: False 07/28/2000 Certification Date: 06/22/2004 **Expiration Date:** Renew Flag: False Renewal Date: Not reported Total Capacity: 4000 FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 61
Town or City: 01
Region: 2

Tank Id: 001H

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported
Capacity (gals): 7500
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

None

Underground

STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: 04/01/1998 Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank ld: 002H

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

Capacity (gals): 7500 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Underground Pipe Location: STEEL/IRON Pipe Type:

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1998 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 003A

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported Capacity (gals): 550

Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground

STEEL/IRON Pipe Type: Pipe Internal: None

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank Id: 004A

UNDERGROUND Tank Location: Closed-Removed Tank Status: Install Date: Not reported

Capacity (gals): 550 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal:

Tank External:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued) None

None

U000401771

Underground Pipe Location: Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: 04/01/1997 Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank Id: 005A

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported Capacity (gals): 550

Product Stored: DIESEL

Tank Type: Steel/carbon steel Tank Internal: None

Tank External: None Pipe Location: Underground STEEL/IRON Pipe Type:

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank Id: 006B

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported Capacity (gals): **DIESEL** Product Stored:

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground

Direction Distance Elevation

Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Not reported Test Method: False Deleted: Updated: True Lat/long: Not reported

Tank Id: 007B

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: Not reported Capacity (gals): 550

Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground Pipe Type: STEEL/IRON Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None

Overfill Prot: None Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported False Deleted: Updated: True

Tank Id: 008C

Lat/long:

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: Not reported Capacity (gals): 550

Not reported

Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Underground Pipe Location: Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None

Direction Distance Elevation

ation Site Database(s) EPA ID Number

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: 04/01/1997 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 009C

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Suction Dispenser: Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Test Method: Not reported Deleted: False Updated: True

Tank ld: 010D

Lat/long:

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550

Not reported

Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None
Overfill Prot: None

Direction Distance Elevation

tance EDR ID Number vation Site Database(s) EPA ID Number

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank ld: 011D

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550

Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported Deleted: False Updated: True

Tank Id: 012D

Lat/long:

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 550

Not reported

Capacity (gals): 550
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal:
None
Tank External:
None
Pipe Location:
Underground
Pipe Type:
STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported

Direction Distance Elevation

vation Site Database(s) EPA ID Number

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

Missing Data for Tank: No Missing Data
Date Closed: 04/01/1997
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 013D

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Test Method: Not reported Deleted: False Updated: True

Lat/long: Not reported

Tank Id: 014E

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported
Capacity (gals): 2000
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None

Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

Deleted: False Updated: True Lat/long: Not reported

Tank Id: 015F

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported Capacity (gals): 550 **DIESEL** Product Stored:

Steel/carbon steel Tank Type:

Tank Internal: None Tank External: None Pipe Location: Underground STEEL/IRON Pipe Type: Pipe Internal: None

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: 05/01/1997 Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank Id: 016F

UNDERGROUND Tank Location: Closed-Removed Tank Status: Not reported Install Date:

550 Capacity (gals): Product Stored: DIESEL

Tank Type: Steel/carbon steel Tank Internal: None

Tank External: None Underground Pipe Location: Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None None Second Containment: Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: No Missing Data 05/01/1997 Date Closed: Test Method: Not reported Deleted: False Updated: True

Not reported

Lat/long:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

Tank Id: 017F

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550 DIESEL Product Stored:

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 05/01/1997 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 018G

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 019G

Tank Location: UNDERGROUND Tank Status: Closed-Removed

Direction Distance

Elevation Site Database(s) EPA ID Number

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

Install Date: Not reported Capacity (gals): 550
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal:
None
Tank External:
Pipe Location:
Underground
Pipe Type:
Vice STEEL/IRON
Pipe Internal:
Vice None

Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Test Method: Not reported False Deleted: Updated: True

Lat/long: Not reported

Tank ld: 020L

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: Not reported

Capacity (gals): 550
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None
Tank External: None
Pipe Location: Underground
Pipe Type: STEEL/IRON

Pipe Internal: None Pipe External: None Second Containment: None Leak Detection: None Overfill Prot: None Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: 04/01/1997 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

AST:

Region: STATE
DEC Region: 2
Site Status: Active
Facility Id: 2-306002
Program Type: PBS

UTM X: 583275.85759000003

Direction Distance

Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

UTM Y: 4500831.2569199996

Expiration Date: 2014/06/22

Affiliation Records:

Site Id: 14006 Affiliation Type: Mail Contact

NYC ECONOMIC DEVELOPMENT CORP Company Name:

Contact Type: Not reported Contact Name: Not reported

Address1: 110 WILLIAM STREET

Address2: **6TH FLOOR NEW YORK** City: State: NY Zip Code: 10038 Country Code: 001

Phone: (212) 312-3816 Phone Ext: Not reported

RMELVIN@NYCEDC.COM Email:

Fax Number: Not reported Modified By: **BVCAMPBE** Date Last Modified: 6/28/2010

Site Id: 14006

Affiliation Type: **Emergency Contact**

Company Name: CITY OF NEW YORK / C/O NYCEDC

Contact Type: Not reported Contact Name: RORY MELVIN Address1: Not reported Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported

Country Code:

(212) 312-2816 Phone: Not reported Phone Ext: Email: Not reported Not reported Fax Number: Modified By: **BVCAMPBE** Date Last Modified: 6/28/2010

Site Id: 14006

Affiliation Type: On-Site Operator Company Name: 1ST AVE RAILROAD

Contact Type: Not reported Contact Name: NYCHRR Address1: Not reported Address2: Not reported City: Not reported NN State:

Zip Code: Not reported Country Code: 001

Phone: (718) 788-3690 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **DXLIVING** Modified By: Date Last Modified: 5/9/2006

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

Site Id: 14006 Affiliation Type: Owner

Company Name: CITY OF NEW YORK / C/O NYCEDC

Contact Type: VICE PRESIDENT

Contact Name: **KAY ZIAS**

Address1: 110 WILLIAM STREET 6TH FLOOR

Address2: Not reported NEW YORK City: State: NY Zip Code: 10038 Country Code: 001

Phone: (212) 312-3616 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **BVCAMPBE** Modified By: Date Last Modified: 6/28/2010

Tank Info:

Tank Number: 003 Tank Id: 56518 Tank Location:

Tank Type: Steel/Carbon Steel/Iron Tank Status: Temporarily Out of Service

Tank Model: 204 Pipe Model: Install Date: 3/1/1999 Capacity Gallons: 4000 Tightness Test Method: NN

Date Test: Not reported Next Test Date: Not reported Date Tank Closed: Not reported Register: True Modified By: **BVCAMPBE** Last Modified: 6/28/2010

HIST AST:

2-306002 PBS Number: SWIS Code: 6101 Operator: **NYCHRR** Facility Phone: (718) 788-3690 Facility Addr2: 4302 1ST AVE

Facility Type: TRUCKING/TRANSPORTATION

Emergency: GREGORY C. KISLOFF

Emergency Tel: (718) 788-3690 Old PBSNO: Not reported Date Inspected: Not reported Inspector: Not reported Not reported Result of Inspection:

CITY OF NEW YORK / ECONOMIC DEVEL. CORP. Owner Name:

110 WILLIAM STREET Owner Address: Owner City, St, Zip: NEW YORK, NY 10038

Federal ID: Not reported Owner Tel: (212) 312-3616 Owner Type: Local Government

Direction Distance

Elevation Site Database(s) EPA ID Number

1ST AVE RAILROAD/NY CROSS HARBOR RAILROA (Continued)

U000401771

EDR ID Number

Owner Subtype: Not reported

Mailing Contact: MR JACK POWERS

Mailing Name: NYC ECONOMIC DEVELOPMENT CORP

Mailing Address: 110 WILLIAM STREET

Mailing Address 2: Not reported

Mailing City,St,Zip: NEW YORK, NY 10038
Mailing Telephone: (212) 312-3616
Owner Mark: Second Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Certification Flag: False
Certification Date: 07/28/2000
Expiration: 06/22/2004
Renew Flag: False
Renew Date: Not reported
Total Capacity: 4000
FAMT: True

Facility Screen:

Owner Screen:

Tank Screen:

Dead Letter:

No Missing Data

Minor Data Missing

No Missing Data

False

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 003

Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE

Tank Status: In Service Install Date: 19990301 Capacity (Gal): 4000 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: 0
Tank External: 01

Pipe Location: Aboveground/Underground Combination

Pipe Type: STAINLESS STEEL ALLOY

Pipe Internal: None Pipe External: 04

Tank Containment: Vault (w/access)

Leak Detection: 14 Overfill Protection: 02

Dispenser Method: Submersible Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported Not reported Lat/Long:

Direction Distance

Distance EDR ID Number
Elevation Site EPA ID Number

B17 NY CROSS HARBOR RR NY Spills S102402045 4302 FIRST AVE NY Hist Spills N/A

< 1/8 BROOKLYN, NY 1 ft.

Site 3 of 15 in cluster B

Relative: Higher

Actual:

10 ft.

 NY Spills:
 221229

 Facility Addr2:
 4302 1ST AVE

 Facility ID:
 9607575

 Spill Number:
 9607575

 Facility Type:
 ER

 SWIS:
 2401

Investigator: TOMASELLO
Referred To: Not reported
Spill Date: 9/15/1996
Reported to Dept: 9/16/1996
CID: 282

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported

Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 9/16/1996 Remediation Phase: 0

Date Entered In Computer: 9/16/1996
Spill Record Last Update: 5/6/1997
Spiller Name: SAME
Spiller Company: MERCO
Spiller Address: 4302 FIRST AVE

Spiller City,St,Zip: BROOKLYN, NY 11232-Spiller Company: 001

Contact Name: SAME Contact Phone: (718) 788-3690

DEC Region: 2
DER Facility ID: 182964
DEC Memo: Not reported

Remarks: merco has trailer on thier premises there is a lift machine that lifts

containers from chasis on to rail cars.possibly it was leaking from

the lift on to the ground.

Material:

Site ID: 221229 Operable Unit ID: 1035671 Operable Unit: 01 346832 Material ID: Material Code: 0010 Material Name: Hydraulic Oil Case No.: Not reported Petroleum Material FA: Quantity: 0 Units: Gallons Recovered: No

Resource Affected: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NY CROSS HARBOR RR (Continued)

S102402045

Oxygenate:

False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2

Spill Number: 9607575 **TOMASELLO** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 09/15/1996 12:00 Reported to Dept Date/Time: 09/16/96 15:58

SWIS: 61 Spiller Name: **MERCO** Spiller Contact: SAME Spiller Phone: (718) 788-3690

Spiller Contact: SAME

Spiller Phone: (718) 788-3690 4302 FIRST AVE Spiller Address: Spiller City,St,Zip: BROOKLYN, NY 11232-Spill Cause: **Equipment Failure**

Reported to Dept: On Land Water Affected: Not reported

Spill Source: 07

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: / / Cleanup Meets Std: False Last Inspection: 11

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / / **Enforcement Date:** / / Invstgn Complete: / / **UST Involvement:** False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

09/16/96 Spill Closed Dt:

Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 09/16/96 Date Spill Entered In Computer Data File: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NY CROSS HARBOR RR (Continued)

S102402045

Update Date: 05/06/97 False Is Updated:

Tank:

PBS Number: Not reported Tank Number: Not reported Not reported Tank Size: Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Gallons Quantity Recovered: Unkonwn Quantity Recovered: True

Material: HYDRAULIC OIL Class Type: HYDRAULIC OIL

Times Material Entry In File: 1846 CAS Number: Not reported Last Date: 19940728

DEC Remarks: Not reported

Remark: merco has trailer on thier premises.there is a lift machine that lifts

containers from chasis on to rail cars.possibly it was leaking from the lift on

to the ground.

DOWN RIGHT FINDS 1007810980 A18 4603 1ST AVE N/A

< 1/8 **BROOKLYN, NY 11232**

1 ft.

Site 15 of 16 in cluster A

FINDS: Relative:

Higher

Registry ID: 110019735205

Actual: 9 ft.

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

environmental facility information found across the State.

A19 **BUSH TERMINALS, PIER SIX SITE CERC-NFRAP** 1000791016

FIRST AVE. AND 43RD ST RCRA-NonGen NYD987025137

BROOKLYN, NY 11220 FINDS < 1/8 1 ft. **MANIFEST**

Site 16 of 16 in cluster A

CERC-NFRAP: Relative:

Site ID: 0203763 Higher

Federal Facility: Not a Federal Facility Actual: NPL Status: Not on the NPL

6 ft. Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINALS, PIER SIX SITE (Continued)

1000791016

EDR ID Number

CERCLIS-NFRAP Site Contact Details:

Contact Sequence ID: 2000388.00000
Person ID: 2000078.00000

CERCLIS-NFRAP Assessment History:

Action: Notice Letters Issued
Date Started: Not reported
Date Completed: 01/30/1992
Priority Level: Not reported

Action: REMOVAL NEGOTIATIONS

Date Started: 01/30/1992
Date Completed: 02/01/1993
Priority Level: Not reported

Action: ADMINISTRATIVE ORDER ON CONSENT

Date Started: Not reported
Date Completed: 02/01/1993
Priority Level: Not reported

Action: POTENTIALLY RESPONSIBLE PARTY REMOVAL

Date Started: 02/01/1993
Date Completed: 03/09/1993
Priority Level: Cleaned up

Action: ARCHIVE SITE
Date Started: Not reported
Date Completed: 05/05/2000
Priority Level: Not reported

RCRA-NonGen:

Date form received by agency: 01/01/2007

Facility name: NYC ECONOMIC DEVELOPMENT CORP

Facility address: FIRST AVE & 43RD & 42ND ST

BUSH TERMINAL 6 BROOKLYN, NY 11232

EPA ID: NYD987025137 Mailing address: WILLIAMS ST

NEW YORK, NY 10038

Contact: Not reported

Contact address: WILLIAMS ST

NEW YORK, NY 10038 Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NYC ECONOMIC DEVELOPMENT CORP

Owner/operator address: 110 WILLIAM ST

NEW YORK, NY 10038

Owner/operator country: US

Owner/operator telephone: (212) 619-5000

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSH TERMINALS, PIER SIX SITE (Continued)

1000791016

EDR ID Number

Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYC ECONOMIC DEVELOPMENT CORP

Owner/operator address: 110 WILLIAM ST

NEW YORK, NY 10038

Owner/operator country: US

Owner/operator telephone: (212) 619-5000
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Nο Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: Nο

Off-site waste receiver: Commercial status unknown

Historical Generators:

Used oil transporter:

Date form received by agency: 01/01/2006

Facility name: NYC ECONOMIC DEVELOPMENT CORP

No

Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: NYC ECONOMIC DEVELOPMENT CORP

Classification: Not a generator, verified

Date form received by agency: 03/31/1994

Facility name: NYC ECONOMIC DEVELOPMENT CORP

Site name: BUSH TERMINAL #6
Classification: Large Quantity Generator

Date form received by agency: 02/24/1993

Facility name: NYC ECONOMIC DEVELOPMENT CORP

Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008083732

Direction Distance Elevation

on Site Database(s) EPA ID Number

BUSH TERMINALS, PIER SIX SITE (Continued)

1000791016

EDR ID Number

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD987025137

Country: USA

Mailing Name: NYC ECONOMIC DEVELOPMENT

Mailing Contact:

Mailing Address:

Mailing Address 2:

Mailing City:

NORMAN L BERGER

110 WILLIAMS ST

Not reported

NEW YORK

Mailing State: NY
Mailing Zip: 10038
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Country: USA

Mailing Phone: 212-619-5000

Document ID: NYB1392831
Manifest Status: Completed copy

JA113 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 930308 930308 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 930309 Part A Recv Date: 930402 Part B Recv Date: 930322

 Generator EPA ID:
 NYD987025137

 Trans1 EPA ID:
 NJD054126164

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 GAD096629282

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 38400 Units: P - Pounds Number of Containers: 064

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 93

Document ID: NYB1392822
Manifest Status: Completed copy

Trans1 State ID: JA113
Trans2 State ID: Not reported
Generator Ship Date: 930308
Trans1 Recv Date: 930308
Trans2 Recv Date: Not reported
TSD Site Recv Date: 930309
Part A Recv Date: 930402

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSH TERMINALS, PIER SIX SITE (Continued)

1000791016

Part B Recv Date: 930322

NYD987025137 Generator EPA ID: Trans1 EPA ID: NJD054126164 Trans2 EPA ID: Not reported TSDF ID: GAD096629282

D008 - LEAD 5.0 MG/L TCLP Waste Code:

37800 Quantity: P - Pounds Units: Number of Containers: 063

Container Type: DM - Metal drums, barrels

B Incineration, heat recovery, burning. Handling Method:

Specific Gravity: 100 Year: 93

Document ID: NYB1392012 Manifest Status: Completed copy

JA113 Trans1 State ID: Trans2 State ID: Not reported 930308 Generator Ship Date: Trans1 Recv Date: 930308 Trans2 Recv Date: Not reported TSD Site Recy Date: 930309 Part A Recv Date: 930402 Part B Recv Date: 930322 Generator EPA ID:

NYD987025137 Trans1 EPA ID: NJD054126164 Trans2 EPA ID: Not reported GAD096629282 TSDF ID:

D008 - LEAD 5.0 MG/L TCLP Waste Code:

40800 Quantity: Units: P - Pounds Number of Containers: 068

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 93 Year:

NEW YORK CROSS HARBOR RWY CORP

4302 FIRST AVE

< 1/8 **BROOKLYN, NY 11232**

1 ft.

Actual:

B20

Site 4 of 15 in cluster B

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher

NEW YORK CROSS HARBOR RWY CORP Facility name:

Facility address: 10 ft.

BROOKLYN, NY 11232

EPA ID: NYR000007575 Mailing address: PO BOX 182

BROOKLYN, NY 11232

4302 FIRST AVE

JOHN GREANEY Contact: Contact address: **PO BOX 182**

BROOKLYN, NY 11232

Contact country: US

(718) 788-3690 Contact telephone: Contact email: Not reported

1001028525

NYR000007575

RCRA-NonGen

FINDS

Direction
Distance

Elevation Site Database(s) EPA ID Number

NEW YORK CROSS HARBOR RWY CORP (Continued)

1001028525

EDR ID Number

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NEW YORK CROSS HARBOR RLWY CORP

Owner/operator address: 4302 FIRST AVE

BROOKLYN, NY 11232

Owner/operator country: US

Owner/operator telephone: (718) 788-3690
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NEW YORK CROSS HARBOR RLWY CORP

Owner/operator address: 4302 FIRST AVE

BROOKLYN, NY 11232

Owner/operator country: US

Owner/operator telephone: (718) 788-3690

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Nο Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: NEW YORK CROSS HARBOR RWY CORP

Classification: Not a generator, verified

Date form received by agency: 06/29/1995

Facility name: NEW YORK CROSS HARBOR RWY CORP

Classification: Not a generator, verified

Violation Status: No violations found

FINDS:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NEW YORK CROSS HARBOR RWY CORP (Continued)

1001028525

S110488182

N/A

Registry ID: 110004515132

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

21 **DRUM RUN NY Spills**

< 1/8 1 ft.

NY Spills:

4473 FIRST AVE

BROOKLYN, NY

Relative: Higher

Actual:

8 ft.

Site ID: 438944 Facility Addr2: IN FRONT OF Facility ID: 1005621 Spill Number: 1005621 Facility Type: ER SWIS: 2401 **HRAHMED** Investigator:

Referred To: Not reported 8/19/2010 Spill Date: Reported to Dept: 8/19/2010 CID: Not reported Spill Cause: Unknown Water Affected: Not reported Spill Source: Private Dwelling

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Possible release with minimal potential for fire or hazard or Known

release with no damage. DEC Response. Willing Responsible Party.

Corrective action taken.

Spill Closed Dt: 9/28/2010 Remediation Phase:

Date Entered In Computer: 8/19/2010 Spill Record Last Update: 9/28/2010 Spiller Name: Not reported Spiller Company: UNKNOWN Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller Company: 999

Contact Name: **CAPT MCGEARY** Contact Phone: (718) 965-8250

DEC Region: DER Facility ID: 393939

DEC Memo: DNDY on scene.- combustible liquid believed to be heating oil. It was

found abandoned, the drum is a 40-50 gallon plastic. Not leaking. Cover put on and labeled for drum run. 09/28/10-HRAHMED-No drum was

found during drum run on 9/27/10 at this location. DEP and sanitation

were notified. This case is closed.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DRUM RUN (Continued) S110488182

Remarks: IN DRUM ALREADY - IN FRONT OF ADDRESS ABOVE - FD ON SCENE

Material:

438944 Site ID: Operable Unit ID: 1189595 Operable Unit: 01 Material ID: 2184548 Material Code: 8000 Material Name: Diesel Case No.: Not reported Material FA: Petroleum Quantity: 8 Units: Gallons Recovered: Not reported Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

B22 MANHOLE TM2785 NY Spills S104790271 4301 1ST AVE **NY Hist Spills** N/A

< 1/8 1 ft.

Site 5 of 15 in cluster B

BROOKLYN, NY

Relative: Higher

Actual:

10 ft.

NY Spills: Site ID: 108376 Facility Addr2: Not reported Facility ID: 0007907 Spill Number: 0007907 Facility Type: ER 2401 SWIS:

JHOCONNE Investigator: Referred To: Not reported Spill Date: 10/5/2000 Reported to Dept: 10/5/2000 CID: 257 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Affected Persons Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

MANHOLE TM2785 (Continued)

S104790271

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/14/2001

Remediation Phase: 0

Date Entered In Computer: 10/5/2000 Spill Record Last Update: 12/14/2001 Spiller Name: Not reported Spiller Company: UNKNOWN Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller Company: 999

Contact Name: ANTHONY NATALE Contact Phone: (212) 580-6763

DEC Region: **DER Facility ID:** 95249

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"O'CONNELL" Con Ed e2mis #133793 Notes: 10-5-00 2oz unknown oil on 100gal water in transformer manhole. PCB sample taken. Pressure tested unit and holds pressure. No oil filled equipment in structure. Sample returned <1ppm PCBs. 10-10-00 Cleanup completed by double washing with slix. Liquids removed by tanker, solids by vactor. No

leaking company equipment.

Remarks: cleanup pending test results no sewer or waterway ref #133793

Material:

108376 Site ID: Operable Unit ID: 828543 Operable Unit: 01 Material ID: 545428 Material Code: 0066A

UNKNOWN PETROLEUM Material Name:

Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons

Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill:

Spill Number: 0007907 O'CONNELL Investigator: Caller Name: Not reported Caller Agency: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

MANHOLE TM2785 (Continued)

S104790271

EDR ID Number

Caller Phone: Not reported
Notifier Name: Not reported
Notifier Agency: Not reported
Notifier Phone: Not reported
Spill Date/Time: 10/05/2000 08:55
Reported to Dept Date/Time: 10/05/00 09:52

SWIS: 61

Spiller Name: UNKNOWN Spiller Contact: Not reported Spiller Phone: Not reported Spiller Contact: ANTHONY NATALE Spiller Phone: (212) 580-6763 Spiller Address: Not reported Spiller City, St, Zip: Not reported Spill Cause: Unknown Reported to Dept: On Land Water Affected: Not reported

Spill Source: 12

Spill Notifier: Affected Persons
PBS Number: Not reported
Cleanup Ceased: / /

Cleanup Meets Std: False
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 12/14/01

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 10/05/00
Date Spill Entered In Computer Data File: Not reported

Update Date: 12/14/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 1
Unkonwn Quantity Spilled: False

Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Material: UNKNOWN PETROLEUM Class Type: UNKNOWN PETROLEUM

Times Material Entry In File: 16414
CAS Number: Not reported
Last Date: 19940929

Direction Distance

EDR ID Number Elevation Site **EPA ID Number** Database(s)

MANHOLE TM2785 (Continued)

S104790271

NYR000056531

FINDS

MANIFEST

DEC Remarks: Con Ed e2mis 133793 Notes: 10-5-00 2o unknown oil on 100gal water in

> transformer manhole. PCB sample taken. Pressure tested unit and holds pressure. No oil filled equipment in structure. Sample returned <1ppm PCBs. 10-10-00 Cleanup completed by double washing with slix. Liquids removed by

tanker, solids by vactor. No leaking company equipment.

Remark: cleanup pending test results no sewer or waterway ref 133793

RCRA-NonGen 1001224436

B23 NYC ECONOMIC DEVELOPMENT CORP

4301 1ST AVE **BROOKLYN, NY 11232**

< 1/8

1 ft.

Site 6 of 15 in cluster B

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher

Facility name: NYC ECONOMIC DEVELOPMENT CORP

Actual: Facility address: 4301 1ST AVE

10 ft. BROOKLYN, NY 112323303

EPA ID: NYR000056531

Mailing address: WILLIAM ST

NEW YORK, NY 10038

Contact: JACK POWERS Contact address: WILLIAM ST

NEW YORK, NY 10038

Contact country: US

(212) 312-3752 Contact telephone: Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

NYC ECONOMIC DEVELOPMENT CORP Owner/operator name:

110 WILLIAM ST Owner/operator address:

NEW YORK, NY 10038

Owner/operator country: US

(212) 555-1212 Owner/operator telephone: Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

NYC ECONOMIC DEVELOPMENT CORP Owner/operator name:

Owner/operator address: 110 WILLIAM ST NEW YORK, NY 10038

Owner/operator country: US

Owner/operator telephone: (212) 555-1212 Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Nο

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC ECONOMIC DEVELOPMENT CORP (Continued)

1001224436

Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No No Used oil transporter:

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

NYC ECONOMIC DEVELOPMENT CORP Facility name:

Classification: Not a generator, verified

Date form received by agency: 06/15/1998

NYC ECONOMIC DEVELOPMENT CORP Facility name:

Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110002452499

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYP000936211

Country: USA

Mailing Name: NYC ECONOMIC DEVELOPMENT CORP

Mailing Contact: PHILIP FERSTLER Mailing Address: 110 WILLIAM ST Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10038 Mailing Zip4: Not reported

Mailing Country: USA

Mailing Phone: 212-312-3752

NY MANIFEST:

No Manifest Records Available

Direction Distance

Elevation Site Database(s) EPA ID Number

B24 BROOKLYN CROSS HARBOR NY Spills S102402129
RAILYARD 4302 1ST AV NY Hist Spills N/A

< 1/8 BROOKLYN, NY

1 ft.

Site 7 of 15 in cluster B

CID:

Relative: Higher NY Spills:
Site ID: 246966
Facility Addr2: Not reported

Actual: 10 ft.

Facility ID: 9608550 Spill Number: 9608550 Facility Type: ER SWIS: 2401 Investigator: **JMKRIMGO** Referred To: Not reported Spill Date: 10/8/1996 Reported to Dept: 10/9/1996

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Railroad Car
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported

Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

297

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/9/1996 Remediation Phase: 0

Date Entered In Computer: 10/9/1996
Spill Record Last Update: 10/18/1996
Spiller Name: MARK KNISMAN
Spiller Company: SAFETY KLEEN
Spiller Address: 9 WALNUT PL

Spiller City,St,Zip: THORNWOOD, NY 06804-

Spiller Company: 001
Contact Name: MIKE
Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 202773

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"KRIMGOLD"

Remarks: A PUMP MALFUNCTION WHILE FILLING UP A RAILROAD CAR AT THE ABOVE

LOCATION

Material:

 Site ID:
 246966

 Operable Unit ID:
 1039759

 Operable Unit:
 01

 Material ID:
 344287

 Material Code:
 0022

Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 10
Units: Gallons
Recovered: No

Resource Affected: Not reported

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BROOKLYN CROSS HARBOR (Continued)

S102402129

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9608550 KRIMGOLD Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 10/08/1996 19:00 Reported to Dept Date/Time: 10/09/96 11:55

SWIS:

Spiller Name: SAFETY KLEEN Spiller Contact: MARK KNISMAN Spiller Phone: (914) 769-3029

Spiller Contact: MIKE

Spiller Address: 9 WALNUT PL

THORNWOOD, NY 06804-Spiller City, St, Zip:

Spill Cause: **Equipment Failure** Reported to Dept: On Land

Water Affected: Not reported

Spill Source: 11

Spill Notifier: Responsible Party PBS Number: Not reported

Cleanup Ceased: / / Cleanup Meets Std: False Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: // **Enforcement Date:** / / Invstgn Complete: / / **UST Involvement:**

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 10/09/96

Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 10/09/96 Date Spill Entered In Computer Data File: Not reported

Update Date: 10/18/96

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BROOKLYN CROSS HARBOR (Continued)

S102402129

Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Not reported Gross Leak Rate:

Material:

Material Class Type: Petroleum Quantity Spilled: 10 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False WASTE OIL Material: WASTE OIL Class Type: Times Material Entry In File: 9509 CAS Number: Not reported Last Date: 19940927

DEC Remarks: Not reported

A PUMP MALFUNCTION WHILE FILLING UP A RAILROAD CAR AT THE ABOVE LOCATION Remark:

B25 4302 1ST AVENUE NY Spills S104495720 **4302 FIRST AVE NY Hist Spills** N/A

< 1/8 **BROOKLYN, NY**

1 ft.

Site 8 of 15 in cluster B

NY Spills: Relative:

Site ID: 131252 Higher Facility Addr2: 4302 1ST AVE Actual: 9405323 Facility ID: 10 ft. Spill Number: 9405323 Facility Type: ER

SWIS: 2401 Investigator: O'DOWD Referred To: Not reported Spill Date: 7/19/1994 Reported to Dept: 7/19/1994 CID: Not reported Spill Cause: **Equipment Failure** Water Affected: Not reported

Spill Source: Commercial/Industrial Spill Notifier: Responsible Party Cleanup Ceased: 7/19/1994

Cleanup Meets Std: True Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 7/19/1994

Remediation Phase:

Date Entered In Computer: 10/14/1994 Spill Record Last Update: 9/30/2004 Spiller Name: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4302 1ST AVENUE (Continued)

S104495720

Spiller Company: NY CROSS HARBOR R.R. YARD

Spiller Address: 4302 1ST AVENUE Spiller City, St, Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 182964 DEC Memo: Not reported

Remarks: GASKET ON SPLIT SEAM IN PIPE-SPILL CONTAINED IN PAVEMNET. CLEAN UP

DONE & PUT IN 6 GALLONS DRUMS.

Material:

131252 Site ID: Operable Unit ID: 1002532 Operable Unit: 01 Material ID: 381912 Material Code: 0022

Material Name: Waste Oil/Used Oil Case No.: Not reported Material FA: Petroleum Quantity: 100 Units: Gallons Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: Spill Number: 9405323 O'DOWD Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 07/19/1994 00:35 Reported to Dept Date/Time: 07/19/94 12:06

SWIS: 61

Spiller Name: NY CROSS HARBOR R.R. YARD

Spiller Contact: Not reported (718) 788-3690 Spiller Phone: Spiller Address: 4302 1ST AVENUE

Direction Distance

Elevation Site Database(s) EPA ID Number

4302 1ST AVENUE (Continued)

S104495720

EDR ID Number

Spiller City,St,Zip: BROOKLYN, NEW YORK Spill Cause: Equipment Failure

Reported to Dept: On Land
Water Affected: Not reported

Spill Source: 01

Spill Notifier: Responsible Party
PBS Number: Not reported
Cleanup Ceased: 07/19/94
Cleanup Meets Std: True
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 07/19/94

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 10/14/94
Date Spill Entered In Computer Data File: Not reported

Update Date: //
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 100 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False WASTE OIL Material: Class Type: WASTE OIL Times Material Entry In File: 9509 CAS Number: Not reported 19940927 Last Date: **DEC Remarks:** Not reported

Remark: GASKET ON SPLIT SEAM IN PIPE-SPILL CONTAINED IN PAVEMNET. CLEAN UP DONE PUT

IN 6 GALLONS DRUMS.

Direction Distance

Elevation Site Database(s) **EPA ID Number**

B26 1ST AVE RAILROAD UST U004078111 4302 1ST AVE N/A

< 1/8 **BROOKLYN, NY 11232** 1 ft.

Site 9 of 15 in cluster B

Relative: Higher

UST:

Facility Id: 2-306002 Region: STATE Actual: DEC Region: 2 10 ft. Site Status: Active Program Type: **PBS**

> **Expiration Date:** UTM X: 583275.85759000003 UTM Y: 4500831.2569199996

Affiliation Records:

Site Id: 14006 Affiliation Type: Mail Contact

Company Name: NYC ECONOMIC DEVELOPMENT CORP

2014/06/22

Contact Type: Not reported Contact Name: Not reported

Address1: 110 WILLIAM STREET

Address2: **6TH FLOOR NEW YORK** City: State: NY10038 Zip Code: Country Code: 001

Phone: (212) 312-3816 Phone Ext: Not reported

RMELVIN@NYCEDC.COM Email:

Fax Number: Not reported BVCAMPBE Modified By: Date Last Modified: 6/28/2010

Site Id: 14006

Affiliation Type: **Emergency Contact**

CITY OF NEW YORK / C/O NYCEDC Company Name:

Contact Type: Not reported **RORY MELVIN** Contact Name: Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 999

Phone: (212) 312-2816 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **BVCAMPBE** Date Last Modified: 6/28/2010

Site Id: 14006

On-Site Operator Affiliation Type: Company Name: 1ST AVE RAILROAD

Contact Type: Not reported Contact Name: **NYCHRR** Address1: Not reported Address2: Not reported

EDR ID Number

Direction Distance Elevation

ance EDR ID Number
vation Site Database(s) EPA ID Number

1ST AVE RAILROAD (Continued)

U004078111

City: Not reported

State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 788-3690
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: DXLIVING
Date Last Modified: 5/9/2006

Site Id: 14006 Affiliation Type: Owner

Company Name: CITY OF NEW YORK / C/O NYCEDC

Contact Type: VICE PRESIDENT

Contact Name: KAY ZIAS

Address1: 110 WILLIAM STREET 6TH FLOOR

Address2: Not reported City: NEW YORK State: NY Zip Code: 10038 Country Code: 001

Phone: (212) 312-3616
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: BVCAMPBE
Date Last Modified: 6/28/2010

Tank Info:

Site ID: 14006

Tank Number: 001H Tank ID: 16395

Tank Status:

Closed - In Place
Tank Model:

Pipe Model:

Install Date:

Capacity Gallons:

Tightness Test Method:

Not reported
Not reported
Not reported
Not reported
Not reported
Not reported

Next Test Date:

Not reported

Date Tank Closed:

Tank Location:

Not reported

4/1/1998

5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 14006

 Tank Number:
 002H

 Tank ID:
 52851

Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD (Continued)

U004078111

Capacity Gallons: 7500 Tightness Test Method: NN Next Test Date: Not reported 4/1/1998

Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 003A Tank ID: 52852

Closed - Removed Tank Status: Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 004A Tank ID: 52853

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006 Tank Number: 005A 52854 Tank ID:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD (Continued)

U004078111

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 006B Tank ID: 52855

Closed - Removed Tank Status: Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 007B Tank ID: 52856

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006 008C Tank Number: 52857 Tank ID:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD (Continued)

U004078111

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 009C Tank ID: 52858

Closed - Removed Tank Status: Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 010D Tank ID: 52859

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006 Tank Number: 011D 52860 Tank ID:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD (Continued)

U004078111

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 012D Tank ID: 52861

Closed - Removed Tank Status: Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 013D Tank ID: 52862

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006 Tank Number: 014E 52869 Tank ID:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD (Continued)

U004078111

Capacity Gallons: 2000 Tightness Test Method: NN Next Test Date: Not reported

Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 015F 52863 Tank ID:

Closed - Removed Tank Status: Tank Model: Not reported Not reported Pipe Model: Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 5/1/1997

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 016F Tank ID: 52864

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 5/1/1997 Tank Location: 5

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 14006 Tank Number: 017F 52865 Tank ID:

Direction Distance Elevation

e EDR ID Number on Site Database(s) EPA ID Number

1ST AVE RAILROAD (Continued)

U004078111

Capacity Gallons: 550
Tightness Test Method: NN

Next Test Date: Not reported
Date Tank Closed: 5/1/1997
Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 018G Tank ID: 52866

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Capacity Gallons: 550
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 14006

Tank Number: 019G Tank ID: 52867

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Capacity Gallons: 550
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

 Site ID:
 14006

 Tank Number:
 020L

 Tank ID:
 52868

Tank Status: Closed - Removed
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

1ST AVE RAILROAD (Continued)

U004078111

1011542366

N/A

ICIS

EDR ID Number

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

C27 **NEW YORK DOCK RAILWAY**

1ST AVE & 50TH ST BROOKLYN NY 11232

BROOKLYN, NY 11232 < 1/8

1 ft.

Site 1 of 12 in cluster C

Relative:

ICIS:

Higher Enforcement Action ID:

02-1989-0312 FRS ID: 110008011944

Actual: 16 ft.

RCRAINFO NYD980646368 Program ID:

Action Name: POSEIDEN POOLS OF AMERICA INC

Facility Name: NEW YORK DOCK RAILWAY

1ST AVE & 50TH ST BROOKLYN NY 11232 Facility Address:

BROOKLYN, New York 11232

Enforcement Action Type: FIFRA 14 AO For Comp And Penalties (Old)

Facility County: Kings EPA Region #: 3

Enforcement Action ID: 02-1989-0312 FRS ID: 110008011944 Program ID: FRS 110008011944

POSEIDEN POOLS OF AMERICA INC Action Name:

NEW YORK DOCK RAILWAY Facility Name:

Facility Address: 1ST AVE & 50TH ST BROOKLYN NY 11232

BROOKLYN, New York 11232

Enforcement Action Type: FIFRA 14 AO For Comp And Penalties (Old)

Facility County: Kings EPA Region #: 3

Program ID: FRS 110008011944

NEW YORK DOCK RAILWAY Facility Name:

Address: 1ST AVE & 50TH ST

Tribal Indicator: Ν Fed Facility: No

Not reported NAIC Code: Not reported SIC Code:

Program ID: RCRAINFO NYD980646368 Facility Name: NEW YORK DOCK RAILWAY

Address: 1ST AVE & 50TH ST

Tribal Indicator: Ν Fed Facility: No

NAIC Code: Not reported SIC Code: Not reported

Direction Distance

Distance Elevation Site EDR ID Number Database(s) EPA ID Number

C28 SIGNO TRADING KENSTON CERC-NFRAP 1004654834

1ST AVE BTWN 43RD & 50TH ST-BUSH BL# 58

< 1/8 BROOKLYN, NY 11232

1 ft.

Site 2 of 12 in cluster C

Relative: CERC-NFRAP:

Higher Site ID: 0202611

Federal Facility: Not a Federal Facility

Actual: NPL Status: Not on the NPL

16 ft. Non NPL Status: Removal Only Site (No Site Assessment Work Needed)

CERCLIS-NFRAP Site Contact Details:

Contact Sequence ID: 2000448.00000
Person ID: 2000127.00000

CERCLIS-NFRAP Assessment History:

Action: REMOVAL
Date Started: 03/26/1987
Date Completed: 06/20/1987
Priority Level: Cleaned up

Action: ADMINISTATIVE/VOLUNTARY COST RECOVERY

Date Started: Not reported
Date Completed: 06/29/1989
Priority Level: Not reported

Action: ARCHIVE SITE
Date Started: Not reported
Date Completed: 05/05/2000
Priority Level: Not reported

C29 4901 FIRST AVENUE HIST LTANKS \$101509073

4901 FIRST AVENUE

< 1/8 BROOKLYN, NY 1 ft. CBS AST N/A

NYD982272692

NY Spills CBS

Site 3 of 12 in cluster C

Notifier Agency:

Relative: Higher

Actual:

15 ft.

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 9501716

 Spill Date:
 05/10/1995

 Spill Time:
 14:30

Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Not reported

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 04/30/98 Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: **TANG** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

4901 FIRST AVENUE (Continued)

S101509073

EDR ID Number

Notifier Phone: Not reported
Notifier Extension: Not reported
Reported to Department Date: 05/10/95
Reported to Department Time: 15:00
SWIS: 61

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported
Spiller Name: SAME
Spiller Address: Not reported
Spiller City, St, Zip: Not reported

Spiller Cleanup Date: //

Facility Contact: Not reported
Facility Phone: Not reported
Facility Extention: Not reported
Spill Notifier: Other
PBS Number: Not reported

Last Inspection: /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /

Date Spill Entered In Computer Data File: 05/18/95
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 05/14/98 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Gallons Quantity Recovered: Unkonwn Quantity Recovered: False #6 FUEL OIL Material: #6 FUEL OIL Class Type: Times Material Entry In File: 2190 CAS Number: Not reported Last Date: 19940728

DEC Remarks: 09/25/95: NO RECORD OF WHO HANDLED THIS ON HARD COPY - ASSIGNED TO KOON TO

 ${\tt REASSIGN\ TO\ STAFF\ FOR\ FOLLOWUP\ AND\ ASSIGNMENT\ TO\ CURRENT\ PRIMARY,\ IF\ NECESSARY.}$

Spill Cause: HISTORICAL TANK LEAK. SOME CONTAMINATION WHEN REMOVING TANK. CONTAMINATED SOIL

WAS FOUND. APPROXIMATELY A BUCKET FULL OF OIL WAS FOUND.

CBS AST:

CBS Number: 2-000215 Region: STATE

Direction Distance

Elevation Site Database(s) EPA ID Number

4901 FIRST AVENUE (Continued)

S101509073

EDR ID Number

ICS Number: 2-125308 PBS Number: Not reported MOSF Number: Not reported Telephone: (718) 965-0100 Facility Town: **NEW YORK CITY** P. VALENTINO Operator: Emrgncy Contact: P. VALENTINO Emrgncy Phone: (718) 343-4629 **Expiration Date:** 02/07/1995

Owner Name: SUPREME EQUIP. & SYSTEMS CORP

Owner Address: 4901 FIRST AVENUE
Owner City,St,Zip: BROOKLYN, NY 11232
Owner Telephone: (718) 965-0100
Owner type: Corporate/Commercial
Facility Type: MANUFACTURING

Mail Name: SUPREME EQUIP. & SYSTEMS CORP

Mail Contact Addr: 4901 FIRST AVENUE
Mail Contact Addr2: Not reported
Mail Contact Contact: P. VALENTINO

Mail Contact City, St, Zip: BROOKLYN, NY 11232

Mail Phone: (718) 965-0100
SPDES Number: Not reported
Facility Status: ACTIVE FACILITY
Owner Sub Type: Not reported

Tank Id: 001

Date Entered: 02/07/1991 Capacity (Gal): 3000

Chemical: 1,1,1-Trichloroethane
Tank Closed: Not reported

Tank Status: In Service

Tank Type: Stainless steel alloy

Install Date: 00/00 Certified Date: 11/20/1992 CAS Number: 71556

Substance: Single Hazardous Substance on DEC List

Tank Location: ABOVEGROUND ON SADDLES LEGS, STILTS, RACK, OR CRADLE

IntrnI Protection: None

Extrnl Protection: Painted/Asphalt Coating

Pipe Location: Aboveground

Pipe Type: STAINLESS STEEL ALLOY

Pipe Internal: None
Pipe External: 1
Pipe Containment: None
Tank Containment: None
Leak Detection: None

Overfill Protection: Product Level Gauge

Haz Percent: 100
Total Tanks: 1
Tank Secret: False
Last Test: Not reported
Due Date: Not reported
Tank Error Status: No Missing Data

SWIS Code: 6101
Lat/Long: Not reported
Pipe Flag: False
Federal ID: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

4901 FIRST AVENUE (Continued)

S101509073

Is Updated: 11/02/92 Renew Date: Is it There: F Deliquent: F Date Expired: 02/07/95 Owner Mark:

Certificate Needs to be Printed: False Fiscal Amt for Registration Fee Correct: True Renewal Has Been Printed for Facility: True Pre-Printed Renewal App Last Printed: 09/01/1998 Total Capacity of All Active Tanks(gal): 3000

NY Spills:

Site ID: 115185 Facility Addr2: 4907 FIRST AVE Facility ID: 9501716 Spill Number: 9501716 Facility Type: ER SWIS: 2401 HRAHMED Investigator: Referred To: MOORE Spill Date: 5/10/1995 Reported to Dept: 5/10/1995 CID: Not reported Spill Cause: Other

Not reported Water Affected: Spill Source: Commercial/Industrial

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed Remediation Phase:

Date Entered In Computer: 5/18/1995 Spill Record Last Update: 6/30/2009 Spiller Name: Not reported Spiller Company: SAME Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller Company: 999

Contact Name: Not reported Contact Phone: Not reported

DEC Region: **DER Facility ID:** 100385

Prior to Sept, 2004 data translation this spill Lead_DEC Field was "M DEC Memo:

TIBBE" 09/25/95: NO RECORD OF WHO HANDLED THIS ON HARD COPY -

ASSIGNED TO KOON TO REASSIGN TO STAFF FOR FOLLOWUP AND ASSIGNMENT TO

CURRENT PRIMARY, IF NECESSARY. 02/18/04 - TRANSFERED FROM TANG TO

TIBBE. 3/24/06 Diaz - Next steps required - review file, track down contacts. Spill transferred back to R-2 3/7/08 - Austin - Assigned to Ketani for further investigation - end 8/18/08 - Raphael Ketani. The case is being prepared for transfer due to a case realignment within

the unit. I didn't have a chance to reactivate this case nor

Direction Distance Elevation

on Site Database(s) EPA ID Number

4901 FIRST AVENUE (Continued)

S101509073

EDR ID Number

investigate it before the case realignment. The case file and any E-docs should be reviewed. The ownership should be investigated. A CSL needs to be sent to the owner(s). 06/18/09-HRAHMED-Erica Hogan of Singer Environmental (718 437 9600) called to discuss about the requirements of DEC to close the spill. Ahmed will get back to Erica that after reviewing the two reports stored in eDocs. The information of the owner of the property is: Boris Motovich Alternative addresses: 4901 - 4907 1st Ave, Brooklyn, NY 101 - 135 50th St, Brooklyn, NY Lot Size Approx. 230' x 200' 06/30/09-HRAHMED- Spoke to Simon of Singer Environmental (718 437 9600). As per some photographs of an old report submitted by Law Environmental dated 11/28/1995, one UST was pulled out and one picture is showing petroleum impacted soil in the excavation. The Nov 1995 contains only partial analytical data

for soil and groundwater analysis.

Remarks: HISTORICAL TANK LEAK. SOME CONTAMINATION WHEN REMOVING TANK.

CONTAMINATED SOIL WAS FOUND. APPROXIMATELY A BUCKET FULL OF OIL WAS

FOUND.

Material:

Site ID: 115185 Operable Unit ID: 1016077 Operable Unit: 01 Material ID: 366789 Material Code: 0003 #6 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: -1 Units: Gallons Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Not reported Site ID: Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

CBS:

CBS Number: 2-000215
Program Type: CBS
Dec Region: 2
Expiration Date: N/A

Facility Status: Administratively Closed UTMX: 582980.53384000 UTMY: 4500470.4138700

Direction Distance

Elevation Site Database(s) EPA ID Number

C30 NEW YORK DOCK RAILWAY RCRA-NonGen 1000136841

1ST AVE & 50TH ST FINDS NYD980646368

< 1/8 BROOKLYN, NY 11232 1 ft.

Site 4 of 12 in cluster C

Relative:

RCRA-NonGen:

Higher Date form received by agency: 01/01/2007

Facility name: NEW YORK DOCK RAILWAY
Facility address: 1ST AVE & 50TH ST

Actual: 16 ft.

1ST AVE & 50TH ST BROOKLYN, NY 11232

EPA ID: NYD980646368

Mailing address: FURMAN ST

BROOKLYN, NY 11201

Contact: FRANK DAYTON
Contact address: FURMAN ST

BROOKLYN, NY 11201

Contact country: US

Contact telephone: (718) 624-3400 Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NEW YORK DOCK RAILWAY

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NEW YORK DOCK RAILWAY

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

NEW YORK DOCK RAILWAY (Continued)

1000136841

EDR ID Number

Used oil fuel marketer to burner: No
Used oil Specification marketer: No
Used oil transfer facility: No
Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: NEW YORK DOCK RAILWAY Classification: Not a generator, verified

Date form received by agency: 11/14/1980

Facility name: NEW YORK DOCK RAILWAY

Classification: Unverified

Violation Status: No violations found

FINDS:

Registry ID: 110008011944

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

ICIS (Integrated Compliance Information System) is the Integrated Compliance Information System and provides a database that, when complete, will contain integrated Enforcement and Compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain Enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions. This information is maintained in ICIS by EPA in the Regional offices and it Headquarters. A future release of ICIS will replace the Permit Compliance System (PCS) which supports the NPDES and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities occurring in the Region that support Compliance and Enforcement programs. These include; Incident Tracking, Compliance Assistance, and Compliance Monitoring.

C31 KENSTON WAREHOUSE CERC-NFRAP 1003864132

50TH ST & 1ST AVE < 1/8 BROOKLYN, NY 11201

NYD982181257

1 ft.

Site 5 of 12 in cluster C

Relative: CERC-NFRAP:

Higher Site ID: 0202393

Federal Facility: Not a Federal Facility

Actual: NPL Status: Not on the NPL

16 ft. Non NPL Status: NFRAP-Site does not qualify for the NPL based on existing information

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

KENSTON WAREHOUSE (Continued)

1003864132

CERCLIS-NFRAP Assessment History:

DISCOVERY Action: Date Started: Not reported Date Completed: 03/23/1987 Priority Level: Not reported

ARCHIVE SITE Action: Date Started: Not reported Date Completed: 05/11/1987 Priority Level: Not reported

PRELIMINARY ASSESSMENT Action:

05/04/1987 Date Started: Date Completed: 05/11/1987

Priority Level: NFRAP-Site does not qualify for the NPL based on existing information

C32 A P S C O SPORTS ENTERPRISES INC

RCRA-NonGen 1000175764 **50TH ST & FIRST AVE FINDS** NYD054541859 **MANIFEST**

BROOKLYN, NY 11232 < 1/8

1 ft.

Site 6 of 12 in cluster C

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher

Facility name: A P S C O SPORTS ENTERPRISES INC

Actual: Facility address: 50TH ST & FIRST AVE 16 ft.

BLDG 57 5TH FLOOR BROOKLYN, NY 11232

EPA ID: NYD054541859 Contact: Not reported

Contact address: 50TH ST & FIRST AVE

BROOKLYN, NY 11232

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: HARBORSIDE MGMT

FOOT OF 48TH ST & 1ST AVE Owner/operator address:

BROOKLYN, NY 11232

Owner/operator country: US

Owner/operator telephone: (718) 965-0470 Legal status: Private

Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

HARBORSIDE MGMT Owner/operator name:

Owner/operator address: FOOT OF 48TH ST & 1ST AVE

BROOKLYN, NY 11232

Owner/operator country: US

Owner/operator telephone: (718) 965-0470 Legal status: Private

Owner/Operator Type: Operator

Direction Distance

Elevation Site Database(s) **EPA ID Number**

A P S C O SPORTS ENTERPRISES INC (Continued)

1000175764

EDR ID Number

Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

A P S C O SPORTS ENTERPRISES INC Facility name:

Classification: Not a generator, verified

Date form received by agency: 07/08/1999

A P S C O SPORTS ENTERPRISES INC Facility name:

Classification: Not a generator, verified

Date form received by agency: 11/17/1994

Facility name: A P S C O SPORTS ENTERPRISES INC

Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

110008003052 Registry ID:

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NY MANIFEST:

NYD054541859 EPA ID:

Country: USA

APSCO ENTERPRISES INC Mailing Name: Mailing Contact: AMADOR RIVERA JR Mailing Address: **50TH STREET & 1ST AVE**

Direction Distance

Elevation Site Database(s) EPA ID Number

A P S C O SPORTS ENTERPRISES INC (Continued)

1000175764

EDR ID Number

Mailing Address 2: Not reported
Mailing City: BROOKLYN
Mailing State: NY
Mailing Zip: 11232
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 718-965-9500

Document ID: NYB8518329

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

PW6590 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 961210 Trans1 Recv Date: 961210 Trans2 Recv Date: Not reported TSD Site Recy Date: 961210 Part A Recv Date: Not reported Part B Recv Date: 970109

 Generator EPA ID:
 NYD054541859

 Trans1 EPA ID:
 NYR000025767

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD981182769

Waste Code: D011 - SILVER 5.0 MG/L TCLP

Quantity: 00110

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 002

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 96

Document ID: NYG0059049 Completed copy Manifest Status: Trans1 State ID: PW6590 Trans2 State ID: Not reported Generator Ship Date: 970409 970409 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recy Date: 970409 Part A Recv Date: 970513 Part B Recv Date: 970501

 Generator EPA ID:
 NYD054541859

 Trans1 EPA ID:
 NYR000025767

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD981182769

Waste Code: D011 - SILVER 5.0 MG/L TCLP

Quantity: 00055

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 97

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

A P S C O SPORTS ENTERPRISES INC (Continued)

1000175764

Document ID: NYB8433666

Completed after the designated time period for a TSDF to get a copy to the DEC Manifest Status:

Trans1 State ID: Not reported Trans2 State ID: Not reported Generator Ship Date: 970430 Trans1 Recv Date: 970430 Trans2 Recv Date: Not reported TSD Site Recy Date: 970430 Part A Recv Date: 970513 Part B Recv Date: 970612 NYD054541859 Generator EPA ID: NYD077444263

Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD077444263

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 00030

G - Gallons (liquids only)* (8.3 pounds) Units:

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 97

Document ID: NYB6591708 Manifest Status: Completed copy Trans1 State ID: XC2643 Trans2 State ID: Not reported 950517 Generator Ship Date: Trans1 Recv Date: 950517 Trans2 Recv Date: Not reported TSD Site Recy Date: 950518 Part A Recv Date: Not reported Part B Recv Date: 950602

NYD054541859 Generator EPA ID: NYD981182769 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD981182769

Waste Code: D011 - SILVER 5.0 MG/L TCLP

Quantity: 00055

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100 Year: 95

C33 NYC ECONOMIC DEVELOPMENT

4901 FIRST AVE BROOKLYN, NY 11232

< 1/8 1 ft.

Site 7 of 12 in cluster C

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher

NYC ECONOMIC DEVELOPMENT CORP Facility name:

Actual: Facility address: 4901 FIRST AVE

15 ft. SUPREME OFFICE & EQUIPMENT 1000990656

NY0001037654

RCRA-NonGen

MANIFEST

FINDS

Direction Distance

Elevation Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

BROOKLYN, NY 112324210

EPA ID: NY0001037654
Mailing address: WILLIAM ST

NEW YORK, NY 10038

Contact: Not reported Contact address: WILLIAM ST

NEW YORK, NY 10038

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Land type: Facility is not located on Indian land. Additional information is not known.

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: NYC ECONOMIC DEVELOPMENT CORP

Owner/operator address: 110 WILLIAM ST

NEW YORK, NY 10038

Owner/operator country: US

Owner/operator telephone: (212) 612-5000

Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: NYC ECONOMIC DEVELOPMENT CORP

Owner/operator address: 110 WILLIAM ST

NEW YORK, NY 10038

Owner/operator country: US

Owner/operator telephone: (212) 612-5000
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

Used oil transporter:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No

Off-site waste receiver: Commercial status unknown

No

Direction Distance

Elevation Site Database(s) **EPA ID Number**

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Historical Generators:

Date form received by agency: 01/01/2006

NYC ECONOMIC DEVELOPMENT CORP Facility name:

Classification: Not a generator, verified

Date form received by agency: 07/08/1999

NYC ECONOMIC DEVELOPMENT CORP Facility name:

Classification: Not a generator, verified

Date form received by agency: 11/21/1996

NYC ECONOMIC DEVELOPMENT CORP Facility name:

NYC ECONOMIC DEVELOPMENT CORPORATION Site name:

Classification: Large Quantity Generator

Date form received by agency: 02/14/1995

NYC ECONOMIC DEVELOPMENT CORP Facility name:

Classification: Large Quantity Generator

Facility Has Received Notices of Violations:

Regulation violated: Not reported

Area of violation: Generators - Records/Reporting

Date violation determined: 10/07/1996 Date achieved compliance: 11/21/1996 Violation lead agency: State

Enforcement action: WRITTEN INFORMAL

Enforcement action date: 10/07/1996 Enf. disposition status: Not reported Enf. disp. status date: Not reported Enforcement lead agency: State Not reported Proposed penalty amount: Final penalty amount: Not reported Paid penalty amount: Not reported

Evaluation Action Summary:

Evaluation date: 01/01/1996

Evaluation: NON-FINANCIAL RECORD REVIEW Area of violation: Generators - Records/Reporting

Date achieved compliance: 11/21/1996 Evaluation lead agency: State

FINDS:

Registry ID: 110004324534

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NY0001037654

Country: **USA**

Direction Distance Elevation

tion Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Mailing Name: NYC ECONOMIC DEVELOPMENT CORP

Mailing Contact: LAWRENCE LEVY
Mailing Address: 10 WILLIAM STREET

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10038
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 212-312-3752

Document ID: NYB6880977 Manifest Status: Completed copy Trans1 State ID: TAB6906 Trans2 State ID: Not reported Generator Ship Date: 950424 Trans1 Recv Date: 950424 Trans2 Recv Date: Not reported TSD Site Recv Date: 950424 Part A Recv Date: 950629 Part B Recv Date: 950517

 Generator EPA ID:
 NY0001037654

 Trans1 EPA ID:
 NJD054126164

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 02150

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6881184 Manifest Status: Completed copy Trans1 State ID: Not reported Trans2 State ID: PP5193 Generator Ship Date: 950503 Trans1 Recv Date: 950503 Trans2 Recv Date: Not reported TSD Site Recv Date: 950503 Part A Recv Date: 950629 Part B Recv Date: 950517

 Generator EPA ID:
 NY0001037654

 Trans1 EPA ID:
 NYD077444263

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 07219
Units: P - Pounds
Number of Containers: 036

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

Year: 95

Document ID: NYB6881382 Manifest Status: Completed copy Trans1 State ID: PD1011 Trans2 State ID: Not reported 950504 Generator Ship Date: Trans1 Recv Date: 950504 Trans2 Recv Date: Not reported 950504 TSD Site Recv Date: 950629 Part A Recv Date: Part B Recv Date: 950517

Generator EPA ID: NY0001037654 Trans1 EPA ID: NYD077444263 Trans2 EPA ID: Not reported TSDF ID: NYD077444263

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 01821 P - Pounds Units:

Number of Containers: 800

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Waste Code: Not reported Quantity: 00157 P - Pounds Units:

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NJA1886919 Manifest Status: Completed copy Trans1 State ID: NJ50059 Trans2 State ID: Not reported Generator Ship Date: 950403 Trans1 Recv Date: 950403 Trans2 Recv Date: Not reported TSD Site Recv Date: 950403 Part A Recv Date: 950503 Part B Recv Date: 950419

Generator EPA ID: NY0001037654 Trans1 EPA ID: NJD986607380 Trans2 EPA ID: Not reported TSDF ID: NJD002200046

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 05300

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers:

Container Type: TT - Cargo tank, tank trucks

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Direction Distance

Elevation Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Document ID: NJA1886920 Manifest Status: Completed copy Trans1 State ID: Not reported Not reported Trans2 State ID: Generator Ship Date: 950411 Trans1 Recv Date: 950411 Trans2 Recv Date: Not reported TSD Site Recv Date: 950411 Part A Recv Date: Not reported Part B Recv Date: 950425 NY0001037654 Generator EPA ID: NJD986607380 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NJD002200046

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 03093

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: B Incineration, heat recovery, burning.

PD1011

Specific Gravity: 100 Year: 95

Trans1 State ID:

Document ID: NYB6881697

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans2 State ID: Not reported 950510 Generator Ship Date: Trans1 Recv Date: 950510 Trans2 Recv Date: Not reported TSD Site Recy Date: 950510 Part A Recv Date: 950629 Part B Recv Date: 950608 NY0001037654 Generator EPA ID: NYD077444263 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 03014 Units: P - Pounds

Number of Containers: 052

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Waste Code:

Quantity:

Units:

Number of Containers:

Not reported
00263

P - Pounds
002

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00064
Units: P - Pounds

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 95 Year:

NYB6881175 Document ID: Manifest Status: Completed copy Trans1 State ID: Not reported Trans2 State ID: PP5193 Generator Ship Date: 950428 Trans1 Recv Date: 950428 Trans2 Recv Date: Not reported TSD Site Recv Date: 950428 Part A Recv Date: 950629 Part B Recv Date: 950517

Generator EPA ID: NY0001037654 Trans1 EPA ID: NYD077444263 Trans2 EPA ID: Not reported TSDF ID: NYD077444263

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 08360 Units: P - Pounds Number of Containers: 028

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Waste Code: Not reported Quantity: 02792 P - Pounds Units:

Number of Containers: 007

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: Waste Code: Not reported Quantity: 01582 P - Pounds Units: Number of Containers: 004

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Waste Code: Not reported 00794 Quantity: Units: P - Pounds

Number of Containers: 003

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6881391

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: Not reported Trans2 State ID: PD1011 Generator Ship Date: 950508 950508 Trans1 Recy Date: Trans2 Recv Date: Not reported

Direction Distance Elevation

tion Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

 TSD Site Recv Date:
 950508

 Part A Recv Date:
 950629

 Part B Recv Date:
 950608

 Generator EPA ID:
 NY0001037654

 Trans1 EPA ID:
 NYD077444263

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

Waste Code: D002 - NON-LISTED CORROSIVE WASTES

Quantity: 01681 Units: P - Pounds Number of Containers: 003

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00946
Units: P - Pounds
Number of Containers: 005

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Waste Code: Not reported
Quantity: 00156
Units: P - Pounds
Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00649
Units: P - Pounds

Number of Containers: 004

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

PD1011

Specific Gravity: 100 Year: 95

Trans1 State ID:

Document ID: NYB6881922
Manifest Status: Completed copy

Trans2 State ID: Not reported Generator Ship Date: 950515 950515 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 950515 Part A Recv Date: 950629 Part B Recv Date: 950608 NY0001037654 Generator EPA ID: Trans1 EPA ID: NYD077444263 Trans2 EPA ID: Not reported TSDF ID: NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 01259
Units: P - Pounds
Number of Containers: 004

Container Type: DM - Metal drums, barrels

Direction Distance

Elevation Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6881868

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: PD1011 Trans2 State ID: Not reported Generator Ship Date: 950512 950512 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 950512 Part A Recv Date: 950629 Part B Recv Date: 950608 Generator EPA ID: NY0001037654

 Generator EPA ID:
 NY000 1037654

 Trans1 EPA ID:
 NYD077444263

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 00741
Units: P - Pounds
Number of Containers: 002

Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6881886

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: PD1011 Trans2 State ID: Not reported Generator Ship Date: 950512 Trans1 Recv Date: 950512 Trans2 Recv Date: Not reported TSD Site Recv Date: 950512 Part A Recv Date: 950629 Part B Recv Date: 950608 Generator EPA ID: NY0001037654 Trans1 EPA ID: NYD077444263 Trans2 EPA ID: Not reported TSDF ID: NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 02868
Units: P - Pounds
Number of Containers: 009

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00010
Units: P - Pounds

Number of Containers: 001

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 100

Direction Distance Elevation

vation Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Year: 95

Document ID: NYB6881364 Manifest Status: Completed copy Trans1 State ID: Not reported Trans2 State ID: PP5193 Generator Ship Date: 950503 Trans1 Recv Date: 950503 Trans2 Recv Date: Not reported TSD Site Recv Date: 950503 Part A Recv Date: 950629 Part B Recv Date: 950517

 Generator EPA ID:
 NY0001037654

 Trans1 EPA ID:
 NYD077444263

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 03056 Units: P - Pounds

Number of Containers: 014

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100

Waste Code: Not reported Quantity: 00995
Units: P - Pounds

Number of Containers: 005

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 01425
Units: P - Pounds
Number of Containers: 003

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 100 Year: 95

Document ID: NYB6881112 Manifest Status: Completed copy Trans1 State ID: Not reported PD1011 Trans2 State ID: 950426 Generator Ship Date: Trans1 Recv Date: 950426 Trans2 Recv Date: Not reported TSD Site Recv Date: 950426 Part A Recv Date: 950629 950517 Part B Recv Date:

 Generator EPA ID:
 NY0001037654

 Trans1 EPA ID:
 NYD077444263

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 07566

Direction Distance

Elevation Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Units: P - Pounds

Number of Containers: 025

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 01802
Units: P - Pounds

Number of Containers: 005

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6880851 Completed copy Manifest Status: PD1010 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 950425 Trans1 Recv Date: 950425 Trans2 Recv Date: Not reported TSD Site Recy Date: 950425 Part A Recv Date: 950629 Part B Recv Date: 950517

 Generator EPA ID:
 NY0001037654

 Trans1 EPA ID:
 NYD077444263

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD077444263

 Waste Code:
 F001 - UNKNOWN

Quantity: 06211
Units: P - Pounds
Number of Containers: 014

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 06414
Units: P - Pounds

Number of Containers: 031

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6881625

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: PD1010 Trans2 State ID: Not reported 950509 Generator Ship Date: Trans1 Recv Date: 950509 Trans2 Recv Date: Not reported TSD Site Recv Date: 950509 Part A Recv Date: 950629 950608 Part B Recv Date: Generator EPA ID: NY0001037654

Direction Distance

Elevation Site Database(s) EPA ID Number

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

EDR ID Number

Trans1 EPA ID: NYD077444263
Trans2 EPA ID: Not reported
TSDF ID: NYD077444263

Waste Code: D001 - NON-LISTED IGNITABLE WASTES

Quantity: 04005 Units: P - Pounds Number of Containers: 013

Container Type: CF - Fiber or plastic boxes, cartons
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100
Waste Code: Not reported
Quantity: 00511
Units: P - Pounds
Number of Containers: 004

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NJA1886921
Manifest Status: Completed copy

Trans1 State ID: S5811 Trans2 State ID: Not reported Generator Ship Date: 950623 Trans1 Recv Date: 950623 Trans2 Recy Date: Not reported TSD Site Recv Date: 950623 Part A Recv Date: 950710 Part B Recv Date: 950712 NY0001037654 Generator EPA ID:

 Trans1 EPA ID:
 NJ0000027193

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NJD002200046

 Waste Code:
 F001 - UNKNOWN

Quantity: 00055

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Year: 95

Document ID: NYB6881787

Manifest Status: Completed after the designated time period for a TSDF to get a copy to the DEC

Trans1 State ID: **PD1010NY** Trans2 State ID: Not reported Generator Ship Date: 950511 Trans1 Recv Date: 950511 Trans2 Recv Date: Not reported TSD Site Recv Date: 950511 950629 Part A Recv Date: Part B Recv Date: 950608 Generator EPA ID: NY0001037654 NYD077444263 Trans1 EPA ID: Trans2 EPA ID: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC ECONOMIC DEVELOPMENT (Continued)

1000990656

AST

HIST AST

U003393326

N/A

TSDF ID: NYD077444263

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 03711 Units: P - Pounds Number of Containers: 011

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 Waste Code: Not reported Quantity: 00147 P - Pounds Units: Number of Containers: 001

Container Type: DM - Metal drums, barrels

B Incineration, heat recovery, burning. Handling Method:

Specific Gravity: 100 Year: 95

C34 SUPREME EQUIPMENT & SYSTEMS CORP.

4901 1ST AVENUE

BROOKLYN NY, NY 11232

< 1/8 1 ft.

Site 8 of 12 in cluster C

AST: Relative:

Region: STATE Higher

DEC Region: 2 Actual: Site Status: Active 15 ft. Facility Id: 2-005444

PBS Program Type:

UTM X: 582981.56932000001 UTM Y: 4500455.60513 1998/03/21 **Expiration Date:**

Affiliation Records:

Site Id: 58 Affiliation Type: Owner

NYC PUBLIC DEVELOPMENT CORP Company Name:

001

Contact Type: Not reported Contact Name: Not reported Address1: 161 WILLIAM ST Address2: Not reported City: NYC State: NY 10038 Zip Code: Country Code:

Phone: (718) 965-7104 Phone Ext: Not reported Email: Not reported Fax Number: Not reported **TRANSLAT** Modified By: Date Last Modified: 3/4/2004

Site Id: 58

Affiliation Type: Mail Contact

Company Name: SUPREME EQUIPMENT & SYS CORP

Contact Type: Not reported Contact Name: P. VALENTINO Address1: 4901 FIRST AVE

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SUPREME EQUIPMENT & SYSTEMS CORP. (Continued)

U003393326

Address2: Not reported BROOKLYN City: State: NY Zip Code: 11232 Country Code: 001

Phone: (718) 965-0100 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **TRANSLAT** 3/4/2004 Date Last Modified:

Site Id: 58

Affiliation Type: On-Site Operator

Company Name: SUPREME EQUIPMENT & SYSTEMS CORP.

Contact Type: Not reported

Contact Name: SUPREME EQUIPMENT & SYSTEMS CORP.

Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported Country Code: 001 (718) 965-0100 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 58

Affiliation Type: **Emergency Contact**

NYC PUBLIC DEVELOPMENT CORP Company Name:

Not reported Contact Type: Contact Name: P. VALENTINO Address1: Not reported Address2: Not reported City: Not reported State: NN Not reported Zip Code:

Country Code: 001

Phone: (718) 965-0100 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Tank Info:

Tank Number: 001 Tank Id: 26814 Tank Location:

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

SUPREME EQUIPMENT & SYSTEMS CORP. (Continued)

U003393326

EDR ID Number

Install Date: Not reported 12000 Capacity Gallons: Tightness Test Method: NN Date Test: Not reported Next Test Date: Not reported Not reported Date Tank Closed: Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Tank Number: 002
Tank Id: 26815
Tank Location: 1

Tank Type: Steel/Carbon Steel/Iron

Tank Status: In Service
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 12000
Tightness Test Method: NN

Date Test:

Not reported

Next Test Date:

Not reported

Not reported

Not reported

Not reported

True

Modified By:

Last Modified:

TRANSLAT

J4/2004

HIST AST:

PBS Number: 2-005444 SWIS Code: 6101

Operator: SUPREME EQUIPMENT&SYSTEMS CORP

Facility Phone: (718) 965-0100 Facility Addr2: 4901 1ST AVENUE Facility Type: MANUFACTURING P. VALENTINO Emergency: Emergency Tel: (718) 965-0100 Old PBSNO: Not reported Date Inspected: Not reported Not reported Inspector: Not reported Result of Inspection:

Owner Name: NYC PUBLIC DEVELOPMENT CORP

Owner Address: 161 WILLIAM ST
Owner City,St,Zip: NYC, NY 10038
Federal ID: Not reported
Owner Tel: (718) 965-7104
Owner Type: Local Government
Owner Subtype: Not reported
Mailing Contact: P. VALENTINO

Mailing Name: SUPREME EQUIPMENT & SYS CORP

Mailing Address: 4901 FIRST AVE Mailing Address 2: Not reported

Mailing City,St,Zip: BROOKYLN, NY 11232 Mailing Telephone: (718) 965-0100

Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

Distance

Elevation Site Database(s) EPA ID Number

SUPREME EQUIPMENT & SYSTEMS CORP. (Continued)

U003393326

EDR ID Number

or not at the facility.

Certification Flag: False
Certification Date: 12/24/1992
Expiration: 03/21/1998
Renew Flag: False
Renew Date: Not reported
Total Capacity: 24000
FAMT: True

Facility Screen: No Missing Data
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 61
Town or City Code: 01
Region: 2

Tank ID: 001

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 12000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Aboveground STEEL/IRON Pipe Type: Pipe Internal: Not reported Not reported Pipe External: Tank Containment: Diking

Leak Detection: 0 Overfill Protection: Dispenser Method: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Not reported Test Method: Deleted: False

Updated: True
SPDES Number: Not reported
Lat/Long: Not reported

Tank ID: 002

Tank Location: ABOVEGROUND
Tank Status: In Service
Install Date: Not reported
Capacity (Gal): 12000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Aboveground
Pipe Type: STEEL/IRON

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

SUPREME EQUIPMENT & SYSTEMS CORP. (Continued)

U003393326

Pipe Internal: Not reported Not reported Pipe External: Tank Containment: Diking Leak Detection: 0 Overfill Protection: 4 Dispenser Method: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True SPDES Number: Not reported Lat/Long: Not reported

C35 **SUPREME EQUIPMENT & SYSCORP**

FINDS 1006324638 **4901 1ST AVENUE**

N/A

< 1/8 1 ft.

BROOKLYN, NY 11232

Site 9 of 12 in cluster C

Relative: Higher

FINDS:

Registry ID: 110012645058

Actual: 15 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of

events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NEW YORK CITY DEP SITE D36 MANIFEST S110047131 **48TH STREET & 1ST AVENUE BLDG 56** N/A

< 1/8 **BROOKLYN, NY 11232**

1 ft.

Site 1 of 2 in cluster D

NY MANIFEST: Relative: EPA ID: NYP003664497 Higher

Country: USA

Actual: NEW YORK CITY DEP SITE Mailing Name: 12 ft. Mailing Contact: NEW YORK CITY DEP SITE

> Mailing Address: 48TH STREET & 1ST AVENUE BLDG 56

Mailing Address 2: Not reported Mailing City: **BROOKLYN** Mailing State: NY Mailing Zip: 11232 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NEW YORK CITY DEP SITE (Continued)

S110047131

Document ID: Not reported Not reported Manifest Status: Trans1 State ID: NYD064748304 Trans2 State ID: NJD080631369 Generator Ship Date: 2009-08-27 Trans1 Recv Date: 2009-08-27 Trans2 Recv Date: 2009-11-19 TSD Site Recy Date: 2009-11-20 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP003664497 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NJD980536593 Waste Code: Not reported Quantity: 450.0 P - Pounds Units:

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 004718994JJK

Import Ind: Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Mgmt Method Type Code: H141

B37 REGULATOR OH-7D 43RD STREET AND 1ST AVE NE

< 1/8 **BROOKLYN, NY**

0.001 mi.

Site 10 of 15 in cluster B 6 ft.

Relative: Higher

Actual:

10 ft.

NY Spills:

Site ID: 425399 Facility Addr2: Not reported Facility ID: 0912509 Spill Number: 0912509 Facility Type: ER

SWIS: 2401 Investigator: hrpatel Referred To: Not reported Spill Date: 3/1/2010 Reported to Dept: 3/1/2010 CID: Not reported Spill Cause: **Equipment Failure** Water Affected: **EAST RIVER**

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Other Cleanup Ceased: Not reported **NY Spills**

S110242728

N/A

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

REGULATOR OH-7D (Continued)

S110242728

Cleanup Meets Std: False Not reported Last Inspection:

Recommended Penalty: Penalty Not Recommended

UST Trust: False Spill Class: Not reported Spill Closed Dt: 3/2/2010 Remediation Phase: 0 Date Entered In Computer: 3/1/2010 Spill Record Last Update: 3/2/2010 Spiller Name: Not reported Spiller Company: NYC DEP Spiller Address: Not reported

Spiller City, St, Zip: NY Spiller Company: 999

Contact Name: **DEAN BLAUSTEIN** Contact Phone: Not reported

DEC Region: DER Facility ID: 374297 DEC Memo: Not reported

ALSO TO "THE NARROWS" EAST RIVER-ONGOING SPILL- CURRENTLY BEING Remarks:

INVESTIGATED

Material:

Site ID: 425399 Operable Unit ID: 1181121 Operable Unit: 01 Material ID: 2175183 Material Code: 9999

Material Name: Other - COMBINED SEWER OVERFLOW

Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Not reported Recovered: Not reported Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

B38 NEW YORK CROSS HARBOR RAILROAD TERMINAL FINDS 1007740473 NE

1ST AVENUE/43RD STREET N/A

BROOKLYN, NY 11232 < 1/8

0.001 mi.

Site 11 of 15 in cluster B 6 ft.

FINDS: Relative:

Higher

Registry ID: 110019028381

Actual: 10 ft.

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department

of Environmental Conservation (DEC) information system for tracking

environmental facility information found across the State.

B39 ON ROAD AT 43RD STREET **NY Spills** S103273177 **43RD STREET & 1ST AVENUE NY Hist Spills** NE N/A

< 1/8 **BROOKLYN, NY**

0.001 mi.

6 ft. Site 12 of 15 in cluster B

NY Spills: Relative:

Site ID: 135076 Higher Facility Addr2: Not reported

Actual: Facility ID: 9714011 10 ft. Spill Number: 9714011

> Facility Type: ER SWIS: 2401 Investigator: **MCTIBBE** Not reported Referred To: Spill Date: 3/17/1998 Reported to Dept: 3/18/1998 CID: 252 Spill Cause: Unknown Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

3/20/1998 Spill Closed Dt: Remediation Phase: Date Entered In Computer: 3/18/1998 Spill Record Last Update: 5/22/1998 Spiller Name: **BOB CRAWFORD**

Spiller Company: VENDER FOR NY CROSS HARBO

Spiller Address: 4302 1ST AVENUE Spiller City, St, Zip: BROOKLYN, ZZ

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region:

DER Facility ID: 128360

Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEC Memo:

"TIBBE" SMALL AMOUNT OF MOTOR OR HYDRAUL; IC OIL. SAND APPLIED BY NY

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ON ROAD AT 43RD STREET (Continued)

S103273177

CROSS HARBOR RAIL ROAD.

MOTOR OIL ON GROUND POSSIBLY FROM A VENDORS VEH. CALLER STATES THE Remarks:

AREA WAS ATLEAST 6FT BY 10FT, HOWEVER IS ALSO APPROX 200FT FROM

HARBOR-RESPONSIBLE PARTY WAS NOT COOPERATIVE RE CLEAN UP FINALLY TOLD

CALLER HE WOULD PUT ABSORBANT DOWN.

Material:

135076 Site ID: Operable Unit ID: 1056882 Operable Unit: 01 324990 Material ID: 0015 Material Code: Material Name: Motor Oil Not reported Case No.: Material FA: Petroleum

Quantity: Units: Gallons Recovered: No Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9714011 **TIBBE** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Not reported Notifier Phone: 03/17/1998 15:00 Spill Date/Time: Reported to Dept Date/Time: 03/18/98 11:30

SWIS:

Spiller Name: VENDER FOR NY CROSS HARBO

Spiller Contact: **BOB CRAWFORD** Spiller Phone: (718) 788-3690

Spiller Phone: ()

Spiller Address: 4302 1ST AVENUE Spiller City,St,Zip: **BROOKLYN** Spill Cause: Unknown Reported to Dept: On Land Water Affected: Not reported

Spill Source: 01

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ON ROAD AT 43RD STREET (Continued)

S103273177

Spill Notifier: Other PBS Number: Not reported

Cleanup Ceased: 11 Cleanup Meets Std: False Last Inspection:

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: 11 Enforcement Date: 11 Invstgn Complete: // **UST Involvement:** False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 03/20/98

Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 03/18/98 Date Spill Entered In Computer Data File: Not reported

Update Date: 05/22/98 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: True MOTOR OIL Material: MOTOR OIL Class Type: Times Material Entry In File: 508 CAS Number: Not reported Last Date: 19940728

SMALL AMOUNT OF MOTOR OR HYDRAUL; IC OIL. SAND APPLIED BY NY CROSS HARBOR RAIL DEC Remarks:

ROAD.

MOTOR OIL ON GROUND POSSIBLY FROM A VENDORS VEH. CALLER STATES THE AREA WAS Remark:

ATLEAST 6FT BY 10FT, HOWEVER IS ALSO APPROX 200FT FROM HARBOR-RESPONSIBLE PARTY WAS NOT COOPERATIVE RE CLEAN UP FINALLY TOLD CALLER HE WOULD PUT ABSORBANT

DOWN.

B40 BUSCH TERMINAL NY Spills S102238330 ΝE **43RD STREET & 1ST AVENUE NY Hist Spills** N/A

< 1/8 **BROOKLYN, NY**

0.001 mi.

Site 13 of 15 in cluster B 6 ft.

NY Spills: Relative:

Higher Site ID: 151031 Facility Addr2: Not reported Actual: Facility ID: 9510849 10 ft.

Spill Number: 9510849 Facility Type: ER

Direction Distance

Elevation Site Database(s) EPA ID Number

BUSCH TERMINAL (Continued)

S102238330

EDR ID Number

 SWIS:
 2401

 Investigator:
 O'DOWD

 Referred To:
 Not reported

 Spill Date:
 11/28/1995

 Reported to Dept:
 11/28/1995

 CID:
 266

Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial Vehicle

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/28/1995

Remediation Phase: 0

Date Entered In Computer: 11/28/1995
Spill Record Last Update: 11/30/1995
Spiller Name: CHRIS HEESCH
Spiller Company: BUSCH TERMINAL

Spiller Address: 43RD STREET & 1ST AVENUE

Spiller City,St,Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: CHRIS HEESCH Contact Phone: (718) 369-1300

DEC Region: 2
DER Facility ID: 128360
DEC Memo: Not reported

Remarks: LEAK FROM A COMMERCIAL VEHICLE ONTO GROUND. RESPONSE TEAM FROM TYREE

ENROUTE TO SITE FOR CLEAN UP.

Material:

 Site ID:
 151031

 Operable Unit ID:
 1025253

 Operable Unit:
 01

 Material ID:
 358200

 Material Code:
 0022

Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 20
Units: Gallons
Recovered: No
Resource Affected: Not reported

Overgeneter Feles

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported
Gross Fail: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSCH TERMINAL (Continued)

S102238330

Modified By: Not reported Not reported Last Modified: Test Method: Not reported

NY Hist Spills:

Spill Date/Time:

Region of Spill: 2 Spill Number: 9510849 Investigator: O'DOWD Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Not reported Notifier Name: Notifier Agency: Not reported Notifier Phone: Not reported

11/28/95 16:54 Reported to Dept Date/Time: SWIS:

Spiller Name: **BUSCH TERMINAL** Spiller Contact: CHRIS HEESCH Spiller Phone: (718) 369-1300 Spiller Contact: CHRIS HEESCH Spiller Phone: (718) 369-1300

Spiller Address: 43RD STREET & 1ST AVENUE

11/28/1995 16:45

BROOKLYN, NY Spiller City, St, Zip: Spill Cause: **Equipment Failure** Reported to Dept: On Land

Water Affected: Not reported Spill Source: 07 Spill Notifier: Other PBS Number: Not reported Cleanup Ceased:

Cleanup Meets Std: False Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: 11 **Enforcement Date:** // Invstgn Complete: // **UST Involvement:** False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/28/95 Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / /

Date Spill Entered In Computer Data File: 11/28/95 Date Spill Entered In Computer Data File: Not reported

Update Date: 11/30/95 Is Updated: False

Tank:

Not reported PBS Number: Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

BUSCH TERMINAL (Continued)

S102238330

Material:

Material Class Type: Petroleum Quantity Spilled: 20 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False WASTE OIL Material: Class Type: WASTE OIL Times Material Entry In File: 9509 CAS Number: Not reported Last Date: 19940927

DEC Remarks: Not reported

LEAK FROM A COMMERCIAL VEHICLE ONTO GROUND. RESPONSE TEAM FROM TYREE ENROUTE Remark:

TO SITE FOR CLEAN UP.

B41 NY CROSS HARBOR RAILROAD TERMINAL CORP. SWF/LF S105841745

N/A

ΝE **1ST AVE AND 43RD ST** < 1/8 **BROOKLYN, NY 11232**

0.001 mi.

6 ft. Site 14 of 15 in cluster B

SWF/LF: Relative:

Flag: **INACTIVE** Higher Region Code:

Actual: Phone Number: 7187863690 10 ft. Owner Name: Not reported Owner Type: Not reported

Owner Address: Not reported Owner Addr2: Not reported Owner City, St, Zip: Not reported Owner Email: Not reported Not reported Owner Phone:

ROBERT CRAWFORD Contact Name:

Not reported Contact Address: Contact Addr2: Not reported Contact City, St, Zip: Not reported Contact Email: Not reported Contact Phone: Not reported

Activity Desc: Transfer station - regulated

Activity Number: 24T13 Active: No 583033 East Coordinate: North Coordinate: 4500623 Accuracy Code: Not reported Regulatory Status: Permit Waste Type: Not reported Authorization #: 2-6102-00102 6/23/1992 Authorization Date: **Expiration Date:** 6/30/1997

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

B42 43RD ST & 1ST AVE NY Spills S102150710 **43RD STREET & 1ST AVENUE** NE **NY Hist Spills** N/A

< 1/8 **BROOKLYN, NY**

0.001 mi.

Site 15 of 15 in cluster B 6 ft.

Relative: Higher

Actual:

10 ft.

NY Spills:

Site ID: 327413 Facility Addr2: Not reported Facility ID: 9506628 Spill Number: 9506628 Facility Type: ER

SWIS: 2401 Investigator: O'DOWD Referred To: Not reported Spill Date: 8/29/1995 Reported to Dept: 8/29/1995 CID: Not reported Spill Cause: **Equipment Failure** Water Affected: Not reported Spill Source: Tank Truck Spill Notifier: Affected Persons Cleanup Ceased: 8/29/1995

Cleanup Meets Std: True Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 8/29/1995 Remediation Phase: Date Entered In Computer: 9/29/1995

Spill Record Last Update: 12/26/2002 Spiller Name: Not reported Spiller Company: SAFETY KLEEN Spiller Address: PO BOX 1198 NEWARK, NJ 07101 Spiller City, St, Zip:

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 128360 DEC Memo: Not reported

LEAKING VALVE ON TRUCK SPILLED ON CONCRETE ONLY - CLEANED UP Remarks:

Material:

Site ID: 327413 Operable Unit ID: 1021398 Operable Unit: 01 Material ID: 364591 Material Code: 0022

Waste Oil/Used Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: 20 Units: Gallons Recovered: 20

Resource Affected: Not reported Oxygenate: False

Direction Distance

Elevation Site Database(s) EPA ID Number

43RD ST & 1ST AVE (Continued)

S102150710

EDR ID Number

```
Tank Test:
                             Not reported
  Site ID:
                             Not reported
  Spill Tank Test:
  Tank Number:
                             Not reported
  Tank Size:
                             Not reported
  Test Method:
                             Not reported
  Leak Rate:
                             Not reported
  Gross Fail:
                             Not reported
  Modified By:
                             Not reported
  Last Modified:
                             Not reported
  Test Method:
                             Not reported
NY Hist Spills:
  Region of Spill:
                                2
  Spill Number:
                                9506628
                                O'DOWD
  Investigator:
  Caller Name:
                                Not reported
  Caller Agency:
                                Not reported
  Caller Phone:
                                Not reported
  Notifier Name:
                                Not reported
  Notifier Agency:
                                Not reported
  Notifier Phone:
                                Not reported
                                08/29/1995 19:00
  Spill Date/Time:
  Reported to Dept Date/Time:
                                08/29/95 19:36
  SWIS:
  Spiller Name:
                                SAFETY KLEEN
  Spiller Contact:
                                Not reported
  Spiller Phone:
                                (201) 242-3556
  Spiller Address:
                                PO BOX 1198
                                NEWARK, NJ 07101
  Spiller City, St, Zip:
  Spill Cause:
                                Equipment Failure
  Reported to Dept:
                                On Land
  Water Affected:
                                Not reported
  Spill Source:
                                80
  Spill Notifier:
                                Affected Persons
  PBS Number:
                                Not reported
                                08/29/95
  Cleanup Ceased:
  Cleanup Meets Std:
                                True
  Last Inspection:
                                11
  Recommended Penalty:
                                Penalty Not Recommended
  Spiller Cleanup Dt:
  Enforcement Date:
                                11
  Invstgn Complete:
                                //
  UST Involvement:
  Spill Class:
                                Known release with minimal potential for fire or hazard. DEC Response.
                                Willing Responsible Party. Corrective action taken.
  Spill Closed Dt:
                                08/29/95
  Corrective Action Plan Submitted:
  Date Region Sent Summary to Central Office: / /
  Date Spill Entered In Computer Data File:
                                                09/29/95
  Date Spill Entered In Computer Data File:
                                               Not reported
  Update Date:
  Is Updated:
                                False
                                Not reported
  PBS Number:
```

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

43RD ST & 1ST AVE (Continued)

S102150710

N/A

Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 20 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 20 Unkonwn Quantity Recovered: False WASTE OIL Material: Class Type: WASTE OIL Times Material Entry In File: 9509 CAS Number: Not reported 19940927 Last Date:

DEC Remarks: Not reported

Remark: LEAKING VALVE ON TRUCK SPILLED ON CONCRETE ONLY - CLEANED UP

C43 **CONSOLIDATED EDISON** MANIFEST 1009243114

SE 34 50 AINSLEE ST < 1/8 **BROOKLYB, NY 11201**

0.022 mi.

Site 10 of 12 in cluster C 116 ft.

NY MANIFEST:

Relative: Higher

EPA ID: NYP004124582

Country: USA

Actual: 17 ft.

Mailing Name: CONSOLIDATED EDISON Mailing Contact: FRANKLIN MURRAY 4 IRVING PLACE RM 828 Mailing Address:

Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-460-2808

NYE0638757 Document ID: Manifest Status: Not reported 69526JR Trans1 State ID: Trans2 State ID: Not reported 10/15/2004 Generator Ship Date: Trans1 Recv Date: 10/15/2004 Trans2 Recy Date: Not reported TSD Site Recv Date: 10/18/2004 Part A Recv Date: Not reported Not reported Part B Recv Date: NYP004124582 Generator EPA ID: Trans1 EPA ID: NYD006982359 Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00040

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON (Continued)

1009243114

Units: K - Kilograms (2.2 pounds)

001 Number of Containers:

DM - Metal drums, barrels Container Type:

Handling Method: L Landfill. Specific Gravity: 01.00 Year: 04

Document ID: NYE0640449 Manifest Status: Not reported 46110JM Trans1 State ID: Not reported Trans2 State ID: 09/30/2004 Generator Ship Date: Trans1 Recv Date: 09/30/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/30/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 13691

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 04 Year:

Document ID: NYE0631044 Manifest Status: Not reported 46233JM Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 09/29/2004 Trans1 Recv Date: 09/29/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/29/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 14545

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 06.55 04 Year:

Document ID: NYE0631233

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243114

EDR ID Number

Manifest Status: Not reported 46299JM Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 09/17/2004 Trans1 Recv Date: 09/17/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/19/2004 Part A Recy Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Not reported Trans2 EPA ID: TSDF ID: NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 05036

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 04

Document ID: NYE0631368 Manifest Status: Not reported Trans1 State ID: AH17585 Trans2 State ID: Not reported Generator Ship Date: 10/02/2004 10/02/2004 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 10/03/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 08327

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 04

NYE0631836 Document ID: Manifest Status: Not reported Trans1 State ID: 46109JM Trans2 State ID: Not reported Generator Ship Date: 09/11/2004 Trans1 Recv Date: 09/11/2004 Trans2 Recv Date: Not reported TSD Site Recy Date: 09/11/2004 Not reported Part A Recv Date: Part B Recv Date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243114

EDR ID Number

 Generator EPA ID:
 NYP004124582

 Trans1 EPA ID:
 NYD006982359

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 04455

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 04

NYE0631845 Document ID: Manifest Status: Not reported Trans1 State ID: AH17585 Not reported Trans2 State ID: Generator Ship Date: 09/24/2004 Trans1 Recv Date: 09/24/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/24/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004124582 Generator EPA ID: Trans1 EPA ID: NYD006982359 Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 04541

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 04

Document ID: NYE0463563 Manifest Status: Not reported Trans1 State ID: 46826JM Trans2 State ID: Not reported Generator Ship Date: 09/21/2004 09/21/2004 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 09/21/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004124582 Generator EPA ID: Trans1 EPA ID: NYD006982359 Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B003 - PETROLEUM OIL WITH 500 PPM OR > PCB

Quantity: 03809

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243114

EDR ID Number

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 04

Document ID: NYE0591444 Not reported Manifest Status: 12446JT Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 09/18/2004 09/18/2004 Trans1 Recv Date: Not reported Trans2 Recv Date: TSD Site Recv Date: 09/20/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004124582 Generator EPA ID: Trans1 EPA ID: NYD006982359 Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00600

Units: K - Kilograms (2.2 pounds)
Number of Containers: 004
Container Type: DM - Metal drums, barrels

Handling Method: L Landfill. Specific Gravity: 01.00

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00350

Units: K - Kilograms (2.2 pounds)

Number of Containers: 002

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 04

Document ID: NYE0591453 Manifest Status: Not reported 69526JR Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 09/11/2004 Trans1 Recv Date: 09/11/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/13/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 01600

Units: K - Kilograms (2.2 pounds)

Number of Containers: 008

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill. Specific Gravity: 01.00

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009243114

EDR ID Number

Year: 04

Document ID: NYE0591471 Manifest Status: Not reported Trans1 State ID: 69526JR Trans2 State ID: Not reported 09/22/2004 Generator Ship Date: Trans1 Recv Date: 09/22/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/23/2004 Not reported Part A Recv Date: Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B007 - OTHER MISCELLANEOUS PCB WASTES

Quantity: 00178

Units: K - Kilograms (2.2 pounds)

Number of Containers: 003

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill.
Specific Gravity: 01.00
Year: 04

NYE0631575 Document ID: Manifest Status: Not reported AH17585TT Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 09/10/2004 Trans1 Recv Date: 09/10/2004 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/11/2004 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004124582 NYD006982359 Trans1 EPA ID: Trans2 EPA ID: Not reported TSDF ID: NYD980593

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 18291

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 04

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

D44 51-46 48TH ST NY Spills S104509867 SE 51-51 48TY ST **NY Hist Spills** N/A

< 1/8 **BROOKLYN, NY**

0.035 mi.

186 ft. Site 2 of 2 in cluster D

Relative: Higher

Actual:

14 ft.

NY Spills: Site ID: 68080 Facility Addr2: Not reported Facility ID: 9912906 Spill Number: 9912906 Facility Type: ER SWIS:

2401 SACCACIO Investigator: Referred To: Not reported Spill Date: 2/13/2000 Reported to Dept: 2/13/2000 CID: 246

Spill Cause: Missing Code in Old Data - Must be fixed

Water Affected: Not reported

Spill Source: Missing Code in Old Data - Must be fixed Spill Notifier: Missing Code in Old Data - Must be fixed

Not reported Cleanup Ceased: Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/20/2003 Remediation Phase: Date Entered In Computer: 2/13/2000

Spill Record Last Update: 3/20/2003 Spiller Name: Not reported Spiller Company: PARAGON FUEL OIL

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller Company: 001

Contact Name: MRS MARTINEZ Contact Phone: (718) 365-2364

DEC Region: 2 DER Facility ID: 64963 DEC Memo: Not reported Not reported Remarks:

Material:

Site ID: 68080 Operable Unit ID: 1087443 Operable Unit: 01 294769 Material ID: Material Code: 0001 #2 Fuel Oil Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons Recovered:

Resource Affected: Not reported Oxygenate: False

No

Direction
Distance

Elevation Site Database(s) EPA ID Number

51-46 48TH ST (Continued)

Is Updated:

False

S104509867

EDR ID Number

```
Tank Test:
  Site ID:
                             Not reported
  Spill Tank Test:
                             Not reported
  Tank Number:
                             Not reported
  Tank Size:
                             Not reported
  Test Method:
                             Not reported
  Leak Rate:
                             Not reported
  Gross Fail:
                             Not reported
  Modified By:
                             Not reported
  Last Modified:
                             Not reported
  Test Method:
                             Not reported
NY Hist Spills:
  Region of Spill:
                                2
  Spill Number:
                                9912906
                                 SACCACIO
  Investigator:
  Caller Name:
                                 Not reported
  Caller Agency:
                                 Not reported
  Caller Phone:
                                 Not reported
  Notifier Name:
                                 Not reported
  Notifier Agency:
                                 Not reported
  Notifier Phone:
                                 Not reported
                                 02/13/2000 14:00
  Spill Date/Time:
  Reported to Dept Date/Time:
                                02/13/00 23:45
  SWIS:
                                 61
  Spiller Name:
                                 PARAGON FUEL OIL
  Spiller Contact:
                                 Not reported
                                 (718) 252-9000
  Spiller Phone:
  Spiller Contact:
                                 MRS MARTINEZ
  Spiller Phone:
                                 (718) 365-2364
  Spiller Address:
                                 Not reported
  Spiller City, St, Zip:
                                 Not reported
  Spill Cause:
                                Not reported
  Reported to Dept:
                                Not reported
  Water Affected:
                                 Not reported
  Spill Source:
                                 Not reported
  Spill Notifier:
                                 Not reported
  PBS Number:
                                 Not reported
  Cleanup Ceased:
                                / /
  Cleanup Meets Std:
                                False
  Last Inspection:
  Recommended Penalty:
                                Penalty Not Recommended
  Spiller Cleanup Dt:
  Enforcement Date:
                                //
  Invstgn Complete:
                                / /
  UST Involvement:
  Spill Class:
                                Known release with minimal potential for fire or hazard. DEC Response.
                                Willing Responsible Party. Corrective action taken.
  Spill Closed Dt:
  Corrective Action Plan Submitted:
  Date Region Sent Summary to Central Office: / /
                                                02/13/00
  Date Spill Entered In Computer Data File:
  Date Spill Entered In Computer Data File:
                                                Not reported
  Update Date:
                                 03/08/00
```

Direction Distance

Elevation Site Database(s) **EPA ID Number**

51-46 48TH ST (Continued) S104509867

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: #2 FUEL OIL #2 FUEL OIL Class Type: Times Material Entry In File: 24464 CAS Number: Not reported 19941207 Last Date:

DEC Remarks: At the time of the spill I called Paragon severl times and paged them several

times and they failed to get back to me. On 3/8/00 Cclled paragon and

requested a cleanup letter.

Remark: Not reported

F & D ASSOCIATES **FINDS** 1007751480

SE 57 49TH ST < 1/8

0.041 mi.

45

BROOKLYN, NY 11232

219 ft.

FINDS: Relative:

Higher

110019138743 Registry ID:

Actual: 17 ft.

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

environmental facility information found across the State.

NYC DEP. OF SANITATION #7 C46 LTANKS \$107523115 SSW 5100 1ST AVENUE N/A

< 1/8 **BROOKLYN, NY 11220**

0.048 mi.

Site 11 of 12 in cluster C 251 ft.

LTANKS: Relative:

Site ID: 356582 Higher Spill No: 0510578 Actual: Spill Date: 12/8/2005 20 ft. Spill Cause: Tank Failure

> Spill Source: Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/10/2006 N/A

EDR ID Number

Direction Distance

Elevation Site Database(s) **EPA ID Number**

NYC DEP. OF SANITATION #7 (Continued)

S107523115

EDR ID Number

5100 FIRST AVENUE Facility Addr2:

Not reported Cleanup Ceased: Cleanup Meets Standard: False SWIS: 2401 Investigator: **SFRAHMAN** Referred To: Not reported Reported to Dept: 12/8/2005 CID: 408 Water Affected: Not reported

Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True Remediation Phase: Date Entered In Computer: 12/8/2005 Spill Record Last Update: 11/10/2006 Spiller Name: JOE DIMAGGIO

Spiller Company: NYC DEP. OF SANITATION #7

Spiller Address: 5100 FIRST AVE Spiller City, St, Zip: BROOKLYN, NY

Spiller County: 001

Spiller Contact: JOE DIMAGGIO Spiller Phone: (631) 844-1540 Spiller Extention: Not reported DEC Region:

DER Facility ID: 20060

PBS No: 2-456128 SOIL WAS FOUND A FOOT ABOVE THE CASING ON THE TANK, Remarks: THIS TANK WAS PREVIOUSLY ABANDONDED. THERE MAY BE AN OPEN SPILL ON

THIS LOCATION. THERE IS SOIL CONTAMINATION, SAMPLES WILL BE TAKEN

Material:

Site ID: 356582 Operable Unit ID: 1113880 Operable Unit: 01 Material ID: 2103950 Material Code: 8000 Material Name: Diesel Case No.: Not reported Material FA: Petroleum Quantity: Not reported Units: Gallons Recovered: No Resource Affected: Not reported

False

Tank Test:

Oxygenate:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

Direction Distance

Distance EDR ID Number
Database(s) EPA ID Number

 C47
 UPS/PRESTON COURT
 LTANKS
 \$106703257

 SSW
 5101 1ST AVENUE
 HIST LTANKS
 N/A

< 1/8 NEW YORK CITY, NY

0.048 mi.

252 ft. Site 12 of 12 in cluster C

Relative: LTANKS:

Relative: Higher

 Site ID:
 175759

 Spill No:
 8803709

Actual: 20 ft.

Spill Date: 7/28/1988
Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 1/12/1993

Facility Addr2: 5101 1ST AVENUE Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 2401 **MCTIBBE** Investigator: Referred To: Not reported Reported to Dept: 7/28/1988 CID: Not reported Water Affected: Not reported

Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True
Remediation Phase: 0
Date Entered In Computer: 8/2/1988
Spill Record Last Update: 10/16/2003
Spiller Name: Not reported

Spiller Company: UPS/UNITED PARCEL SERVICE

Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 78041

Remarks: (10) MANIFOLDED 550'S FAILED TEST (10 PSI TEST), POSSIBLE PIPE LEAK,

WILL EXCAVATE AND RETEST.

Material:

Site ID: 175759 Operable Unit ID: 918865 Operable Unit: 01 Material ID: 459244 0009 Material Code: Gasoline Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Pounds Recovered: No

Resource Affected: Not reported Oxygenate: False

Direction Distance

Elevation Site Database(s) EPA ID Number

UPS/PRESTON COURT (Continued)

S106703257

EDR ID Number

Tank Test:

Site ID: 175759
Spill Tank Test: 1534363
Tank Number: Not reported

Tank Size: 0
Test Method: 00
Leak Rate: 0

Gross Fail: Not reported
Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 8803709

 Spill Date:
 07/28/1988

 Spill Time:
 16:00

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release that creates a file or hazard. DEC Response. Willing

Responsible Party. Corrective action taken.

Spill Closed Dt: 01/12/93 Cleanup Ceased: 11 Cleanup Meets Standard: False **TIBBE** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 07/28/88 Reported to Department Time: 17:03 SWIS: 61

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: UPS/UNITED PARCELS SERVIC Spiller Address: Not reported

Spiller City, St, Zip:
Spiller Cleanup Date:
Facility Contact:
Facility Phone:
Facility Extention:
Spill Notifier:
PBS Number:
Not reported
(718) 251-3179
Not reported
Tank Tester
PS Sumber:
2-356719

Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UPS/PRESTON COURT (Continued)

S106703257

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted:

Date Spill Entered In Computer Data File: 08/02/88 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 07/16/99 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: 0 Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: **Pounds** Quantity Recovered: O Unkonwn Quantity Recovered: False GASOLINE Material: Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: TRANSFERRED FROMSULIVAN TO TIBBE. REFER TO 91-11381.

Spill Cause: 10) MANIFOLDED 550 S FAILED TEST 10 PSI TEST), POSSIBLE PIPE LEAK, WILL

EXCAVATE AND RETEST.

E48 **NYC DEPT OF SANITATION** RCRA-NonGen 1000141022 5100 1ST AVE - BK-7 NYD986873370 SSW **FINDS**

< 1/8 BROOKLYN, NY 11232

0.049 mi.

260 ft. Site 1 of 14 in cluster E

Relative:

RCRA-NonGen:

Higher Actual:

20 ft.

Date form received by agency: 01/01/2007

NYC DEPT OF SANITATION Facility name: Facility address: 5100 1ST AVE - BK-7

BROOKLYN, NY 112324304

EPA ID: NYD986873370 58TH ST RM 404 Mailing address:

ATTN J SCHIAVONE WOODSIDE, NY 11377

Contact: Not reported Contact address: 58TH ST RM 404 WOODSIDE, NY 11377

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Direction Distance Elevation

tion Site Database(s) EPA ID Number

NYC DEPT OF SANITATION (Continued)

1000141022

EDR ID Number

Owner/operator name: CITY OF NEW YORK Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: CITY OF NEW YORK Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Unknown Furnace exemption: Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: NYC DEPT OF SANITATION Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: NYC DEPT OF SANITATION Classification: Not a generator, verified

Date form received by agency: 08/09/1988

Facility name: NYC DEPT OF SANITATION Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004437404

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC DEPT OF SANITATION (Continued)

1000141022

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

Not reported

5100 1ST AVENUE E49 **NY Spills** S103570150 SSW 5100 1ST AVENUE **NY Hist Spills** N/A

< 1/8 0.049 mi.

260 ft. Site 2 of 14 in cluster E

BROOKLYN, NY

Facility Addr2:

Relative: Higher

NY Spills: Site ID: 113882

Actual: 20 ft.

Facility ID: 9611002 9611002 Spill Number: Facility Type: ER SWIS: 2401 Investigator: **ADZHITOM** Referred To: Not reported Spill Date: 12/6/1996 Reported to Dept: 12/6/1996 CID: 204 Spill Cause: Other Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Local Agency Cleanup Ceased: Not reported Cleanup Meets Std: False Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust:

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase:

Date Entered In Computer: 12/6/1996 Spill Record Last Update: 6/23/2009

Spiller Name: **ANTHONY MORINO**

Spiller Company: NYC DEPT OF DESIGN/CONST Spiller Address: 30 THOMPSON AVENUE Spiller City, St, Zip: LONG ISLAND, NY

Spiller Company: 001

Contact Name: LINDA COLLART Contact Phone: (716) 856-5636

DEC Region: DER Facility ID:

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ZHITOMIRSKY" 4-20-2005 Reviewed a Monitoring Report for the above referenced site. The report presented remedial system performance and groundwater monitoring data. The report stated that based on the site

monitoring data, the MPE system is effectively treating contamination. However, free product persists at MW-8. LiRo recommended that all extraction wells with the exception of

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database(s)

5100 1ST AVENUE (Continued)

S103570150

EDR ID Number

EPA ID Number

extraction well EW-11 be turned off in order to increase the effectiveness on MW-8. The Department concured with this proposal. In addition, LiRo recommended using a vacuum truck to remove the remaining product from MW-8. The Department disagreed with this proposal. The site has an MPE system which, with the only remaining pumping well, should be capable of removing the remaining contamination. If no progress is achieved by the remedial system modification, other remedial options might be explored.AZ 12/29/2005 Reviewed a Monitoring Report for this site received on November 3, 2005. The report states that based on the site monitoring data, free product was detected around MW-8 only. LiRo proposed to shutdown the MPE system and to conduct more rounds of IRM. This proposal is approved. The effectiveness of IRM performance should be evaluated in a quarter. The Department reserves the right to have the system back on if the proposed alternative remediation method is not producing satisfactory results within a reasonable time frame. AZ 1/12/2006 The site was transferred from P1 (Priority 1) category to P2(Priority 2) category site as per J. Kolleney's request. AZ 5/9/2006 Reviewed a Monitoring Report for this site received on April 17, 2006. The report states that based on the site monitoring data, free product was detected around MW-8 (0.40'). LiRo discontnued monitoring and operating this system in December 2005. AZ 6/08/2006 At the meeting with DDC/Grevhawk/Roux on 5/23/2006 CM informed DEC that the system is shut down. Free phase should be delineated and addressed (DEC). Depth to gw is 15'-16'. DDC/Greyhawk should check 2,000 gal fuel tank testing results and maybe test the tank. AZ 7/31/2006 Reviewed Work Plan dated July 6, 2006, and received on July 10, 2006. The Work Plan was dicussed with Jon K. The plan cannot be approved at this point since it lacks essential information. Existing soil data must accompany the plan and must be plotted on the site map. Soil and groundwater plume maps must be included in the Work Plan. A short description of the site status and groundwater flow direction should be shown on the plan. A brief description of the remediation system, if any, current contamination levels, performed remedial activities and status of the tanks at the site should be included in the work plan. Upon submission of hard copies with this information, this work plan will be reviewed again. The information listed above has been routinely submitted by other consultants in their work plans. An e-mail with these comments was sent to Wendy Shen (Roux). AZ 6-5-2007 Reviewed Monitoring Data Report by Greyhawk/ROUX received on January 31 2007. On July 14, 2005, the DEC approved the conditional shutdown of the MPE system. Significant VOC contamination was detected in 7-MW--08 (431 ppb). Soil contamination is up to 283,700 ppb. E-mail was sent to DDC/Roux/Greyhawk: Significant VOC contamination was detected in 7-MW--08 (431 ppb). SVOCs were not detected in any wells in the current quarter except for very low in 7-MW-07. No free phase was detected in MW-8 allowing this well to be sampled for the first time. Free phase product was observed in 7-MW-08 (0.03') on July 12, 2006. Sheen was observed in this well in August 2006. Roux proposed permanently shut down and decommission the MPE system, remove SVOCs from monitoring program, reduce gauging frequency to guarterly and perform soil sampling. DEC approve the proposed soil sampling plan. Monitoring wells MW-12, MW-08, MW-03 and MW-10 could be removed from the groundwater sampling program. MW-07 and MW-08 should be sampled for SVOCs. The rest of the wells do not have to be tested for SVOCs. Gauging could be reduced to quarterly. MPE system should remain intact. AZ 2-6-2007 An e-mail was sent to Roux/DDC/Greyhawk:"I have

Direction
Distance
Elevation

Site Database(s) EPA ID Number

5100 1ST AVENUE (Continued)

S103570150

EDR ID Number

reviewed a semi-annual report for the above site. Also, the site was discussed in a conference call with you and Andy Ledins. In July 2007 three additional soil borings were advanced to determine the cause for the intermittent free product detected in well 7- MW-08. The investigation showed that a plume exists in the vicinity of monitoring well 7-MW-08. Soil samples were contaminated at the depth of 15-17 feet (around 35,000 ppb of total VOCs). Groundwater grab samples, which were collected from these borings, indicated groundwater contamination (concentrations around 315 ppb of total VOCs). Based on these findings, I disagree with the Roux's statement that "soil contamination at the site has been remediated." I reject Roux's proposal to shut down permanently and decommission the existing MPE system. Roux stated that they will collect the groundwater data to support a petition for no further no action. At this stage of remediation petition for no further action will not be supported by NYSDEC. Additional groundwater well(s) should be installed in proximity to well 7- MW-08. Contaminated soil and groundwater plume around well 7- MW-08 should be addressed. Possible remediation options could include hot spot soil excavation or modification and re-start of the MPE system. Roux should perform a site visit and submit investigation and remediation proposals to NYSDEC. Monitoring wells MW-01, 7-MW--05R, MW-06 and 7-MW-11 could be removed from the monitoring program. Well 7-MW-07 could be removed from SVOCs sampling but should be sampled for VOCs. Monitoring well 7-MW-08 should be sampled for VOCs and SVOCs." AZ 10-29-2008 An e-mail was sent to Roux/Greyhawk/DDC/V.B.: "There is a spill record related to a leaking waste oil tank at the above site. This spill should be investigated and remediated. Please, submit an investigative report with the remedial proposals." AZ 6-22-09 An e-mail was sent to Brian Morrissey/V. Brevdo/Fatemeh Ashkan: "There is a spill record related to a leaking waste oil tank at the above site. This spill should be investigated and remediated. Please, submit an investigative report with the remedial proposals for this spill." AZ

Remarks: TANK LEAKING - TEST BORING

Material:

 Site ID:
 113882

 Operable Unit ID:
 1038915

 Operable Unit:
 01

 Material ID:
 343215

 Material Code:
 0022

Material Name: Waste Oil/Used Oil
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Gallons
Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

5100 1ST AVENUE (Continued)

S103570150

EDR ID Number

Leak Rate:Not reportedGross Fail:Not reportedModified By:Not reportedLast Modified:Not reportedTest Method:Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9611002 **ZHITOMIRSKY** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Spill Date/Time: 12/06/1996 09:30 Reported to Dept Date/Time: 12/06/96 10:16

SWIS: 61

Spiller Name: NYC DEPT OF DESIGN/CONST

Spiller Contact: ANTHONY MORINO
Spiller Phone: (718) 391-1062
Spiller Contact: LINDA COLLART
Spiller Phone: (716) 856-5636

Spiller Address: 30 THOMPSON AVENUE

Spiller City,St,Zip: LONG ISLAND, NY

Spill Cause: Other
Reported to Dept: On Land
Water Affected: Not reported

Spill Source: 01

Spill Notifier: Local Agency
PBS Number: Not reported
Cleanup Ceased: / /
Cleanup Meets Std: False

Last Inspection: //
Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: //

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 12/06/96
Date Spill Entered In Computer Data File: Not reported

Update Date: 10/14/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

5100 1ST AVENUE (Continued)

Not reported

S103570150

Gross Leak Rate: Material:

> Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: True

Material: WASTE OIL Class Type: WASTE OIL Times Material Entry In File: 9509 CAS Number: Not reported 19940927 Last Date:

DEC Remarks: Not reported

TANK LEAKING - TEST BORING Remark:

E50 **DEPT OF SANITATION LTANKS** S104073448

SSW **5100 FIRST AVENUE HIST LTANKS** N/A **BROOKLYN, NY NY Spills** < 1/8 **NY Hist Spills**

0.049 mi.

260 ft. Site 3 of 14 in cluster E

LTANKS: Relative:

Site ID: 148759 Higher Spill No: 0105806 Actual: Spill Date: 8/30/2001 20 ft. Spill Cause: Tank Test Failure

> Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/8/2006 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 2401 Investigator: **KSTANG** Referred To: Not reported 8/30/2001 Reported to Dept: CID: 205

Water Affected: Not reported Spill Notifier: Responsible Party Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 8/30/2001 Spill Record Last Update: 2/8/2006 Spiller Name: **CALLER**

Spiller Company: DEPT OF SANITATION.. Spiller Address: 5100 FIRST AVENUE Spiller City, St, Zip: BROOKLYN, NY

Spiller County: 001 Spiller Contact: **CALLER** Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 99361

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

Remarks:

failed test.

Material:

Site ID: 148759 Operable Unit ID: 842837 Operable Unit: 01 Material ID: 530694 Material Code: 0001 Material Name: #2 Fuel Oil Case No.: Not reported Material FA: Petroleum Quantity: 0 Units: Gallons Recovered: No Resource Affected: Not reported False Oxygenate:

Tank Test:

 Site ID:
 148759

 Spill Tank Test:
 1526568

 Tank Number:
 1

 Tank Size:
 10000

Tank Size: 1000
Test Method: 03
Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004

Test Method: Horner EZ Check I or II

HIST LTANKS:

 Region of Spill:
 2

 Spill Number:
 9614638

 Spill Date:
 03/19/1997

 Spill Time:
 09:00

Spill Time: 09:00
Spill Cause: Tank Failure
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: // Cleanup Ceased: // Cleanup Meets Standard: False

Investigator: **ZHITOMIRSKY** Caller Name: Not reported Caller Agency: Not reported Not reported Caller Phone: Not reported Caller Extension: Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 03/20/97 Reported to Department Time: 08:07 SWIS: 61

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DEPT OF SANITATION (Continued)

S104073448

Spiller Contact: CARMELO Spiller Phone: (718) 492-6447 Spiller Extention: Not reported

Spiller Name: **DEPT OF SANITATION** Spiller Address: 5100 1ST AVE Spiller City, St, Zip: BROOKLYN, NY

Spiller Cleanup Date: //

Facility Contact: **CARMELO** Facility Phone: (718) 492-6447 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: Investigation Complete: 11 **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 03/20/97 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 12/20/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Not reported Gross Leak Rate:

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: **DIESEL** Class Type: DIESEL Times Material Entry In File: 10625 CAS Number: Not reported Last Date: 19940728 Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False

Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: Not reported

Spill Cause: CALLER DOING WORK AROUND TANKS FOUND CONTAMINATED SOIL AROUND TOP OF TANKS

Direction
Distance

Elevation Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

Region of Spill: 2
Spill Number: 0105806
Spill Date: 08/20/200

 Spill Number:
 0103000

 Spill Date:
 08/30/2001

 Spill Time:
 09:45

Spill Cause: Tank Test Failure
Resource Affectd: On Land
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: // Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: **TIPPLE** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 08/30/01 Reported to Department Time: 09:45 SWIS: Spiller Contact: CALLER Spiller Phone: () -

Spiller Extention:

Spiller Name:

Spiller Address:

Spiller City, St, Zip:

Not reported

DEPT OF SANITATION..

5100 FIRST AVENUE

BROOKLYN, NY

Spiller Cleanup Date: / /
Facility Contact: CALLER
Facility Phone: () Facility Extention: Not reported
Spill Notifier: Responsible Party

PBS Number: 2-456218

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/30/01
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 08/31/01 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: 1
Tank Size: 10000

Test Method: Horner EZ Check

Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL

Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: Not reported Spill Cause: failed test.

NY Spills:

Site ID: 148761
Facility Addr2: Not reported
Facility ID: 9614638
Spill Number: 9614638
Facility Type: ER
SWIS: 2401
Investigator: ADZHITOM

Referred To: MONITORING REPORT TO BE SUBMITTED

Spill Date: 3/19/1997
Reported to Dept: 3/20/1997
CID: 257
Spill Cause: Unknown
Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: True

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Not Closed

Remediation Phase: 1

Date Entered In Computer: 3/20/1997 Spill Record Last Update: 6/22/2009 Spiller Name: CARMELO

Spiller Company: DEPT OF SANITATION

Spiller Address: 5100 1ST AVE
Spiller City,St,Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: CARMELO Contact Phone: (718) 492-6447

DEC Region: 2 DER Facility ID: 99361

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ZHITOMIRSKY" Spill # 9603371 and 9611806 are consolidated with this

spill in consultation with Alex. The site is currently under

remediation by LiRo Engineers. - II (02/24/05). 4/20/2005 AZ reviewed a Monitoring Report for this site received on February 23, 2005. The

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database(s)

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

EPA ID Number

report presents remedial system performance and groundwater monitoring data. The report states that based on the site monitoring data, the MPE system is effectively treating contamination. However, free product persists at MW-8. LiRo recommends that all extraction wells with the exception of extraction well EW-11 be turned off in order to increase the effectiveness on MW-8. The Department concured with this proposal. In addition, LiRo recommends using a vacuum truck to remove the remaining product from MW-8. The Department disagreed with this proposal. The site has an MPE system which, with the only remaining pumping well, should be capable of removing the remaining contamination. If no progress is achieved by the remedial system modification, other remedial options might be explored.AZ 6/1/2005 Reviewed a Monitoring Report and a letter with remedial system recommendations dated May 19, 2005. The report presented remedial system performance and groundwater monitoring data. The data show that free product persists at well MW-8. In the letter LiRo proposed to perform IRM visits twice a month for the next two months, discontinue semi-annual soil monitoring, and change the groundwater sampling schedule from quarterly to semi-annual. The Department concured with these proposals. Also, LiRo recommended shutting down the remediation system. The Department disagreed with this proposal. The site has an MPE system which, with the only remaining pumping well, should be capable of addressing the remaining contamination. The system should be modified to focus on removing the remaining free product. Possible modifications could include (but are not limited to) redevelopment of well MW-8 or conversion of MW-8 into an extraction well. A letter was issued. AZ 7/14/2005 Reviewed a Remediation System Shutdown Recommendation. The report stated that based on the site monitoring data, free product was detected in a limited area around MW-8 only. NYCDDC proposed to shutdown the MPE system and to conduct more rounds of IRM, followed by installing a passive skimmer to remove any remaining residual product from MW-8. This proposal is approved. The effectiveness of IRM performance should be evaluated in a quarter. The Department reserved the right to have the system back on if the proposed alternative remediation method is not producing satisfactory results within a reasonable time frame.AZ 12/29/2005 Reviewed a Monitoring Report for this site received on November 3, 2005. The report states that based on the site monitoring data, free product was detected around MW-8 only. LiRo proposed to shutdown the MPE system and to conduct more rounds of IRM. This proposal is approved. The effectiveness of IRM performance should be evaluated in a quarter. The Department reserves the right to have the system back on if the proposed alternative remediation method is not producing satisfactory results within a reasonable time frame. AZ 1/12/2006 Spill moved from Priority 1 category to Priority 2 Category as per J.Kolleeny request. Free product is still present. AZ 5/9/2006 Reviewed a Monitoring Report for this site for the period of November 2005 - December 2005 received on April 17, 2006. The report states that based on the site monitoring data, free product was detected around MW-8 (0.40'). LiRo discontnued monitoring and operating this system in December 2005. AZ 8/7/2006 Reviewed Quarterly Groundwater Monitoring Data Report by Greyhawk/ROUX received in July 2006. Free product has been sporadically observed in MW-8. Recommended quarterly gw monitoring, sampling only of MW-8, conduct a soil boring program to delineate the extent of free product near MW-8 9(6 borings), perform quarterly gauging of all wells and free product recovery in MW-8. AZ 6-5-2007

Map ID Direction Distance Elevation

Site

MAP FINDINGS

Database(s)

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

EPA ID Number

Reviewed Monitoring Data Report by Greyhawk/ROUX received on January 31 2007. On July 14, 2005, the DEC approved the conditional shutdown of the MPE system. Significant VOC contamination was detected in 7-MW--08 (431 ppb). Soil contamination is up to 283,700 ppb. E-mail was sent to DDC/Roux/Greyhawk: Significant VOC contamination was detected in 7-MW--08 (431 ppb). SVOCs were not detected in any wells in the current quarter except for very low in 7-MW-07. No free phase was detected in MW-8 allowing this well to be sampled for the first time. Free phase product was observed in 7-MW-08 (0.03') on July 12, 2006. Sheen was observed in this well in August 2006. Roux proposed permanently shut down and decommission the MPE system, remove SVOCs from monitoring program, reduce gauging frequency to quarterly and perform soil sampling. DEC approve the proposed soil sampling plan. Monitoring wells MW-12, MW-08, MW-03 and MW-10 could be removed from the groundwater sampling program. MW-07 and MW-08 should be sampled for SVOCs. The rest of the wells do not have to be tested for SVOCs. Gauging could be reduced to quarterly. MPE system should remain intact. AZ 2-4-2008 Discussed the site with Brian Morrissey. A hot spot exists around monitoring well 7-MW-08 which was confirmed by three wells advanced in July 2007. Soil samples were contaminated at the depth of 15-17 feet (around 35,000 ppb of total VOC in soil). Groundwater grab samples taken from these borings showed some groundwater contamination (concentrations around 315 ppb of total VOC). Also, more groundwater monitoring wells maybe warranted at this location. I suggested resuming MPE system activities in this part of the site or partial hot spot excavation. Roux will get back to me to further discuss the site. AZ 2-6-2008 An e-mail was sent to Roux/DDC/Greyhawk:"I have reviewed a semi-annual report for the above site. Also, the site was discussed in a conference call with you and Andy Ledins. In July 2007 three additional soil borings were advanced to determine the cause for the intermittent free product detected in well 7- MW-08. The investigation showed that a plume exists in the vicinity of monitoring well 7-MW-08. Soil samples were contaminated at the depth of 15-17 feet (around 35,000 ppb of total VOCs). Groundwater grab samples, which were collected from these borings, indicated groundwater contamination (concentrations around 315 ppb of total VOCs). Based on these findings, I disagree with the Roux's statement that "soil contamination at the site has been remediated." I reject Roux's proposal to shut down permanently and decommission the existing MPE system. Roux stated that they will collect the groundwater data to support a petition for no further no action. At this stage of remediation petition for no further action will not be supported by NYSDEC. Additional groundwater well(s) should be installed in proximity to well 7- MW-08. Contaminated soil and groundwater plume around well 7- MW-08 should be addressed. Possible remediation options could include hot spot soil excavation or modification and re-start of the MPE system. Roux should perform a site visit and submit investigation and remediation proposals to NYSDEC. Monitoring wells MW-01, 7-MW--05R, MW-06 and 7-MW-11 could be removed from the monitoring program. Well 7-MW-07 could be removed from SVOCs sampling but should be sampled for VOCs. Monitoring well 7-MW-08 should be sampled for VOCs and SVOCs." AZ 10-29-2008 Reviewed semi-annual report for July 2007 - June 2008 dated Aug. 4, 2008. Contacted Brian Morrissey and discussed the site. The MPE system is in disrepair. On July 30 and 31, 2008, Roux drilled 3 borings. RXSB-02 exhibited 73.900 PPB of total VOCs in soil. RXSB-1 had 315 ppb total dissolved VOC in groundwater - grab sample. Wells requested

Direction
Distance
Elevation

Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

by DEC were not installed due to the presence of a subsurface slab. On May 16, 2008, free phase was discovered in 7-MW-08 (0.2') and 7-MW-09 (0.08'). Roux recommended Bioremediation. DEC rejected this proposal and suggested addressing free phase product and soil contamination. E-mail was sent to Roux/Greyhawk/DDC/V.B.: "As per our discussion of the above site, Roux will proceed with the installation of an additional groundwater monitoring well, utilities and structures allowing. Its tentative location is near EW-10. Extraction well EW-11 should be redeveloped and sampled, if feasible. Additional remedial proposals addressing contaminated soil and free phase product will be submitted by Roux within next four weeks." AZ 11-26-2008 Discussed the site with Brian Morrissey. Free phase was encountered in 3 wells thickness - 05',0.08' and 0.2'. Soil is heavily contaminated. Brian proposed EFR for the time being. I concurred but stated that a dual phase system is needed to address free phase product and soil contamination. Bio can not be applied at the site at this time due to the presence of the free phase. AZ 6-22-09 An e-mail was sent to B. Morrissey, Fatemeh Ashkan and V. Brevdo:" I have reviewed semi-annual monitoring report dated March 19, 2009 for the above site. Free phase product intermittently detected in MW-08, MW-09, and EW-11. The product was identified as lubrication oil. A waste oil tank located east of wells with free product may be a potential source. Soil is heavily contaminated at the site. Waste oil tank and associated piping should be tightness tested ASAP. A monitoring well should be installed in the approximate location of RXSB-01 to monitor free product plume. Proposal to implement enhanced Bioremediation injections is rejected due to the presence of the free phase product. Enhanced Fluid Recovery should be performed on wells containing free product. Well gauging and reporting should be performed quarterly. A remedial strategy should be developed to address free phase and soil contamination." AZ

Remarks: CALLER DOING WORK AROUND TANKS FOUND CONTAMINATED SOIL AROUND TOP OF TANKS

Material:

148761 Site ID: Operable Unit ID: 1042310 Operable Unit: 01 Material ID: 339741 0009 Material Code: Material Name: Gasoline Case No.: Not reported Material FA: Petroleum

Quantity: 0
Units: Gallons
Recovered: No
Resource Affected: Not reported

Oxygenate: False Site ID: 148761 Operable Unit ID: 1042310 Operable Unit: 01 Material ID: 339740 Material Code: 8000 Material Name: Diesel Case No.: Not reported Material FA: Petroleum

Quantity: 0
Units: Gallons

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Not reported Modified By: Last Modified: Not reported Test Method: Not reported

Site ID: 148760 Facility Addr2: Not reported Facility ID: 9611806 Spill Number: 9611806 Facility Type: ER SWIS: 2401 **ADZHITOM** Investigator: Referred To: Not reported Spill Date: 12/30/1996 Reported to Dept: 12/30/1996 CID: 312

Spill Cause: Equipment Failure Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/24/2005 Remediation Phase: 0

Date Entered In Computer: 12/30/1996
Spill Record Last Update: 2/24/2005
Spiller Name: Not reported
Spiller Company: NYC DGS
Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller Company: 001

Contact Name: JOHN NEMER
Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 99361

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ZHITOMIRSKY" The spill is closed in consultation with Alex to consolidate with spill # 9614638. The site is currently under

remediation by LiRo Engineers. -II (02/24/05).

Remarks: poss from leaking pipes over unk period of time

Direction Distance Elevation

tion Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

Material:

Site ID: 148760 Operable Unit ID: 1043149 Operable Unit: 01 Material ID: 340460 Material Code: 8000 Material Name: Diesel Case No.: Not reported Material FA: Petroleum Quantity: 0 Units: Gallons Recovered: No Not reported Resource Affected: Oxygenate: False Site ID: 148760 Operable Unit ID: 1043149 Operable Unit: 01 Material ID: 340462 Material Code: 0013 Lube Oil Material Name: Not reported Case No.: Petroleum Material FA: Quantity:

Resource Affected: Not reported Oxygenate: False

Gallons

No

Tank Test:

Units: Recovered:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

<u>Click this hyperlink</u> while viewing on your computer to access additional NY_SPILL: detail in the EDR Site Report.

NY Hist Spills:

Region of Spill: 2

Spill Number: 9611806 **ZHITOMIRSKY** Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 12/30/1996 09:00 Reported to Dept Date/Time: 12/30/96 10:08

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT OF SANITATION (Continued)

S104073448

EDR ID Number

SWIS: 61
Spiller Name: NYC DGS
Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Contact: JOHN NEMER
Spiller Address: Not reported
Spiller City,St,Zip: Not reported
Spill Cause: Equipment Failure

Reported to Dept: On Land
Water Affected: Not reported

Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: / /

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt:

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 12/30/96
Date Spill Entered In Computer Data File: Not reported

Update Date: 10/14/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: 0 Unkonwn Quantity Spilled: True Units: Gallons Quantity Recovered: Unkonwn Quantity Recovered: False Material: DIESEL Class Type: **DIESEL** Times Material Entry In File: 10625 CAS Number: Not reported Last Date: 19940728 Material Class Type: Petroleum Quantity Spilled:

Unkonwn Quantity Spilled: True
Units: Gallons
Quantity Recovered: 0
Unkonwn Quantity Recovered: False

Material: LUBRICATING OIL

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DEPT OF SANITATION (Continued)

S104073448

Class Type: LUBRICATING OIL

Times Material Entry In File: 292 CAS Number: Not reported Last Date: Not reported Material: **LUBE OIL** LUBE OIL Class Type: Times Material Entry In File: 295

CAS Number: Not reported 19940728 Last Date:

DEC Remarks: Not reported

poss from leaking pipes over unk period of time Remark:

DSNY BK DISTRICT 7/10 GARAGE U000409951 E51 **LTANKS**

HIST LTANKS SSW **5100 FIRST AVENUE** N/A < 1/8 **BROOKLYN, NY 11220** UST 0.049 mi. **HIST UST**

260 ft. Site 4 of 14 in cluster E

LTANKS: Relative:

301056 Site ID: Higher

Spill No: 9603371 Actual: Spill Date: 6/11/1996 20 ft. Spill Cause: Tank Failure

> Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 2/24/2005 Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 2401 Investigator: **ADZHITOM** Referred To: Not reported Reported to Dept: 6/11/1996 CID: 349

Water Affected: Not reported Spill Notifier: Other Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: Remediation Phase: Date Entered In Computer: 6/11/1996 Spill Record Last Update: 5/9/2006

Spiller Name: **ANTHONY FARINO**

Spiller Company: NYC DEPT OF GENERAL SERV.

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller County: 001 Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 99361

RESULTS FROM SOIL TEST SHOW CONTAMINATION - SUSPECTED TANK FAILURE Remarks:

Material:

301056 Site ID:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

Operable Unit ID: 1034659 Operable Unit: 01 Material ID: 349637 Material Code: 8000 Material Name: Diesel Not reported Case No.: Material FA: Petroleum Quantity: Units: Gallons Recovered: No Resource Affected: Not reported

False

Tank Test:

Oxygenate:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Not reported Gross Fail: Modified By: Not reported Last Modified: Not reported Not reported Test Method:

HIST LTANKS:

2 Region of Spill: Spill Number: 9603371 Spill Date: 06/11/1996 Spill Time: 09:00 Spill Cause: Tank Failure Resource Affectd: On Land Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: / / Cleanup Meets Standard: False

Investigator: **ZHITOMIRSKY** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 06/11/96 Reported to Department Time: 10:02 SWIS:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

Spiller Name: NYC DEPT OF GENERAL SERV.

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

Spiller Address: Not reported Spiller City, St, Zip: Not reported

Spiller Cleanup Date: 11

Facility Contact: ANTHONY FARINO Facility Phone: (212) 669-8286 Facility Extention: Not reported Spill Notifier: Other PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Enforcement Date: / / Investigation Complete: // **UST Involvement:** True

Date Region Sent Summary to Central Office: / / Corrective Action Plan Submitted: Date Spill Entered In Computer Data File: 06/11/96 Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 10/14/97 Is Updated: False

Tank:

Not reported PBS Number: Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: O Unkonwn Quantity Spilled: True Gallons Quantity Recovered: Unkonwn Quantity Recovered: False DIESEL Material: DIESEL Class Type: Times Material Entry In File: 10625 CAS Number: Not reported Last Date: 19940728

DEC Remarks: Not reported

RESULTS FROM SOIL TEST SHOW CONTAMINATION - SUSPECTED TANK FAILURE Spill Cause:

UST:

Facility Id: 2-456128 Region: STATE DEC Region: 2 Site Status: Active Program Type: PBS Expiration Date: 2013/12/06

UTM X: 582883.91266000003 UTM Y: 4500326.8911499996

Affiliation Records:

Site Id: 20094 Affiliation Type: Owner

Company Name: NYC DEPT OF SANITATION

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

Contact Type: Not reported Contact Name: Not reported

Address1: 125 WORTH ST, RM #823B

Address2: Not reported City: **NEW YORK** State: NY 10013 Zip Code: Country Code: 001

Phone: (646) 885-4874 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 11/29/2010

Site Id: 20094

Affiliation Type: **Emergency Contact**

Company Name: NYC DEPT OF SANITATION

Contact Type: Not reported

Contact Name: **BUREAU OF CLEANING & COLLECTIONS**

Address1: Not reported Not reported Address2: City: Not reported State: NNZip Code: Not reported

999 Country Code:

(646) 885-4874 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 12/8/2010

Site Id: 20094 Mail Contact Affiliation Type:

Company Name: NYC DEPT OF SANITATION

Contact Type: Not reported

Contact Name: A/C M. BONACORSA 125 WORTH STREET Address1:

Address2: ROOM 823B City: **NEW YORK** State: NY Zip Code: 10013 Country Code: 001

Phone: (646) 885-4874 Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **NRLOMBAR** Date Last Modified: 12/10/2010

Site Id: 20094

Affiliation Type: On-Site Operator

DSNY BK DISTRICT 7/10 GARAGE Company Name:

Contact Type: Not reported

Contact Name: **GARAGE SUPERVISOR**

Address1: Not reported

Direction Distance Elevation

evation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Address2: Not reported City: Not reported

State: NN

Zip Code: Not reported

Country Code: 001

Phone: (718) 439-3700
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: dxliving
Date Last Modified: 8/3/2009

Tank Info:

Site ID: 20094

Tank Number: 001 Tank ID: 36516

Tank Status:

Closed - Removed
Tank Model:

Pipe Model:

Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed

Not reported

12/1/1984

2000

NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 20094

 Tank Number:
 002

 Tank ID:
 36517

Tank Status:
Closed - Removed
Tank Model:
Not reported
Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:
Closed - Removed
Not reported
12/1/1984
2000
NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True

Modified By: TRANSLAT Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 003 Tank ID: 36518

Tank Status: Closed - Removed Tank Model: Not reported U000409951

Direction
Distance
Elevation

on Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 2000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997 Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 004 Tank ID: 36519

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 2000 Tightness Test Method: NN Next Test Date: Not reported 4/1/1997 Date Tank Closed:

Tank Location: 5
Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 20094

 Tank Number:
 005

 Tank ID:
 36520

Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: 12/1/1984
Capacity Gallons: 550
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/1/1997

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

 Site ID:
 20094

 Tank Number:
 006

Tank ID:

Tank Status: Closed - Removed Tank Model: Not reported

36521

U000409951

Direction Distance Elevation

Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN

Next Test Date: Not reported 11/1/2000 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

007 Tank Number: Tank ID: 36522

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN Next Test Date: Not reported 11/1/2000

Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

800 Tank Number: Tank ID: 36523

Tank Status: Closed - In Place Tank Model: Not reported Not reported Pipe Model: 12/1/1984 Install Date: 2000 Capacity Gallons: Tightness Test Method: NN

Next Test Date: Not reported 4/1/1997 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

009 Tank Number: 36524 Tank ID:

Tank Status: Closed - Removed Tank Model: Not reported

Direction Distance Elevation

Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN

Next Test Date: Not reported 11/1/2000 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

010 Tank Number: Tank ID: 36525

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN Next Test Date: Not reported

Date Tank Closed: 11/1/2000

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

011 Tank Number: Tank ID: 36526

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: 12/1/1984 Install Date: 10000 Capacity Gallons: Tightness Test Method: NN

Next Test Date: Not reported 12/1/2002 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 012 Tank ID: 36527

Tank Status: Closed - In Place Tank Model: Not reported

U000409951

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 2000 Tightness Test Method: NN

Next Test Date: Not reported 4/1/1997 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 013 Tank ID: 36528

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: Install Date: 12/1/1984 Capacity Gallons: 2000 Tightness Test Method: 00 Next Test Date: Not reported

Date Tank Closed: 12/2/2005 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True NRLOMBAR Modified By: Last Modified: 3/3/2006

Site ID: 20094

014 Tank Number: Tank ID: 36529

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: 12/1/1984 Install Date: 2000 Capacity Gallons: Tightness Test Method: 00

Next Test Date: Not reported 12/2/2005 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 3/3/2006

Site ID: 20094

Tank Number: 015 36530 Tank ID:

Tank Status: Closed - In Place Tank Model: Not reported

U000409951

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model: Not reported Install Date: 12/1/1984
Capacity Gallons: 2000
Tightness Test Method: NN

Next Test Date: Not reported
Date Tank Closed: 1/1/1997
Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 20094

 Tank Number:
 016

 Tank ID:
 36531

Tank Status: Closed - In Place Tank Model: Not reported Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 2000 Tightness Test Method: NN Next Test Date: Not reported Date Tank Closed: 1/1/1997 Tank Location:

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 017
Tank ID: 36532

Tank Status:
Closed - Removed
Tank Model:
Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:
Closed - Removed
Not reported
12/1/1984
550
NN

Next Test Date: Not reported Date Tank Closed: 11/1/2000

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 20094

 Tank Number:
 018

 Tank ID:
 36533

Tank Status: Closed - Removed Tank Model: Not reported

U000409951

Direction Distance

Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN

Next Test Date: Not reported 11/1/2000 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

019 Tank Number: Tank ID: 36534

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN Next Test Date: Not reported

Date Tank Closed: 11/1/2000 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

020 Tank Number: Tank ID: 36535

Tank Status: Closed - Removed Tank Model: Not reported Not reported Pipe Model: 12/1/1984 Install Date: 1080 Capacity Gallons: Tightness Test Method: NN

Next Test Date: Not reported 11/1/2000 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 021 36536 Tank ID:

Tank Status: Closed - Removed Tank Model: Not reported

U000409951

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

Pipe Model: Not reported Install Date: 12/1/1984 Capacity Gallons: 1080 Tightness Test Method: NN

Next Test Date: Not reported 11/1/2000 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

Tank Number: 026-A Tank ID: 173487

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Not reported Install Date: 550

Capacity Gallons: Tightness Test Method: NN Next Test Date: Not reported 11/1/2000 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 20094

101 Tank Number: Tank ID: 51608 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/1997 Install Date: 4000 Capacity Gallons: Tightness Test Method: 00

Next Test Date: Not reported Not reported Date Tank Closed:

Tank Location:

Site ID:

Tank Type: Equivalent technology

20094

Date Test: Not reported Register: True

Modified By: **NRLOMBAR** Last Modified: 11/29/2010

Tank Number: 102 51609 Tank ID: Tank Status: In Service Tank Model: Not reported

Direction Distance Elevation

evation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model: Not reported Install Date: 1/1/1997
Capacity Gallons: 4000
Tightness Test Method: 00

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 11/29/2010

Site ID: 20094

Tank Number: 103 Tank ID: 51611 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 1/1/1997 Capacity Gallons: 2500 Tightness Test Method: 00

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Equivalent technology
Date Test: Not reported

Register: True
Modified By: NRLOMBAR
Last Modified: 11/29/2010

Site ID: 20094

105 Tank Number: Tank ID: 178619 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported 1/1/2001 Install Date: Capacity Gallons: 2500 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 11/29/2010

Site ID: 20094

Tank Number: 106
Tank ID: 178616
Tank Status: In Service
Tank Model: Not reported

U000409951

Direction Distance Elevation

on Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Pipe Model: Not reported Install Date: 1/1/2001 Capacity Gallons: 1000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 11/29/2010

Site ID: 20094

Tank Number: 107 Tank ID: 178615 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 1/1/2001 Capacity Gallons: 2500 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Equivalent technology
Date Test: Not reported

Register: True
Modified By: NRLOMBAR
Last Modified: 11/29/2010

Site ID: 20094

71 Tank Number: Tank ID: 51610 Tank Status: In Service Tank Model: Not reported Not reported Pipe Model: 11/1/1996 Install Date: 4000 Capacity Gallons: Tightness Test Method: 00

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True

Modified By: NRLOMBAR Last Modified: 11/29/2010

Site ID: 20094

 Tank Number:
 72

 Tank ID:
 210273

 Tank Status:
 In Service

 Tank Model:
 104

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Model:

D

Install Date: 1/11/2006
Capacity Gallons: 2500
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 11/29/2010

Site ID: 20094

Tank Number: 75
Tank ID: 64497
Tank Status: In Service
Tank Model: 104
Pipe Model: D

Install Date: 11/1/2000
Capacity Gallons: 3000
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location:

Tank Type: Equivalent technology
Date Test: Not reported

Register: True
Modified By: NRLOMBAR
Last Modified: 11/29/2010

Site ID: 20094

76 Tank Number: Tank ID: 64496 Tank Status: In Service Tank Model: 104 Pipe Model: D 11/1/2000 Install Date: 3000 Capacity Gallons: Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Site ID:

Tank Type: Equivalent technology

20094

Date Test: Not reported Register: True

Modified By: NRLOMBAR Last Modified: 11/29/2010

Tank Number: 77
Tank ID: 64498
Tank Status: In Service
Tank Model: 104

TC3040645.2s Page 153

U000409951

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

EDR ID Number

U000409951

Pipe Model: D

Install Date: 11/1/2000
Capacity Gallons: 1000
Tightness Test Method: NN
Next Test Date: Not report.

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 11/29/2010

Site ID: 20094

Tank Number: 78 Tank ID: 173486 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: 3/1/2003 Capacity Gallons: 10000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: 0

Date Test: Not reported Register: True Modified By: NRLOMBAR Last Modified: 11/29/2010

HIST UST:

PBS Number: 2-456128 SPDES Number: Not reported

Emergency Contact: BUREAU OF CLEANING & COLLECTION

Emergency Telephone: (212) 788-4054

Operator: NYC DEPT OF SANITATION, BCC

Operator Telephone: (718) 439-3700

Owner Name: NYC DEPT OF SANITATION
Owner Address: 125 WORTH ST RM #823
Owner City,St,Zip: NEW YORK, NY 10013
Owner Telephone: (212) 788-4054
Owner Type: Local Government
Owner Subtype: The City of New York

Mailing Name: NYC DEPT OF SANITATION
Mailing Address: 125 WORTH ST RM #823

Mailing Address 2: 8TH FLOOR

Mailing City,St,Zip: NEW YORK, NY 10013

Mailing Contact: CHIEF OF FACILITIES OPERAF LEG

Mailing Telephone: (212) 788-4077 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 5100 1ST AVENUE

SWIS ID: 6101

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Old PBS Number: Not reported

Facility Type: TRUCKING/TRANSPORTATION

Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Federal ID: Not reported Certification Flag: False Certification Date: 03/23/1999 **Expiration Date:** 12/06/2003 Renew Flag: False Renewal Date: Not reported 37690 Total Capacity: FAMT: True

Facility Screen: No Missing Data
Owner Screen: Minor Data Missing
Tank Screen: No Missing Data

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 61 Town or City: 01 Region: 2

Tank Id: 001

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19841201
Capacity (gals): 2000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Not reported Test Method: False Deleted: Updated: True Lat/long: Not reported

Tank ld: 002

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19841201
Capacity (gals): 2000
Product Stored: DIESEL

Tank Type: Steel/carbon steel

U000409951

Direction Distance Elevation

tion Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Date Closed: 04/01/1997 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 003

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Install Date: 19841201 Capacity (gals): 2000 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank ld: 004

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: 19841201

Install Date: 1984120 Capacity (gals): 2000 Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

U000409951

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data 04/01/1997 Date Closed: Not reported Test Method: False Deleted: Updated: True Lat/long: Not reported

Tank ld: 005

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19841201
Capacity (gals): 550
Product Stored: KEROSENE
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank ld: 006

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None Pipe External: None

U000409951

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

Second Containment: None Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: No Missing Data Missing Data for Tank: Not reported Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 007

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating
Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 008

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19841201

Capacity (gals): 2000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Direction Distance Elevation

ation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Suction Dispenser: Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 04/01/1997 Not reported Test Method: False Deleted: Updated: True Lat/long: Not reported

Tank ld: 009

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 010

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported

Direction Distance Elevation

on Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Missing Data for Tank: No Missing Data
Date Closed: Not reported
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 011

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 10000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported 12/01/1994 Next Test Date: Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 012

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19841201
Capacity (gals): 2000

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: No Missing Data
Date Closed: 04/01/1997
Test Method: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 013

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 2000
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: Other Tank External: 13

Pipe Location: Underground
Pipe Type: OTHER
Pipe Internal: None
Pipe External: None
Second Containment: None

Leak Detection: In-tank System

Overfill Prot: High Level Alarm, Catch Basin

Dispenser: Suction Date Tested: Not reported 12/01/1999 Next Test Date: No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

Tank ld: 014

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 2000
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: Other Tank External: 13

Pipe Location: Underground
Pipe Type: OTHER
Pipe Internal: None
Pipe External: None
Second Containment: None

Leak Detection: In-tank System

Overfill Prot: High Level Alarm, Catch Basin

Suction Dispenser: Date Tested: Not reported 12/01/1999 Next Test Date: Missing Data for Tank: No Missing Data Not reported Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Tank ld: 015

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19841201
Capacity (gals): 2000
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Date Closed: 01/01/1997 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 016

Tank Location: UNDERGROUND
Tank Status: Closed-In Place
Install Date: 19841201
Capacity (gals): 2000
Product Stored: DIESEL

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data 01/01/1997 Date Closed: Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 017

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

EDR ID Number

U000409951

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Install Date: 19841201
Capacity (gals): 550
Product Stored: KEROSENE
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: No Missing Data Not reported Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank ld: 018

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported No Missing Data Missing Data for Tank: Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 019

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground
Pipe Type: GALVANIZED STEEL

Pipe Internal: None

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: No Missing Data Not reported Date Closed: Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank ld: 020

Tank Location: UNDERGROUND

Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 021

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19841201
Capacity (gals): 1080
Product Stored: UNKNOWN
Tank Type: Steel/carbon steel

Tank Internal: None

Tank External: Painted/Asphalt Coating

U000409951

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Pipe Location: Underground

Pipe Type: GALVANIZED STEEL

Pipe Internal: None
Pipe External: None
Second Containment: None
Leak Detection: None

Overfill Prot: Product Level Gauge

Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: No Missing Data Not reported Date Closed: Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank ld: 022

Tank Location: UNDERGROUND

Tank Status: In Service Install Date: 19970101 Capacity (gals): 4000 Product Stored: DIESEL

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

Pipe Internal:

Pipe External:

None

None

None

Second Containment: Vault (w/access)

Leak Detection: 41

Overfill Prot: Catch Basin, High Level Alarm

Dispenser: Suction Date Tested: Not reported Next Test Date: 01/01/2012 Missing Data for Tank: No Missing Data Date Closed: Not reported Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Tank ld: 023

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970101
Capacity (gals): 4000
Product Stored: DIESEL

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

Pipe Internal:

None

None

U000409951

Direction Distance

Elevation Site Database(s) EPA ID Number

DSNY BK DISTRICT 7/10 GARAGE (Continued)

U000409951

EDR ID Number

Pipe External: None

Second Containment: Vault (w/access)

Leak Detection: 41

Overfill Prot: High Level Alarm, Catch Basin

Dispenser: Suction Not reported Date Tested: 01/01/2012 Next Test Date: Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 024

Tank Location: UNDERGROUND
Tank Status: In Service
Install Date: 19970101
Capacity (gals): 2500

Product Stored: UNLEADED GASOLINE

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal:
Tank External:
Pipe Location:
Pipe Type:
Pipe Internal:
Pipe External:
None
None
None

Second Containment: Vault (w/access)

Leak Detection: 41

Overfill Prot: High Level Alarm, Catch Basin

Dispenser: Suction Date Tested: Not reported Next Test Date: 01/01/2012 Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank ld: 025

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Install Date: 19961101 Capacity (gals): 4000 Product Stored: DIESEL

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal:

Tank External:

Pipe Location:

Pipe Type:

Pipe Internal:

None

Tone

To

Second Containment: Vault (w/access)

Leak Detection: 41

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

DSNY BK DISTRICT 7/10 GARAGE (Continued)

Overfill Prot:

High Level Alarm, Catch Basin

Dispenser: Suction Date Tested: Not reported Next Test Date: 11/01/2011 Missing Data for Tank: No Missing Data Date Closed: Not reported Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

E52 NYC DEPT OF SANITATION RCRA-NonGen 1000140981 5100 FIRST AVE - BROOKLYN #10 SSW **FINDS** NYD981483415

BROOKLYN, NY 11232 < 1/8

0.049 mi.

Site 5 of 14 in cluster E 260 ft.

RCRA-NonGen: Relative:

Higher Date form received by agency: 01/01/2007

NYC DEPT OF SANITATION Facility name: Actual: Facility address: 5100 FIRST AVE - BROOKLYN #10 20 ft.

BROOKLYN, NY 11232

EPA ID: NYD981483415

58TH ST Mailing address:

WOODSIDE, NY 11377 Contact: Not reported

Contact address: 58TH ST

WOODSIDE, NY 11377

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

NEW YORK CITY Owner/operator name: Owner/operator address: **NOT REQUIRED**

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212 Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

Owner/operator name: **NEW YORK CITY** Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country:

(212) 555-1212 Owner/operator telephone: Legal status: Private Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

U000409951

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC DEPT OF SANITATION (Continued)

1000140981

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: NYC DEPT OF SANITATION Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: NYC DEPT OF SANITATION Classification: Not a generator, verified

Date form received by agency: 04/15/1986

NYC DEPT OF SANITATION Facility name: Small Quantity Generator Classification:

Violation Status: No violations found

FINDS:

Registry ID: 110004404403

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

E53 **AIRBORN EXPRESS NY Spills** S104194592 5101 FIRST AVE **NY Hist Spills** SSW N/A

< 1/8 **BROOKLYN, NY**

0.049 mi.

Site 6 of 14 in cluster E 261 ft.

NY Spills: Relative:

Site ID: 84892 Higher

Facility Addr2: 5101 1ST AVENUE

Actual: Facility ID: 9906550 20 ft. Spill Number: 9906550

Direction Distance

Elevation Site Database(s) EPA ID Number

AIRBORN EXPRESS (Continued)

S104194592

EDR ID Number

Facility Type: ER
SWIS: 2401
Investigator: SMSANGES
Referred To: Not reported
Spill Date: 9/1/1999
Reported to Dept: 9/1/1999
CID: 233

CID: 233
Spill Cause: Equipment Failure
Water Affected: Not reported
Spill Source: Commercial/Industrial

Spill Notifier: Other
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 5/6/1999

Remediation Phase: 0

Date Entered In Computer: 9/1/1999

Spill Record Last Update: 5/7/2002

Spiller Name: JOHN HANDY

Spiller Company: AIRBORN EXPRESS

Spiller Address: 5101 FIRST AVE

Spiller City,St,Zip: BROOKLYN, NJ

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 78041

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"SANGESLAND" 12/22/1999 - DEC received a followup letter from Ms.

Jessica Eshleman of Spill Center Inc. Acton

Massachusetts(978-897-6461) Letter outlines the procedures used to clean up the Mercury spill at the Airbore Express facility. Letter first went through Rich Gardineer's Haz Waste Remediation group then

forwarded on to Spills for closure

Remarks: package was being unloaded material was found when package was moved

spill to concrete environmental product services is enroute to scene for clean up spill contained no soil or water affected spill inside

building

Material:

 Site ID:
 84892

 Operable Unit ID:
 1080974

 Operable Unit:
 01

 Material ID:
 299275

 Material Code:
 0031A

 Material Name:
 MERCURY

 Case No.:
 07439976

Material FA: Hazardous Material

Quantity: 2
Units: Pounds
Recovered: No

Resource Affected: Not reported Oxygenate: False

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

AIRBORN EXPRESS (Continued)

Is Updated:

PBS Number:

False

Not reported

S104194592

Tank Test: Not reported Site ID: Not reported Spill Tank Test: Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported NY Hist Spills: Region of Spill: 2 Spill Number: 9906550 SANGESLAND Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported 09/01/1999 12:00 Spill Date/Time: 09/01/99 16:22 Reported to Dept Date/Time: SWIS: Spiller Name: AIRBORN EXPRESS Spiller Contact: JOHN HANDY (206) 298-2178 Spiller Phone: Spiller Address: 5101 FIRST AVE Spiller City, St, Zip: BROOKLYN, NJ Spill Cause: **Equipment Failure** Reported to Dept: On Land Water Affected: Not reported Spill Source: 01 Spill Notifier: Other PBS Number: Not reported Cleanup Ceased: Cleanup Meets Std: False Last Inspection: 11 Recommended Penalty: Penalty Not Recommended Spiller Cleanup Dt: **Enforcement Date:** 11 Invstgn Complete: // **UST Involvement:** Spill Class: Known release with minimal potential for fire or hazard. DEC Response. Willing Responsible Party. Corrective action taken. Spill Closed Dt: Corrective Action Plan Submitted: Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 09/01/99 Date Spill Entered In Computer Data File: Not reported Update Date: 02/09/00

TC3040645.2s Page 170

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

AIRBORN EXPRESS (Continued)

S104194592

Tank Number: Not reported Not reported Tank Size: Test Method: Not reported Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Nonpetroleum/Nonhazardous

Quantity Spilled: Unkonwn Quantity Spilled: False Units: Pounds Quantity Recovered: 0

Unkonwn Quantity Recovered: False Material: **MERCURY** Class Type: MERCURY

Times Material Entry In File:

CAS Number: 07439976 Last Date: Not reported

DEC Remarks: Not reported

Remark: package was being unloaded material was found when package was moved

spill to concrete environmental product services is enroute to scene for clean

up spill contained no soil or water affected spill inside building

E54 99641694 5101 1ST AVE **ERNS** SSW 5101 1ST AVE N/A

BROOKLYN, NY < 1/8

0.049 mi.

20 ft.

261 ft. Site 7 of 14 in cluster E

Relative: Click this hyperlink while viewing on your computer to access

Higher additional ERNS detail in the EDR Site Report.

Actual:

20 ft. E55 **UPS PRESTON COURT**

S102142575 **NY Spills** ssw **NY Hist Spills** 5101 FIRST AVE N/A < 1/8 **BROOKLYN, NY**

0.049 mi.

Site 8 of 14 in cluster E 261 ft.

NY Spills: Relative: Site ID: 267894

Higher Facility Addr2: 5101 1ST AVENUE

Actual: Facility ID: 9111381

Spill Number: 9111381 Facility Type: ER SWIS: 2401 **MCTIBBE** Investigator: Referred To: Not reported

Spill Date: 2/3/1992 2/4/1992 Reported to Dept: CID: Not reported Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Other Cleanup Ceased: 1/12/1993 Cleanup Meets Std: True

Last Inspection: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UPS PRESTON COURT (Continued)

S102142575

Recommended Penalty: Penalty Not Recommended

UST Trust: False Spill Class: с4 Spill Closed Dt: 1/12/1993 Remediation Phase:

Date Entered In Computer: 2/10/1992 Spill Record Last Update: 7/16/1999 Spiller Name: Not reported

Spiller Company: UNITED PARCELS SERVICE

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller Company: 001 Contact Name:

Not reported Contact Phone: Not reported

DEC Region: 78041 DER Facility ID:

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"TIBBE" SEE ALSO 88-03709 & 91-11476. SEE FILE.

Remarks: Not reported

Material:

Site ID: 267894 Operable Unit ID: 961509 Operable Unit: 01 Material ID: 416416 Material Code: 0066A

UNKNOWN PETROLEUM Material Name:

Case No.: Not reported Material FA: Petroleum Quantity: -1 Pounds Units: Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Not reported Tank Number: Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Not reported Modified By: Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: Spill Number: 9111381 TIBBE Investigator: Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Not reported Notifier Agency:

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UPS PRESTON COURT (Continued)

S102142575

Notifier Phone: Not reported 02/03/1992 10:30 Spill Date/Time: Reported to Dept Date/Time: 02/04/92 14:24

SWIS:

UNITED PARCELS SERVICE Spiller Name:

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Address: Not reported Spiller City, St, Zip: Not reported Spill Cause: Unknown On Land Reported to Dept: Water Affected: Not reported

Spill Source: 12 Spill Notifier: Other PBS Number: Not reported Cleanup Ceased: 01/12/93 Cleanup Meets Std: True Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: **Enforcement Date:** Invstgn Complete: 11 **UST Involvement:** False Spill Class: с4 Spill Closed Dt: 01/12/93 Corrective Action Plan Submitted:

11 Date Region Sent Summary to Central Office: / / Date Spill Entered In Computer Data File: 02/10/92 Date Spill Entered In Computer Data File: Not reported

Update Date: 07/16/99 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate Failed Tank: Not reported Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Pounds Quantity Recovered: 0 Unkonwn Quantity Recovered: False

Material: UNKNOWN PETROLEUM UNKNOWN PETROLEUM Class Type:

Times Material Entry In File: 16414 Not reported CAS Number: 19940929 Last Date:

DEC Remarks: SEE ALSO 88-03709 91-11476. SEE FILE.

Remark: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

E56 **UNITED PARCEL SERVICE** UST U001839995 SSW **5101-5123 FIRST AVENUE HIST UST** N/A

< 1/8 0.049 mi.

Site 9 of 14 in cluster E 261 ft.

Relative: Higher

UST: Facility Id: 2-356719

Actual: 20 ft.

Region: STATE DEC Region: Site Status: Unregulated

Program Type: **PBS Expiration Date:** N/A

UTM X: 582883.91266000003 UTM Y: 4500326.8911499996

Affiliation Records:

BROOKLYN, NY 11232

Site Id: 17829

Affiliation Type: On-Site Operator

Company Name: UNITED PARCEL SERVICE

Contact Type: Not reported

UNITED PARCEL SERVICE Contact Name:

Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported

Country Code: 999

Phone: (212) 560-6368 Phone Ext: Not reported Email: Not reported Fax Number: Not reported NRLOMBAR Modified By: Date Last Modified: 10/23/2008

Site Id: 17829

Affiliation Type: **Emergency Contact**

UNITED PARCEL SERVICE Company Name:

Contact Type: Not reported Contact Name: **DOUG HOLLAND** Address1: Not reported Address2: Not reported City: Not reported State: NN

Zip Code: Not reported Country Code: 001

(212) 560-6368 Phone: Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 17829 Affiliation Type: Mail Contact

Company Name: UNITED PARCEL SERVICE

Contact Type: Not reported

Contact Name: **DOUGLAS J HOLLAND** Address1: 643 WEST 43RD STREET

EIGHT FLOOR-PLANT ENGINEERING Address2:

EDR ID Number

Direction Distance

Elevation Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

U001839995

EDR ID Number

City: **NEW YORK** State: NYZip Code: 10036 Country Code: 001

Phone: (212) 560-6368 Phone Ext: Not reported Not reported Email: Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 17829 Affiliation Type: Owner

Company Name: UNITED PARCEL SERVICE

Contact Type: Not reported Contact Name: Not reported

Address1: 643 WEST 43RD STREET

001

Address2: Not reported City: **BROOKLYN** State: NY Zip Code: 11378

Country Code: (212) 560-6368 Phone: Phone Ext: Not reported Email: Not reported Not reported Fax Number: Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Equipment Records:

100 - Overfill - None

G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None B00 - Tank External Protection - None C00 - Pipe Location - No Piping F00 - Pipe External Protection - None A00 - Tank Internal Protection - None D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

G00 - Tank Secondary Containment - None B00 - Tank External Protection - None H00 - Tank Leak Detection - None F00 - Pipe External Protection - None C00 - Pipe Location - No Piping

100 - Overfill - None

B00 - Tank External Protection - None F00 - Pipe External Protection - None F00 - Pipe External Protection - None F00 - Pipe External Protection - None G00 - Tank Secondary Containment - None

H00 - Tank Leak Detection - None

100 - Overfill - None

G00 - Tank Secondary Containment - None G00 - Tank Secondary Containment - None B00 - Tank External Protection - None

C00 - Pipe Location - No Piping B00 - Tank External Protection - None

Distance Elevation

on Site Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

U001839995

EDR ID Number

H00 - Tank Leak Detection - None

100 - Overfill - None

H00 - Tank Leak Detection - None

100 - Overfill - None

C00 - Pipe Location - No Piping

C00 - Pipe Location - No Piping

D02 - Pipe Type - Galvanized Steel

A00 - Tank Internal Protection - None

A00 - Tank Internal Protection - None

D02 - Pipe Type - Galvanized Steel

J02 - Dispenser - Suction

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

J02 - Dispenser - Suction

D02 - Pipe Type - Galvanized Steel

C00 - Pipe Location - No Piping

F00 - Pipe External Protection - None

F00 - Pipe External Protection - None

100 - Overfill - None

100 - Overfill - None

H00 - Tank Leak Detection - None

C00 - Pipe Location - No Piping

H00 - Tank Leak Detection - None

G00 - Tank Secondary Containment - None

B00 - Tank External Protection - None

B00 - Tank External Protection - None

G00 - Tank Secondary Containment - None

D02 - Pipe Type - Galvanized Steel

D02 - Pipe Type - Galvanized Steel A00 - Tank Internal Protection - None

A00 - Tank Internal Protection - None

J02 - Dispenser - Suction

J02 - Dispenser - Suction

Tank Info:

Site ID: 17829

Tank Number: 001 Tank ID: 34880

Tank Status:

Closed - Removed
Tank Model:

Not reported

Not reported

Not reported

Not reported

Not reported

Status:

6/1/1968

Capacity Gallons:

Tightness Test Method:

NN

Next Test Date: Not reported
Date Tank Closed: 8/1/1990
Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 17829

Direction Distance Elevation

stance EDR ID Number evation Site Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

Tank Number:

Tank ID:

Tank Status:
Closed - Removed
Tank Model:
Not reported
Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:
Closed - Removed
Not reported
Not reported
6/1/1968
550
NN

002

34881

Next Test Date: Not reported Date Tank Closed: 8/1/1990 Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 17829

Tank Number: 003 Tank ID: 34882

Tank Status:

Closed - Removed
Tank Model:

Pipe Model:
Install Date:
Capacity Gallons:
Tightness Test Method:
Not reported
6/1/1968
550
NN
Next Test Date:
Not reported

Date Tank Closed: 8/1/1990
Tank Location: 5

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 17829

 Tank Number:
 004

 Tank ID:
 34883

Tank Status:

Closed - Removed
Tank Model:

Pipe Model:

Install Date:

Capacity Gallons:

Tightness Test Method:

Closed - Removed
Not reported
Not reported
6/1/1968
550
NN

Next Test Date: Not reported
Date Tank Closed: 8/1/1990
Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

Site ID: 17829

U001839995

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

Tank ID:

Tank Number: 005 34884

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 6/1/1968 Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 8/1/1990 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 17829

Tank Number: 006 34885 Tank ID:

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 6/1/1968 Install Date: Capacity Gallons: 550 Tightness Test Method: NN Next Test Date: Not reported

8/1/1990 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 17829

Tank Number: 007 34886 Tank ID:

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported 6/1/1968 Install Date: Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 8/1/1990 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 17829 U001839995

Direction Distance Elevation

Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

Tank ID:

Tank Number: 800 34887

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 6/1/1968 Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 8/1/1990 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 17829

Tank Number: 009 34888 Tank ID:

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported 6/1/1968 Install Date: Capacity Gallons: 550 Tightness Test Method: NN Next Test Date: Not reported

8/1/1990 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 17829

Tank Number: 010 34889 Tank ID:

Closed - Removed Tank Status: Tank Model: Not reported Pipe Model: Not reported 6/1/1968 Install Date: Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 8/1/1990 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

Site ID: 17829 U001839995

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

U001839995

Tank Number: 011 Tank ID: 34890

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Install Date: 5/1/1985 Capacity Gallons: 4000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 12/1/1991

Tank Location:

Tank Type: Equivalent technology

Date Test: Not reported Register: True Modified By: **TRANSLAT** Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-356719 SPDES Number: Not reported DOUG HOLLAND **Emergency Contact: Emergency Telephone:** (212) 560-6368

Operator: UNITED PARCEL SERVICE

Operator Telephone: (212) 560-6368

UNITED PARCEL SERVICE Owner Name: Owner Address: 643 WEST 43RD STREET Owner City, St, Zip: BROOKLYN, NY 11378 Owner Telephone: (212) 560-6368 Owner Type: Corporate/Commercial

Not reported Owner Subtype:

Mailing Name: UNITED PARCEL SERVICE Mailing Address: 643 WEST 43RD STREET

Mailing Address 2: EIGHT FLOOR-PLANT ENGINEERING

Mailing City, St, Zip: NEW YORK, NY 10036 DOUGLAS J HOLLAND Mailing Contact:

Mailing Telephone: (212) 560-6368 Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)

and Subpart 360-14.

5101 1ST AVENUE Facility Addr2:

SWIS ID: 6101 Old PBS Number: Not reported

Facility Type: TRUCKING/TRANSPORTATION

Inspected Date: Not reported Not reported Inspector: Inspection Result: Not reported Federal ID: Not reported Certification Flag: False 06/28/1988 Certification Date: **Expiration Date:** 06/28/1993 Renew Flag: False Renewal Date: Not reported

Total Capacity: 0 FAMT: True

Facility Screen: No Missing Data Owner Screen: Minor Data Missing

Tank Screen: 0

Direction Distance

Elevation Site Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

U001839995

EDR ID Number

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 61
Town or City: 01
Region: 2

Tank ld: 001

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19680601

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported

Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported Not reported Pipe External: Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Not reported Date Tested: Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: 08/01/1990 Test Method: Not reported Deleted: False Updated: True

Tank ld: 002

Lat/long:

Tank Location: UNDERGROUND Tank Status: Closed-Removed Install Date: 19680601

Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE
Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL

Not reported Pipe Internal: Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: 08/01/1990 Test Method: Not reported Deleted: False

Direction Distance

Elevation Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

U001839995

EDR ID Number

Updated: True

Lat/long: Not reported

003 Tank Id:

UNDERGROUND Tank Location: Tank Status: Closed-Removed 19680601 Install Date: Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel Not reported Tank Internal: Not reported Tank External: Pipe Location: Not reported

GALVANIZED STEEL Pipe Type:

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Not reported Overfill Prot: Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: 08/01/1990 Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank Id: 004

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed 19680601 Install Date: 550 Capacity (gals):

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel Not reported Tank Internal: Tank External: Not reported Pipe Location: Not reported

Pipe Type: GALVANIZED STEEL

Pipe Internal: Not reported Not reported Pipe External: Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: 08/01/1990 Test Method: Not reported Deleted: False Updated: True

Not reported

Lat/long:

Direction Distance Elevation

Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

Tank Id:

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: 19680601

005

Capacity (gals): 550

UNLEADED GASOLINE Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported **GALVANIZED STEEL** Pipe Type:

Not reported Pipe Internal: Not reported Pipe External: Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing Date Closed: 08/01/1990

Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 006

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: 19680601

Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported **GALVANIZED STEEL**

Pipe Type:

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: Minor Data Missing Date Closed: 08/01/1990 Test Method: Not reported Deleted: False Updated: True

Not reported

Tank Id: 007

Lat/long:

Tank Location: UNDERGROUND Tank Status: Closed-Removed

EDR ID Number

U001839995

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

U001839995

Install Date: 19680601 Capacity (gals): 550

Product Stored: **UNLEADED GASOLINE** Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Not reported Pipe Location: GALVANIZED STEEL Pipe Type:

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Missing Data for Tank: Minor Data Missing

08/01/1990 Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

800 Tank Id:

Tank Location: **UNDERGROUND** Tank Status: Closed-Removed Install Date: 19680601

Capacity (gals): 550

UNLEADED GASOLINE Product Stored: Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported

GALVANIZED STEEL Pipe Type:

Pipe Internal: Not reported Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank: Date Closed: 08/01/1990

Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 009

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: 19680601

Capacity (gals): 550

UNLEADED GASOLINE Product Stored:

Direction Distance

Elevation Site Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

U001839995

EDR ID Number

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL

Not reported Pipe Internal: Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Not reported Date Tested: Not reported Next Test Date:

Minor Data Missing

Date Closed: 08/01/1990
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 010

Missing Data for Tank:

Tank Location: UNDERGROUND Tank Status: UNDERGROUND

Install Date: 19680601

Capacity (gals): 550
Product Stored: UNLEADED GASOLINE

Tank Type: Steel/carbon steel
Tank Internal: Not reported
Tank External: Not reported
Pipe Location: Not reported
Pipe Type: GALVANIZED STEEL

Pipe Internal: SI Vot reported

Pipe External: Not reported Second Containment: None Leak Detection: None Overfill Prot: Not reported Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank:

Date Closed: 08/01/1990
Test Method: Not reported
Deleted: False
Updated: True
Lat/long: Not reported

Tank ld: 011

Tank Location: UNDERGROUND
Tank Status: Closed-Removed
Install Date: 19850501

Capacity (gals): 4000

Product Stored: UNLEADED GASOLINE

Tank Type: Fiberglass reinforced plastic [FRP]

Tank Internal: Not reported Tank External: Not reported

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

U001839995

N/A

Pipe Location: Not reported

Pipe Type: GALVANIZED STEEL

Pipe Internal:
Pipe External:
Second Containment:
Diking
Vapor Well

Overfill Prot: Product Level Gauge

Dispenser: Suction
Date Tested: Not reported
Next Test Date: Not reported
Missing Data for Tank: Minor Data Missing
Date Closed: 12/01/1991
Test Method: Not reported

Deleted: False Updated: True

Lat/long: Not reported

E57 5101 FIRST AVENUE HMIRS 2007439002

SSW 5101 FIRST AVENUE < 1/8 BROOKLYN, NY

0.049 mi.

261 ft. Site 10 of 14 in cluster E

Relative: Click this hyperlink while viewing on your computer to access

Higher additional HMIRS detail in the EDR Site Report.

Actual:

 20 ft.

 E58
 UPS/PRESTON COURT
 NY Spills
 \$102142583

 SSW
 5101 1ST AVE
 NY Hist Spills
 N/A

< 1/8 BROOKLYN, NY

0.049 mi.

261 ft. Site 11 of 14 in cluster E

Relative: NY Spills:

 Higher
 Site ID:
 267895

 Facility Addr2:
 SUNSET PARK

 Actual:
 Facility ID:
 9111476

 20 ft.
 Spill Number:
 9111476

Facility Type: ER SWIS: 2401 Investigator: **MCTIBBE** Referred To: Not reported Spill Date: 2/6/1992 Reported to Dept: 2/6/1992 CID: Not reported Spill Cause: Unknown Water Affected: Not reported

Spill Source: Commercial/Industrial

Spill Notifier: Other
Cleanup Ceased: 2/17/1992
Cleanup Meets Std: True
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 2/17/1992

Remediation Phase: 0

Date Entered In Computer: 2/10/1992

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UPS/PRESTON COURT (Continued)

S102142583

Spill Record Last Update: 10/16/2003 Spiller Name: Not reported

Spiller Company: **UPS/UNITED PARCELS SERVIC**

Spiller Address: Not reported

Spiller City, St, Zip: ZZ Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: 2 DER Facility ID: 276767

Prior to Sept, 2004 data translation this spill Lead_DEC Field was DEC Memo:

"TIBBE" REFER TO 91-11381.

REFER TO 9111381. Remarks:

Material:

Site ID: 267895 Operable Unit ID: 961599 Operable Unit: 01 Material ID: 416511 Material Code: 0009 Material Name: Gasoline Not reported Case No.: Material FA: Petroleum Quantity: Pounds Units: Recovered: No

Resource Affected: Not reported False Oxygenate:

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Not reported Test Method: Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 9111476 Spill Number: Investigator: **TIBBE** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 02/06/1992 13:15 Reported to Dept Date/Time: 02/06/92 14:31

SWIS:

UPS/UNITED PARCELS SERVIC Spiller Name:

Spiller Contact: Not reported

Direction Distance Elevation

ation Site Database(s) EPA ID Number

UPS/PRESTON COURT (Continued)

S102142583

EDR ID Number

Spiller Phone: Not reported
Spiller Address: Not reported
Spiller City, St, Zip: Not reported
Spill Cause: Unknown
Reported to Dept: Groundwater
Water Affected: Not reported

Spill Source: 01
Spill Notifier: Other
PBS Number: Not reported
Cleanup Ceased: 02/17/92
Cleanup Meets Std: True
Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: / /
Enforcement Date: / /
Invstgn Complete: / /
UST Involvement: False
Spill Class: Not reported
Spill Closed Dt: 02/17/92
Corrective Action Plan Submitted:

Corrective Action Plan Submitted: / /
Date Region Sent Summary to Central Office: / /
Date Spill Entered In Computer Data File: 02/10/92
Date Spill Entered In Computer Data File: Not reported

Update Date: 07/16/99
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False **Pounds** Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929 DEC Remarks: REFER TO 91-11381. Remark: REFER TO 9111381.

Direction Distance

Distance EDR ID Number
Elevation Site EDR ID Number

F59 TRANSFORMER MANHOLE 60 NY Spills S106384293

N/A

NE 42ND ST & 1ST AVE < 1/8 BROOKLYN, NY

0.051 mi.

268 ft. Site 1 of 9 in cluster F

Relative: Higher NY Spills: Site ID:

Actual: 12 ft.

 Site ID:
 249612

 Facility Addr2:
 Not reported

 Facility ID:
 0314169

 Spill Number:
 0314169

 Facility Type:
 ER

 SWIS:
 2401

Investigator: SKARAKHA Not reported Referred To: Spill Date: 3/26/2004 Reported to Dept: 3/27/2004 CID: 64 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Other Cleanup Ceased: Not reported Cleanup Meets Std: False

Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 6/23/2004 Remediation Phase: 0

Date Entered In Computer: 3/27/2004
Spill Record Last Update: 6/23/2004
Spiller Name: Not reported
Spiller Company: UNKNOWN
Spiller Address: Not reported

Spiller City,St,Zip: NY
Spiller Company: 999
Contact Name: ERT DESK
Contact Phone: (212) 580-8383

DEC Region: 2 DER Facility ID: 204625

DEC Memo: E2MIS 152675 3/26/04 16:05 HRS. W. THORNGREN REPORTS FOUND AN

UNDIAPERABLE SHEEN OF UNKNOWN OIL ON APPROX. 100 GAL WATER. SPILL APPEARS TO BE CONTAINED. NO SEWERS OF WATERWAYS APPEAR TO BE AFFECTED. TRANSFORMER NOT LEAKING -- OIL LEVEL IS GOOD AND IT PASSED A PRESSURE TEST. ENV STOP TAG 33673 PLACED. LIQUID SAMPLE TAKEN. CLEANUP PENDING PCB RESULTS. UPDATE: LAB RESULTS RETURNED LSN# IS 04-02353-001 <1.00 PPM LOPORI REPORTS DOUBLE WASHED STRUCTURE WITH BIO GEN 760. REMOVED ALL LIQUIDS AND SOILIDS. NO SUMP IN STRUCTURE.

REMOVED EVIROMETAL TAG # 3367. JOB COMPLETE 100% was on 24 hr program however taken off due to lack of resources.

Undiaperable sheen (unknown amount) in 100 gallons of water.

Material:

Remarks:

 Site ID:
 249612

 Operable Unit ID:
 879606

 Operable Unit:
 01

 Material ID:
 495751

 Material Code:
 0065A

Direction Distance

Elevation Site Database(s) EPA ID Number

TRANSFORMER MANHOLE 60 (Continued)

S106384293

EDR ID Number

Material Name: UNKNOWN NON-PETRO/NON-HAZ MATERIAL

Case No.:

Material FA:

Quantity:

Units:

Recovered:

Resource Affected:

Oxygenate:

Not reported

Not reported

No

Not reported

False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

F60 VAULT #TM60 NY Spills S106699300
NE 42 ST & 1ST AVE N/A

NE 42 ST & 1ST AVE < 1/8 BROOKLYN, NY

0.051 mi.

268 ft. Site 2 of 9 in cluster F

Relative: Higher

Actual:

12 ft.

NY Spills:

Site ID: 101538
Facility Addr2: Not reported
Facility ID: 0406605
Spill Number: 0406605
Facility Type: ER

Facility Type: ER
SWIS: 2401
Investigator: GDBREEN
Referred To: Not reported
Spill Date: 9/15/2004
Reported to Dept: 9/15/2004
CID: 71

Spill Cause: Equipment Failure
Water Affected: Not reported

Spill Source: Commercial/Industrial
Spill Notifier: Responsible Party
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 11/15/2004

Remediation Phase: 0

Date Entered In Computer: 9/15/2004
Spill Record Last Update: 11/15/2004
Spiller Name: ERT DESK
Spiller Company: CON EDISON
Spiller Address: 4 IRVING PLACE

Direction Distance

EDR ID Number Elevation **EPA ID Number** Site Database(s)

VAULT #TM60 (Continued)

S106699300

Spiller City, St, Zip: NEW YORK, NY 10003

Spiller Company: 001 Contact Name: **ERT DESK** Contact Phone: (212) 580-8383

DEC Region: DER Facility ID: 89968

DEC Memo: 155376 Employee REPORTS FOUND 1 GALLON UNKNOWN OIL ON 150 GALLONS

> WATER IN TM60. FOUND WHILE SHOOTING FAULT ON FEEDER 8B88. ACCOUNT # C3. NO FIRE OR SMOKE . NO PRIVATE PROPERTY AFFECTED. NO INJURIES. NO SEWERS OR WATERWAYS APPEAR TO BE AFFECTED. IT APPEARS TO BE CONTAINED

TO STRUCTURE. TOOK SAMPLE. CLEANUP PENDING RESULTS. PLACED ENVIROMENTAL STOP TAG # 40669. THIS IS ON THE COMPANY'S 24 HOUR DIMINIMIS PROGRAM. CHAIN OF CUSTODY # IS DD18520. Update. THE

TRANSFORMER FAILED THE PRESSURE TEST AND IS LEAKING FROM THE BOTTOM . THE OIL IN THE STRUCTURE CAME FROM THE TRANSFORMER. ROSADO WILL KEEP THE CREW ON LOCATION UNTIL THE TANKER ARRIVES TO DRAIN THE STRUCTURE AND THE UNIT. TRANSFORMER TO BE REPLACED BEFORE THE FINAL CLEANUP. ALSO DUE TO TRANSFORMER BEING REPLACED, THIS INCIDENT WILL BE TAKEN OFF THE 24 HOUR PROGRAM DUE TO TIME CONSTRAINTS. Lab Sequence Number:

04-07334-001: TOTAL PCB 20 ppm UPDATE 9/16/04 02:33 HRS ENV OPS A.

GLODOWSKI REPORTS AN UNDER 50 TANKER REMOVED 500 GAL OF LIQUID, THE STRUCTURE WAS DOUBLE WASHED WITH BULLDOG, ALL DEBRIS PICKED UP WITH THE VACTOR, NO SUMPS WERE FOUND, ENV TAG LEFT IN PLACE PENDING

REMOVAL OF UNIT. UPDATE 16-SEP-2004 09:45 HRS. BQ&E SPLICER

W.THORNGREN EMP# 14916 REPORTS: ASTORIA TANKER REMOVED 685 GAL'S OF LIQUID FROM UNIT. UNIT CAPACITY IS LISTED AS 575 GAL'S THEREFORE 110 GAL'S OVER UNIT CAPACITY WAS REMOVED FROM UNIT. MR.THORNGREN BELIEVES

THE UNIT-CONTAINED WATER DUE TO THE HOLE IN THE UNIT. UPDATE 16-SEP-2004 17:05 HRS. ENVIR. OPER J.DELAROSA EMP# 19655 REPORTS: NETWORKS REMOVED UNIT FROM STRUCTURE. DBL. WASHED STRUCTURE WITH

BIO-GEN 760 & BLUE SOAP. NO SUMP IN STRUCTURE. ENVIR. TAG# 40669

REMOVED. CLEANUP COMPLETE 100%.

1 GALLON LEAKING FROM TRANSFORMER INVAULT. CLEAN UP PENDING. NO Remarks:

WATERWAYS AFFECTED. e2MIS # 155376.

Material:

Site ID: 101538 Operable Unit ID: 889240 Operable Unit: 01 Material ID: 487777 Material Code: 0541A

Material Name: DIELECTRIC FLUID Case No.: Not reported

Material FA: Petroleum Quantity:

Units: Gallons Recovered: No

Resource Affected: Not reported

Oxygenate: False

Tank Test:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Leak Rate: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

VAULT #TM60 (Continued) S106699300

Gross Fail: Not reported Not reported Modified By: Last Modified: Not reported Test Method: Not reported

F61 **CON EDISON FINDS** 1012238189

NE 42ND ST & 1ST AVE N/A

BROOKLYN, NY 11201 < 1/8

0.051 mi.

Site 3 of 9 in cluster F 268 ft.

Relative:

FINDS:

Higher

110039585124 Registry ID:

Actual: 12 ft.

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA

program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

F62 S109825994 **CONSOLIDATED EDISON - MH 74510** MANIFEST N/A

1ST AVE & 42ND ST ΝE **BROOKLYN, NY 11201** < 1/8

0.051 mi.

268 ft. Site 4 of 9 in cluster F

NY MANIFEST:

Relative: Higher

EPA ID:

NYP004174058 Country: USA

Actual: CONSOLIDATED EDISON - MH 74510 Mailing Name:

12 ft. Mailing Contact: FRANKLYN MURRAY

Mailing Address: 4 IRVING PLACE RM 828 Mailing Address 2: Not reported **NEW YORK**

Mailing City: Mailing State: NY Mailing Zip: 10003 Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-460-2808

Document ID: Not reported Not reported Manifest Status: Trans1 State ID: NYD006982359 Trans2 State ID: Not reported 2009-06-23 Generator Ship Date: Trans1 Recy Date: 2009-06-23 Trans2 Recy Date: Not reported TSD Site Recv Date: 2009-06-24 Part A Recv Date: Not reported Part B Recv Date: Not reported

EDR ID Number

Direction Distance

Elevation Site Database(s) **EPA ID Number**

CONSOLIDATED EDISON - MH 74510 (Continued)

S109825994

EDR ID Number

Generator EPA ID: NYP004174058 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD077444263 Waste Code: Not reported

Quantity: 45.0

Units: K - Kilograms (2.2 pounds)

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 09 Year:

Manifest Tracking Num: 001433321FLE

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported

Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported NYD006982359 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2009-06-20 Trans1 Recv Date: 2009-06-20 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-06-22 Part A Recv Date: Not reported Not reported Part B Recv Date: NYP004174058 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD077444263 Waste Code: Not reported 100.0 Quantity:

Units: K - Kilograms (2.2 pounds)

Number of Containers: 2.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 001433350FLE

Import Ind: Ν **Export Ind:** Ν Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported

Direction Distance Elevation

n Site Database(s) EPA ID Number

CONSOLIDATED EDISON - MH 74510 (Continued)

S109825994

EDR ID Number

Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported Not reported Manifest Status: NYD006982359 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2009-06-23 2009-06-23 Trans1 Recv Date: Not reported Trans2 Recv Date: 2009-06-24 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004174058 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD077444263 Waste Code: Not reported

Quantity: 45.0

Units: K - Kilograms (2.2 pounds)

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0

Year: 09

Manifest Tracking Num: 001433321FLE

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported NYD006982359 Trans1 State ID: Trans2 State ID: Not reported 2009-06-20 Generator Ship Date: Trans1 Recv Date: 2009-06-20 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-06-22 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004174058 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD077444263 Waste Code: Not reported Quantity: 100.0

Direction Distance Elevation

Site Database(s) EPA ID Number

CONSOLIDATED EDISON - MH 74510 (Continued)

S109825994

EDR ID Number

Units: K - Kilograms (2.2 pounds)

Number of Containers: 2.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 001433350FLE

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD006982359 Trans2 State ID: Not reported 2009-06-20 Generator Ship Date: Trans1 Recv Date: 2009-06-20 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-06-22 Part A Recv Date: Not reported Not reported Part B Recv Date: NYP004174058 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD077444263 Waste Code: Not reported Quantity: 100.0

Units: K - Kilograms (2.2 pounds)

Number of Containers: 2.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 001433350FLE

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Document ID: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON - MH 74510 (Continued)

S109825994

EDR ID Number

Manifest Status: Not reported NYD006982359 Trans1 State ID: Trans2 State ID: Not reported Generator Ship Date: 2009-06-23 Trans1 Recv Date: 2009-06-23 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-06-24 Part A Recy Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYP004174058 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD077444263 Waste Code: Not reported

Quantity: 45.0

Units: K - Kilograms (2.2 pounds)

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 001433321FLE

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported

Mgmt Method Type Code: H141

F63 CON EDISON RCRA-CESQG 1012186155 NE 42ND ST & 1ST AVE RCRA-CESQG NYP004169934

< 1/8 BROOKLYN, NY 11201

0.051 mi.

268 ft. Site 5 of 9 in cluster F

Relative:

RCRA-CESQG:

Higher

Date form received by agency: 05/15/2009
Facility name: CON EDISON
Facility address: 42ND ST & 1ST AVE

Actual: 12 ft.

BROOKLYN, NY 11201

EPA ID: NYP004169934
Mailing address: 4 IRVING PL, RM 828

NEW YORK, NY 10003

Contact: MICHAEL BETO
Contact address: Not reported
Not reported

Contact country: Not reported
Contact telephone: (917) 337-5519
Contact email: Not reported

EPA Region: 02

Classification: Conditionally Exempt Small Quantity Generator

Description: Handler: generates 100 kg or less of hazardous waste per calendar

month, and accumulates 1000 kg or less of hazardous waste at any time;

Direction Distance Elevation

vation Site Database(s) EPA ID Number

CON EDISON (Continued)

1012186155

EDR ID Number

or generates 1 kg or less of acutely hazardous waste per calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste; or generates 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulates at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Unknown Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: Unknown Underground injection activity: Unknown On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Unknown Used oil processor: Unknown User oil refiner: Unknown Used oil fuel marketer to burner: Unknown Used oil Specification marketer: Unknown Used oil transfer facility: Unknown Used oil transporter: Unknown

Off-site waste receiver: Commercial status unknown

Violation Status: No violations found

F64 CONSOLIDATED EDISON MANIFEST 1009241088
NE 42 ST & 1 AVE TM60 N/A

< 1/8 0.051 mi. 270 ft.

BROOKLYN, NY 11201

270 ft. Site 6 of 9 in cluster F
Relative: NY MANIFEST:

Higher EPA ID: NYP004094546
Country: USA

Actual: Mailing Name: CONSOLIDATED EDISON
12 ft. Mailing Contact: FRANKLIN MURRAY
Mailing Address: 4 IRVING PLACE RM 828

Mailing Address 2: Not reported
Mailing City: NEW YORK
Mailing State: NY
Mailing Zip: 10003
Mailing Zip4: Not reported

Mailing Country: USA
Mailing Phone: 212-460-2808

Document ID: NYE0743292

Manifest Status: Not reported

Trans1 State ID: NYD006982359

Trans2 State ID: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

CONSOLIDATED EDISON (Continued)

1009241088

EDR ID Number

Generator Ship Date: 01/07/2002 01/07/2002 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 01/08/2002 Part A Recv Date: Not reported Part B Recv Date: Not reported NYP004094546 Generator EPA ID: Trans1 EPA ID: NYD980593636 Trans2 EPA ID: Not reported TSDF ID: 20856AD

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 02236

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: TT - Cargo tank, tank trucks

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 02

F65 ON THE STREET NY Spills \$106699328
NE 42ND/WEST 1ST AVE N/A

< 1/8 0.051 mi.

BROOKLYN, NY

270 ft. Site 7 of 9 in cluster F

Relative: Higher NY Spills: Site ID: 95296

Actual: 12 ft. Facility Addr2: Not reported
Facility ID: 0406625
Spill Number: 0406625
Facility Type: ER
SWIS: 2401
Investigator: GDBREEN

Referred To: Not reported Spill Date: 9/16/2004 Reported to Dept: 9/16/2004 CID: 444 Spill Cause: Unknown Water Affected: Not reported Spill Source: Unknown Spill Notifier: Responsible Party Cleanup Ceased: Not reported Cleanup Meets Std: False Not reported Last Inspection:

Recommended Penalty: Penalty Not Recommended

UST Trust: False
Spill Class: Not reported
Spill Closed Dt: 11/15/2004
Remediation Phase: 0

Date Entered In Computer: 9/16/2004

Spill Record Last Update: 11/15/2004

Spiller Name: ERT DESK

Spiller Company: ON THE STREET

Spiller Address: 42ND/WEST 1ST AVE

Spiller City, St, Zip: BROOKLYN, NY

Spiller Company: 001

Contact Name: ERT DESK Contact Phone: (212) 580-8383

Direction
Distance

Elevation Site Database(s) EPA ID Number

ON THE STREET (Continued)

S106699328

EDR ID Number

DEC Region: 2 DER Facility ID: 85240

DEC Memo: 155397 Employee REPORTS: WHILE ON LOCATION TO PERFORM CLEANUP FOUND

AN UNKNOWN VEHICLE (NOT ON LOCATION) HAD LEAKED APPROX one PT OF HYDRAULIC FLUID AND TRANSMISSION FLUID ON TO ASPHALT & SOME BRICK IN STREET. NO WATER. NO SEWERS OR WATERWAYS APPEAR TO BE AFFECTED. THERE IS NO FIRE INVOLVEMENT .NO SMOKE INVOLVEMENT. THERE WERE NO INJURIES RELATED TO THIS INCIDENT. THERE ARE NO INCLEMENT WEATHER CONDITIONS OR HAZARD THAT CONTRIBUTED TO THIS SPILL. NO PRIVATE PROPERTY

AFFECTED. OWNER OF SUBSTANCES IS UNKNOWN. ABSORBENT WAS PLACED ON SPILL AREA CLEANUP WILL NOT BE COMPLETED WITHIN 2 HRS. (SPILL AREA IS SPREAD OUT DUE TO VEHICLES DRIVING THRough it.) 9/16/04 13:10 HRS.
-- B. BROWN, O/S BROOKLYN ENV OPS, REPORTS SPILL WAS CLEANED WITH

"QUICK-DRY" ABSORBANT. CLEANUP COMPLETE AT THIS TIME.

Remarks: FROM UNKNOWN VEHICLE, AND UNKNOWN SOURCE HAS NOTHING TO DO WITH CON

ED, JUST BEING HELPFUL SAW IT AND DECIDED TO TAKE CARE OF IT: e2MIS #

155397.

Material:

 Site ID:
 95296

 Operable Unit ID:
 889256

 Operable Unit:
 01

 Material ID:
 487804

 Material Code:
 0021

Material Name: Transmission Fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 0

Units: Not reported

Recovered: No

Resource Affected: Not reported
Oxygenate: False
Site ID: 95296
Operable Unit ID: 889256
Operable Unit: 01
Material ID: 487805
Material Code: 0021

Material Name: Transmission Fluid
Case No.: Not reported
Material FA: Petroleum
Quantity: 0
Units: Pounds
Recovered: No

Resource Affected: Not reported Oxygenate: False Site ID: 95296 Operable Unit ID: 889256 Operable Unit: 01 487802 Material ID: Material Code: 0010 Material Name: Hydraulic Oil Not reported Case No.: Material FA: Petroleum Quantity:

Units: Not reported

Recovered: No

Resource Affected: Not reported Oxygenate: False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

ON THE STREET (Continued)

S106699328

95296 Site ID: Operable Unit ID: 889256 Operable Unit: 01 Material ID: 487803 Material Code: 0010 Material Name: Hydraulic Oil Case No.: Not reported Material FA: Petroleum Quantity: Units: Pounds Recovered: No Not reported Resource Affected:

False

Tank Test:

Oxygenate:

Site ID: Not reported Spill Tank Test: Not reported Tank Number: Not reported Tank Size: Not reported Test Method: Not reported Not reported Leak Rate: Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Not reported Test Method:

E66 **UNITED PARCEL SERVICE** RCRA-NonGen 1000446381 SSW 5105 1ST AVE **FINDS** NYD986912186

< 1/8 0.051 mi.

271 ft. Site 12 of 14 in cluster E

BROOKLYN, NY 11232

RCRA-NonGen: Relative:

Date form received by agency: 01/01/2007 Higher

Facility name: UNITED PARCEL SERVICE

Actual: Facility address: 5105 1ST AVE 20 ft. BROOKLYN, NY 112324303

EPA ID: NYD986912186

Mailing address: 56TH RD

MASPETH, NY 11378

Not reported Contact: 56TH RD Contact address:

MASPETH, NY 11378

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: UNITED PARCEL SERVICE

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212 **MANIFEST**

Direction Distance

Elevation Site Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

1000446381

EDR ID Number

Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: UNITED PARCEL SERVICE

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: Nο Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: Nο Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: UNITED PARCEL SERVICE Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: UNITED PARCEL SERVICE Classification: Not a generator, verified

Date form received by agency: 09/05/1990

Facility name: UNITED PARCEL SERVICE Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004452495

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport,

Direction Distance Elevation

tion Site Database(s) EPA ID Number

UNITED PARCEL SERVICE (Continued)

1000446381

EDR ID Number

and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986912186

Country: USA

Mailing Name: UNITED PARCEL SERVICE
Mailing Contact: UNITED PARCEL SERVICE

Mailing Address: 46-05 56TH RD
Mailing Address 2: Not reported
Mailing City: FLUSHING
Mailing State: NY
Mailing Zip: 11378
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 000-000-0000

Document ID: NYB2126646 Completed copy Manifest Status: Trans1 State ID: VU4150 Trans2 State ID: Not reported Generator Ship Date: 920916 Trans1 Recv Date: 920916 Not reported Trans2 Recy Date: TSD Site Recv Date: 920916 Not reported Part A Recv Date: 920928 Part B Recv Date:

 Generator EPA ID:
 NYD986912186

 Trans1 EPA ID:
 NYD986893261

 Trans2 EPA ID:
 Not reported

 TSDF ID:
 NYD082785429

Waste Code: D008 - LEAD 5.0 MG/L TCLP

Quantity: 04000 Units: P - Pounds Number of Containers: 008

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill.
Specific Gravity: 100
Year: 92

Document ID: NYA8318988 Manifest Status: Completed copy Trans1 State ID: MK8837 Trans2 State ID: Not reported Generator Ship Date: 900918 Trans1 Recv Date: 900918 Trans2 Recv Date: Not reported TSD Site Recv Date: 900919 Part A Recv Date: 901009 Part B Recv Date: 901010

Generator EPA ID: NYD986912186
Trans1 EPA ID: NYD006801245
Trans2 EPA ID: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

UNITED PARCEL SERVICE (Continued)

1000446381

EDR ID Number

NYD082785429 TSDF ID:

D001 - NON-LISTED IGNITABLE WASTES Waste Code:

Quantity: 00275

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 005

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 90 Year:

Document ID: NYB2126610 Manifest Status: Completed copy Trans1 State ID: VU4150 Trans2 State ID: Not reported Generator Ship Date: 920916 Trans1 Recy Date: 920916 Trans2 Recv Date: Not reported TSD Site Recv Date: 920916 Part A Recv Date: Not reported Part B Recv Date: 920928 Generator EPA ID: NYD986912186 Trans1 EPA ID: NYD986893261 Trans2 EPA ID: Not reported TSDF ID: NYD082785429

Quantity: 00055

Units: G - Gallons (liquids only)* (8.3 pounds)

F003 - UNKNOWN

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 100 92 Year:

G67 SEA JET TRUCKING CORP

140 43RD ST

Waste Code:

BROOKLYN, NY 11232 < 1/8

0.059 mi.

SE

309 ft. Site 1 of 4 in cluster G

Relative:

RCRA-NonGen:

Higher Date form received by agency: 01/01/2007

SEA JET TRUCKING CORP Facility name: Facility address: 140 43RD ST

Actual: 13 ft.

BROOKLYN, NY 112323308

EPA ID: NYD986870251

Mailing address: 43RD ST

BROOKLYN, NY 11232

Contact: Not reported

Contact address: 43RD ST

BROOKLYN, NY 11232

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region:

Classification: Non-Generator

Handler: Non-Generators do not presently generate hazardous waste Description:

RCRA-NonGen

FINDS

1000550072

NYD986870251

Direction
Distance

Elevation Site Database(s) EPA ID Number

SEA JET TRUCKING CORP (Continued)

1000550072

EDR ID Number

Owner/Operator Summary:

Owner/operator name: SEA JET TRUCKING CORP

Owner/operator address: UNKNOWN

UNKNOWN, NY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: SEA JET TRUCKING CORP

Owner/operator address: UNKNOWN

UNKNOWN, NY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: Nο Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: SEA JET TRUCKING CORP Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: SEA JET TRUCKING CORP Classification: Not a generator, verified

Date form received by agency: 06/17/1991

Facility name: SEA JET TRUCKING CORP Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Direction Distance

Elevation Site Database(s) EPA ID Number

SEA JET TRUCKING CORP (Continued)

1000550072

U003397284

N/A

UST

HIST UST

EDR ID Number

Registry ID: 110009476968

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

oon oo a construction of an oo and an oo and on the construction of the construction o

G68 COMMODORE MANUFACURING CORPORATION

SE 140 43RD STREET

< 1/8 BROOKLYN, NY 11232

0.059 mi.

309 ft. Site 2 of 4 in cluster G

Relative: UST:

Higher Facility Id: 2-603597

Region: STATE
Actual: DEC Region: 2

13 ft. Site Status: Unregulated Program Type: PBS

Program Type: PBS Expiration Date: N/A

UTM X: 583356.21959999995 UTM Y: 4500773.5877900003

Affiliation Records:

Site Id: 25510 Affiliation Type: Owner

Company Name: COMMODORE MANUFACTURING CORP.

Contact Type: PRES

Contact Name: ABRAHAM DAMAST Address1: 4312 SECOND AVENUE

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11232

 Country Code:
 001

Phone: (718) 788-2600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/20/2004

Site Id: 25510 Affiliation Type: Mail Contact

Company Name: COMMODORE MANUFACTURING CORP

Contact Type: Not reported

Contact Name: MR. ABRAHAM DAMAST Address1: 4312 SECOND AVENUE

 Address2:
 Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11232

 Country Code:
 001

Phone: (718) 788-2600

Direction Distance

Elevation Site Database(s) EPA ID Number

COMMODORE MANUFACURING CORPORATION (Continued)

U003397284

EDR ID Number

Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: NRLOMBAR Date Last Modified: 7/20/2004

Site Id: 25510

Affiliation Type: On-Site Operator

Company Name: COMMODORE MANUFACURING CORPORATION

Contact Type: Not reported
Contact Name: ABRAHAM DAMAST

Address1: Not reported Address2: Not reported City: Not reported State: NN
Zip Code: Not reported Not reported

Country Code: 001

Phone: (718) 788-2600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/20/2004

Site Id: 25510

Affiliation Type: Emergency Contact

Company Name: COMMODORE MANUFACTURING CORP.

Contact Type: Not reported
Contact Name: HARRY GELB
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported

Country Code: 999

Phone: (718) 788-2600
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: NRLOMBAR
Date Last Modified: 7/20/2004

Tank Info:

Site ID: 25510

Tank Number: 001
Tank ID: 54907
Tank Classes

Tank Status: Closed - In Place
Tank Model: Not reported
Pipe Model: Not reported
Install Date: Not reported
Capacity Gallons: 35000
Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

COMMODORE MANUFACURING CORPORATION (Continued)

U003397284

Date Test: Not reported Register: True Modified By: **NRLOMBAR** Last Modified: 7/20/2004

Site ID: 25510

002 Tank Number: Tank ID: 54908

Tank Status: Closed - In Place Tank Model: Not reported Pipe Model: Not reported Not reported Install Date: Capacity Gallons: 35000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/14/1999

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True **NRLOMBAR** Modified By:

25510

Last Modified: 7/20/2004

Tank Number: 003 Tank ID: 54909

Closed - In Place Tank Status: Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 35000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 4/14/1999 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True **NRLOMBAR** Modified By: Last Modified: 7/20/2004

HIST UST:

Site ID:

2-603597 PBS Number: Not reported SPDES Number: **Emergency Contact:** HARRY GELD Emergency Telephone: (718) 788-2600 HARRY GELD Operator: Operator Telephone: (718) 788-2600 Owner Name: ABRAHAM DAMAST Owner Address: 3913 SECOND AVENUE BROOKLYN, NY 11232 Owner City,St,Zip: Owner Telephone: (718) 788-2600 Corporate/Commercial Owner Type:

Owner Subtype: Not reported

COMMODORE MANUFACTURING CORPORATION Mailing Name:

Direction Distance

Elevation Site Database(s) EPA ID Number

COMMODORE MANUFACURING CORPORATION (Continued)

U003397284

EDR ID Number

Mailing Address: 3913 SECOND AVENUE

Mailing Address 2: Not reported

Mailing City,St,Zip: BROOKLYN, NY 11232
Mailing Contact: MR. ABRAHAM DAMAST

Mailing Telephone: (718) 788-2600 Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: Not reported

SWIS ID: 6101

Old PBS Number: Not reported Facility Type: Not reported Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported Not reported Federal ID: Certification Flag: False Certification Date: 04/30/1999 08/04/2003 **Expiration Date:** Renew Flag: False Renewal Date: Not reported Total Capacity: 35000 FAMT: True

Facility Screen: Minor Data Missing
Owner Screen: No Missing Data
Tank Screen: Minor Data Missing

Dead Letter: False
CBS Number: Not reported
Town or City: NEW YORK CITY

County Code: 61 Town or City: 01 Region: 2

Tank ld: 001

Tank Location: UNDERGROUND

Tank Status: Temporarily Out Of Service

Install Date: Not reported Capacity (gals): 35000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel

Pipe External:
Second Containment:
Leak Detection:
Overfill Prot:
Dispenser:
Date Tested:
None
Other
Not reported
Vent Whistle
Suction
Not reported
Vent Whistle
12/27/1987

Missing Data for Tank: Minor Data Missing
Date Closed: Not reported
Test Method: Not reported
Deleted: False

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

COMMODORE MANUFACURING CORPORATION (Continued) True

U003397284

Not reported Lat/long:

Updated:

002 Tank Id:

UNDERGROUND Tank Location: Tank Status: Closed-In Place Install Date: Not reported Capacity (gals): 35000

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground STEEL/IRON Pipe Type: Pipe Internal: None Pipe External: None Second Containment: Other Leak Detection: Not reported Vent Whistle Overfill Prot: Dispenser: Suction Date Tested: Not reported

Next Test Date: Not reported Minor Data Missing Missing Data for Tank: 04/01/1999 Date Closed: Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank Id: 003

UNDERGROUND Tank Location: Tank Status: Closed-In Place Not reported Install Date: 35000 Capacity (gals):

Product Stored: NOS 1,2, OR 4 FUEL OIL

Tank Type: Steel/carbon steel

Tank Internal: None Tank External: None Pipe Location: Underground Pipe Type: STEEL/IRON Pipe Internal: None

Pipe External: None Other Second Containment: Not reported Leak Detection: Overfill Prot: Vent Whistle Dispenser: Suction Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank:

Date Closed: 04/01/1999 Not reported Test Method: Deleted: False Updated: True Lat/long: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

G69 140 43RD STREET/BKLYN LTANKS S106703419
SE 140 43RD STREET HIST LTANKS N/A

< 1/8 NEW YORK CITY, NY

0.059 mi.

310 ft. Site 3 of 4 in cluster G

Relative: LTANKS:

 Higher
 Site ID:
 203368

 Spill No:
 8910578

 Actual:
 Spill Date:
 1/29/1990

Actual: Spill Date: 1/29/1990

13 ft. Spill Cause: Tank Test Failure
Spill Source: Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. (Highly

Improbable)

Spill Closed Dt: Not reported Facility Addr2: Not reported Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 2401 Investigator: skcarlso

Referred To: ADDITIONAL DOCUMENTATION REQUIRED

Reported to Dept: 2/6/1990
CID: Not reported
Water Affected: Not reported
Spill Notifier: Tank Tester
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: True
Remediation Phase: 1
Date Entered In Computer: 2/7/1990
Spill Record Last Update: 1/4/2007
Spiller Name: Not reported
Spiller Company: SEA JET INC
Spiller Address: Not reported

Spiller City,St,Zip: ZZ Spiller County: 001

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

DEC Region: 2 DER Facility ID: 169153

Remarks: (2) 550 GALLON SYSTEM FAILED AIR PRESSURE TEST, NYCFD & OWNER NOTIIFED

Not reported

Material:

Site ID: 203368 Operable Unit ID: 937471 Operable Unit: 01 440149 Material ID: Material Code: 0009 Gasoline Material Name: Case No.: Not reported Material FA: Petroleum Quantity: Units: Pounds Recovered: No

Resource Affected: Not reported Oxygenate: False

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

140 43RD STREET/BKLYN (Continued)

S106703419

EDR ID Number

Tank Test:

Site ID: 203368
Spill Tank Test: 1536749
Tank Number: Not reported

Tank Size: 0
Test Method: 00
Leak Rate: 0

Gross Fail: Not reported Modified By: Spills
Last Modified: 10/1/2004
Test Method: Unknown

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 8910578

 Spill Date:
 01/29/1990

 Spill Time:
 09:00

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. (Highly

Improbable)

Spill Closed Dt: 11 Cleanup Ceased: 11 Cleanup Meets Standard: False Investigator: **SULLIVAN** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Not reported Notifier Agency: Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 02/06/90 Reported to Department Time: 09:56 SWIS: 61

Spiller Contact:

Spiller Phone:

Spiller Extention:

Spiller Name:

Spiller Address:

Spiller City, St, Zip:

Spiller Cleanup Date:

Sould Address:

Not reported

Not reported

Not reported

Not reported

Not reported

Facility Contact:
Rocility Phone:
Facility Extention:
Spill Notifier:
PBS Number:
Not reported
Tank Tester
Not reported
Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: True

Direction Distance

Distance Elevation Site EDR ID Number

Database(s) EPA ID Number

140 43RD STREET/BKLYN (Continued)

S106703419

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Pote Spill External In Computer Page File: 02/07

Date Spill Entered In Computer Data File: 02/07/90
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: //
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: -1 Unkonwn Quantity Spilled: False Not reported Units: Quantity Recovered: 0 Unkonwn Quantity Recovered: False Material: **GASOLINE** Class Type: GASOLINE Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: Not reported

Spill Cause: 2) 550 GALLON SYSTEM FAILED AIR PRESSURE TEST, NYCFD OWNER NOTIIFED

E70 PS REALTY UST U000404997
South 125 51ST STREET UST N/A

< 1/8 BROOKLYN, NY 11232

0.059 mi.

310 ft. Site 13 of 14 in cluster E

Relative: UST:

Relative: Higher

Actual:

21 ft.

Facility Id: 2-402168
Region: STATE
DEC Region: 2
Site Status: Active
Program Type: PBS
Expiration Date: 2008/07/29

UTM X: 582933.89864000003 UTM Y: 4500290.5762099996

Affiliation Records:

Site Id: 19252

Affiliation Type:

Company Name:

PS REALTY

Contact Type:

Contact Name:

MR. REICHBERG

Address1:

Address2:

Not reported

State: NN

Zip Code: Not reported

Country Code: 001

Direction Distance Elevation

vation Site Database(s) EPA ID Number

PS REALTY (Continued) U000404997

Phone: (718) 492-8949
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19252 Affiliation Type: Mail Contact

Company Name: PASKEZ CANDY CO.

Contact Type: Not reported
Contact Name: MR. PASKEZ

Address1: 4473 FIRST AVENUE Address2: Not reported

 City:
 BROOKLYN

 State:
 NY

 Zip Code:
 11232

Zip Code: 11232 Country Code: 001 Phone: (718) 8

Phone: (718) 832-2400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19252 Affiliation Type: Owner

Company Name: PASKEZ CANDY CO.

Contact Type: Not reported
Contact Name: Not reported
Address1: 4473 FIRST AVE
Address2: Not reported
City: BROOKLYN

State: NY
Zip Code: 11232
Country Code: 001

Phone: (718) 832-2400
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 19252

Affiliation Type: Emergency Contact Company Name: PASKEZ CANDY CO.

Contact Type: Not reported
Contact Name: MR. REICHBERG
Address1: Not reported
Address2: Not reported
City: Not reported
State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 492-8949
Phone Ext: Not reported
Email: Not reported

EDR ID Number

Direction Distance

Elevation Site Database(s) EPA ID Number

PS REALTY (Continued) U000404997

Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Tank Info:

Site ID: 19252

Tank Number: 001 Tank ID: 21892 Tank Status: In Service Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 1500 Tightness Test Method: 00

Next Test Date: 12/27/1987
Date Tank Closed: Not reported

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True
Modified By: TRANSLAT
Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-402168 SPDES Number: Not reported

Emergency Contact: CHARLES PASKESZ Emergency Telephone: (718) 258-5613

Operator: PASKESZ CANDY CO INC

Operator Telephone: (718) 832-2400 Owner Name: P&S REALTY Owner Address: 125 51ST ST

Owner City,St,Zip: BROOKLYN, NY 11232
Owner Telephone: (718) 832-2400
Owner Type: Corporate/Commercial

Owner Subtype: Not reported
Mailing Name: P&S REALTY
Mailing Address: 4473 FIRST AVENUE

Mailing Address 2: Not reported

Mailing City, St, Zip: BROOKLYN, NY 11232
Mailing Contact: CHARLES PASKESZ
Mailing Telephone: (718) 439-6222
Owner Mark: First Owner

Facility Status: 1 - Active PBS facility, i.e. total capacity of the PBS tanks is

greater than 1,100 gallons, regardless if Subpart 360-14 tanks exist

or not at the facility.

Facility Addr2: 125 51ST STREET

SWIS ID: 6101

Old PBS Number: Not reported
Facility Type: OTHER
Inspected Date: Not reported
Inspector: Not reported
Inspection Result: Not reported
Federal ID: Not reported
Certification Flag: False

EDR ID Number

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

PS REALTY (Continued) U000404997

Certification Date: 09/16/1997 10/06/2002 **Expiration Date:** Renew Flag: False Renewal Date: Not reported **Total Capacity:** 1500 FAMT: True

Facility Screen: No Missing Data Owner Screen: Minor Data Missing Tank Screen: Minor Data Missing

Dead Letter: False CBS Number: Not reported Town or City: **NEW YORK CITY**

County Code: 61 Town or City: 01 Region: 2

001 Tank Id:

Tank Location: UNDERGROUND, VAULTED, WITH ACCESS

Tank Status: In Service Install Date: Not reported

1500 Capacity (gals):

NOS 1,2, OR 4 FUEL OIL Product Stored: Steel/carbon steel

Tank Type: Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Pipe Type: Not reported Pipe Internal: Not reported Pipe External: Not reported None Second Containment: Leak Detection: None Overfill Prot: Not reported Dispenser: Gravity Date Tested: Not reported Not reported Next Test Date: Minor Data Missing Missing Data for Tank: Not reported Date Closed: Test Method: Not reported Deleted: False Updated: False Lat/long: Not reported

E71 129 51 STREET **LTANKS** S102618889 South **129 51 STREET HIST LTANKS** N/A < 1/8 **BROOKLYN, NY NY Spills**

0.062 mi.

329 ft. Site 14 of 14 in cluster E

LTANKS: Relative:

Site ID: 130820 Higher

Spill No: 9305613 Actual: Spill Date: 8/5/1993 21 ft. Spill Cause: Tank Test Failure

> Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 3/10/2003 Facility Addr2: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

129 51 STREET (Continued)

S102618889

Cleanup Ceased: Not reported Cleanup Meets Standard: False SWIS: 2401

Investigator: ADMIN. CLOSED Referred To: Not reported 8/5/1993 Reported to Dept: CID: Not reported Not reported Water Affected: Spill Notifier: Tank Tester Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 8/9/1993 3/10/2003 Spill Record Last Update: Spiller Name: Not reported Spiller Company: Not reported Spiller Address: Not reported Spiller City, St, Zip: ***Update***, ZZ

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported DEC Region: 2

DER Facility ID: 112727

Remarks: IMCOMPLET TEST. WILL DO FURTHER TESTING - NO CALL. CLOSED DUE TO LACK

OF ANY RECENT INFO-DOES NOT MEET ANY CLEANUP REQUIREMENTS.

Material:

130820 Site ID: Operable Unit ID: 987134 Operable Unit: 01 395526 Material ID: Material Code: 0001 Material Name: #2 Fuel Oil Not reported Case No.: Material FA: Petroleum Quantity: 0 Pounds Units: Recovered: No Not reported Resource Affected:

Tank Test:

Oxygenate:

Site ID: 130820 Spill Tank Test: 1541849 Tank Number: Not reported

False

Tank Size: 0 Test Method: 00 Leak Rate:

Gross Fail: Not reported Modified By: Spills 10/1/2004 Last Modified: Test Method: Unknown

Direction Distance Elevation

n Site Database(s) EPA ID Number

129 51 STREET (Continued)

S102618889

EDR ID Number

HIST LTANKS:

Region of Spill: 2

 Spill Number:
 9305660

 Spill Date:
 08/06/1993

 Spill Time:
 16:00

Spill Cause: Tank Test Failure
Resource Affectd: Groundwater
Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: // Cleanup Meets Standard: False Investigator: **TANG** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported

Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 08/06/93 Reported to Department Time: 09:32 SWIS: 61

Spiller Contact:

Spiller Phone:

Spiller Extention:

Spiller Name:

Spiller Address:

Spiller City, St, Zip:

Not reported

Not reported

Not reported

Not reported

Spiller Cleanup Date: / /

Facility Contact:

Facility Phone:

Facility Phone:

Facility Extention:

Spill Notifier:

PBS Number:

Not reported

Tank Tester

Not reported

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/11/93
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 01/14/97 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

129 51 STREET (Continued) S102618889

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum Quantity Spilled: Unkonwn Quantity Spilled: False Units: Pounds Quantity Recovered: Unkonwn Quantity Recovered: False

Material: #2 FUEL OIL Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported 19941207 Last Date:

DEC Remarks: 10/10/95: This is additional information about material spilled from the

translation of the old spill file: TTF.

TANK WOULD NOT HOLD OIL - WILL TRY TO FIND SOURCE OF LEAK - NO OTHER AGENCIES -Spill Cause:

NO CALL.

Region of Spill: Spill Number: 9305613 Spill Date: 08/05/1993 Spill Time: 16:00

Spill Cause: Tank Test Failure Resource Affectd: Groundwater Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Known release with minimal potential for fire or hazard. DEC Response. Spill Class:

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: Cleanup Ceased: / / Cleanup Meets Standard: False Investigator: **TANG** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Caller Extension: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Not reported Notifier Extension: Reported to Department Date: 08/05/93 Reported to Department Time: 16:36 SWIS: Spiller Contact: Not reported

Spiller Phone: Not reported Spiller Extention: Not reported Spiller Name: Not reported Spiller Address: Not reported Spiller City, St, Zip: Not reported

Spiller Cleanup Date:

Facility Contact: Not reported Facility Phone: Not reported Facility Extention: Not reported Spill Notifier: Tank Tester PBS Number: Not reported

Last Inspection:

Recommended Penalty: Penalty Not Recommended

Direction Distance

Elevation Site Database(s) EPA ID Number

129 51 STREET (Continued) \$102618889

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 08/09/93
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: //
Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0
Test Method: Not reported
Leak Rate Failed Tank: 0.00

Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: 0
Unkonwn Quantity Spilled: False
Units: Not reported
Quantity Recovered: 0
Unkonwn Quantity Recovered: False
Material: #2 FUEL OIL

Material: #2 FUEL OIL
Class Type: #2 FUEL OIL
Times Material Entry In File: 24464
CAS Number: Not reported
Last Date: 19941207

DEC Remarks: 10/10/95: This is additional information about material spilled from the

translation of the old spill file: TTF.

Spill Cause: IMCOMPLET TEST. WILL DO FURTHER TESTING - NO CALL.

NY Spills:

 Site ID:
 130821

 Facility Addr2:
 Not reported

 Facility ID:
 9305660

 Spill Number:
 9305660

 Facility Type:
 ER

 SWIS:
 2401

Investigator: ADMIN. CLOSED
Referred To: Not reported
Spill Date: 8/6/1993
Reported to Dept: 8/6/1993
CID: Not reported
Spill Cause: Other
Water Affected: Not reported

Spill Source: Institutional, Educational, Gov., Other

Spill Notifier: Tank Tester
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release that creates potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

EDR ID Number

Direction Distance

Elevation Site Database(s) **EPA ID Number**

129 51 STREET (Continued)

Spill Closed Dt: 3/10/2003 0

Remediation Phase:

Date Entered In Computer: 8/11/1993 Spill Record Last Update: 3/10/2003 Spiller Name: Not reported Spiller Company: Not reported Not reported Spiller Address: Spiller City,St,Zip: ***Update***, ZZ

Spiller Company: 001

Contact Name: Not reported Contact Phone: Not reported

DEC Region: DER Facility ID: 112727

DEC Memo: Prior to Sept, 2004 data translation this spill Lead_DEC Field was

"ADMIN.CLOSED" 10/10/95: This Is Additional Information About Material Spilled From The Translation Of The Old Spill File:

Ttf.03/10/2003- Closed Due To The Nature / Extent Of The Spill Report.

Not reported

TANK WOULD NOT HOLD OIL - WILL TRY TO FIND SOURCE OF LEAK - NO OTHER Remarks:

AGENCIES - NO CALL. CLOSED DUE TO LACK OF ANY RECENT INFO-DOES NOT

MEET ANY CLEANUP REQUIREMENTS.

Material:

Site ID: 130821 Operable Unit ID: 987184 Operable Unit: 01 Material ID: 395571 Material Code: 0001 Material Name: #2 Fuel Oil Not reported Case No.: Petroleum Material FA: Quantity: 0 Units: Pounds Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

130821 Site ID: Spill Tank Test: 1541853 Not reported Tank Number:

Tank Size: 0 Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004 Test Method: Unknown

EDR ID Number

S102618889

Direction Distance

Distance Elevation Site EDR ID Number

EDR ID Number

EPA ID Number

 H72
 NYC SANITATION
 RCRA-NonGen
 1000789449

 SSE
 BK-7A 129 51ST ST
 FINDS
 NYD987009107

< 1/8 BROOKLYN, NY 11219

0.065 mi.

Actual:

21 ft.

341 ft. Site 1 of 2 in cluster H

Relative: RCRA-NonGen: Date form rec

Date form received by agency: 01/01/2007

Facility name: NYC SANITATION
Facility address: BK-7A 129 51ST ST

BROOKLYN, NY 11219

EPA ID: NYD987009107 Mailing address: 58TH ST RM 404

WOODSIDE, NY 11377

Contact: Not reported
Contact address: 58TH ST RM 404

WOODSIDE, NY 11377

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: DATSUN INVESTORES CORP

Owner/operator address: 57 CATON PL

BROOKLYN, NY 11218

Owner/operator country: US

Owner/operator telephone: (718) 633-7000
Legal status: Private
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: DATSUN INVESTORES CORP

Owner/operator address: 57 CATON PL

BROOKLYN, NY 11218

Owner/operator country: US

Owner/operator telephone: (718) 633-7000
Legal status: Private
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

NYC SANITATION (Continued)

1000789449

Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006 Facility name: NYC SANITATION Classification: Not a generator, verified

Date form received by agency: 07/08/1999 Facility name: NYC SANITATION Classification: Not a generator, verified

Date form received by agency: 07/20/1992 Facility name: NYC SANITATION Classification: Small Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110004492807

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

173 16-68 42ND STREET **LTANKS** S100144995 North **16-68 42ND STREET HIST LTANKS** N/A

< 1/8 , NY 0.065 mi.

Site 1 of 3 in cluster I 343 ft.

Relative: Higher

LTANKS:

Site ID: 91891 Spill No: 8709771 Actual: Spill Date: 2/18/1988 9 ft Spill Cause:

Tank Test Failure Spill Source: Institutional, Educational, Gov., Other

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/5/1993 Facility Addr2: Not reported Cleanup Ceased: 11/5/1993 Cleanup Meets Standard: False SWIS: 2401 Investigator: **BATTISTA** Referred To: Not reported 2/18/1988 Reported to Dept: CID: Not reported Water Affected: Not reported

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

16-68 42ND STREET (Continued)

S100144995

Spill Notifier: Tank Tester Not reported Last Inspection:

Recommended Penalty: Penalty Not Recommended

UST Involvement: False Remediation Phase: Date Entered In Computer: 2/23/1988 Spill Record Last Update: 2/18/2003 Spiller Name: Not reported

Spiller Company: HOLY SPIRIT RC CHURCH Spiller Address: 16-68 42ND STREET BROOKLYN, NY Spiller City, St, Zip:

Spiller County: 001

Spiller Contact: Not reported Spiller Phone: Not reported Spiller Extention: Not reported

DEC Region: DER Facility ID: 82555

-0.308 GPH LEAK RATE TANK SIZE UNKNOWN. ISOLATE-RETEST, 10K TANK Remarks:

TESTED AGAIN AND FAILED ON 2/29/88 AT 16:35 WITH A LEAK RATE OF

-.0.135GPH.

Material:

Site ID: 91891 Operable Unit ID: 915201 Operable Unit: 01 Material ID: 461566 Material Code: 0001 Material Name: #2 Fuel Oil Not reported Case No.: Material FA: Petroleum Quantity: -1 Units: Gallons Recovered: No

Resource Affected: Not reported Oxygenate: False

Tank Test:

91891 Site ID: Spill Tank Test: 1533269 Tank Number: Not reported

Tank Size: 0 Test Method: 00 Leak Rate: 0

Gross Fail: Not reported Modified By: Spills Last Modified: 10/1/2004 Test Method: Unknown

HIST LTANKS:

Region of Spill:

Spill Number: 8709771 Spill Date: 02/18/1988 Spill Time: 16:45

Spill Cause: Tank Test Failure Resource Affectd: Groundwater

Direction
Distance

Elevation Site Database(s) EPA ID Number

16-68 42ND STREET (Continued)

S100144995

EDR ID Number

Water Affected: Not reported

Spill Source: Other Non Commercial/Industrial

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 11/05/93 Cleanup Ceased: 11/05/93 Cleanup Meets Standard: False Investigator: **BATTISTA** Caller Name: Not reported Caller Agency: Not reported Caller Phone: Not reported Not reported Caller Extension: Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Notifier Extension: Not reported Reported to Department Date: 02/18/88 Reported to Department Time: 09:36 SWIS:

Spiller Contact: Not reported
Spiller Phone: Not reported
Spiller Extention: Not reported

Spiller Name: HOLY SPIRIT RC CHURCH
Spiller Address: 16-68 42ND STREET
Spiller City,St,Zip: BROOKLYN, NY

Spiller Cleanup Date: / /

Facility Contact: Not reported
Facility Phone: (718) 436-5566
Facility Extention: Not reported
Spill Notifier: Tank Tester
PBS Number: 2-257907

Last Inspection: / /

Recommended Penalty: Penalty Not Recommended

Enforcement Date: //
Investigation Complete: //
UST Involvement: False

Date Region Sent Summary to Central Office: / /
Corrective Action Plan Submitted: / /
Date Spill Entered In Computer Data File: 02/23/88
Time Spill Entered In Computer Data File: Not reported

Spill Record Last Update: 05/12/94 Is Updated: False

Tank:

PBS Number: Not reported Tank Number: Not reported

Tank Size: 0

Test Method: Not reported Leak Rate Failed Tank: 0.00 Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum
Quantity Spilled: -1
Unkonwn Quantity Spilled: False
Units: Gallons
Quantity Recovered: 0

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

16-68 42ND STREET (Continued)

S100144995

1007812255

N/A

N/A

FINDS

Unkonwn Quantity Recovered: False Material: #2 FUEL OIL Class Type: #2 FUEL OIL Times Material Entry In File: 24464 CAS Number: Not reported Last Date: 19941207

DEC Remarks: 02/29/88: 10K TANK TESTED AGAIN AND FAILED ON 2/29/88 16:35) WITH A LEAK

RATEOF -0.135GPH. 11/05/93: 10K TANK TESTED AGAIN AND FAILED ON 2/29/88 16:35)

WITH A LEAK RATEOF -0.135GPH. RETESTED AND PASSED 8/23/93.

Spill Cause: -0.308 GPH LEAK RATE TANK SIZE UNKNOWN. ISOLATE-RETEST, 10K TANK TESTED AGAIN

AND FAILED ON 2/29/88 AT 16:35 WITH A LEAK RATE OF -.0.135GPH.

174 **JANTON INDUSTRIES-13 42ND ST**

North 13 42ND ST #1

< 1/8 **BROOKLYN, NY 11232**

0.066 mi.

346 ft. Site 2 of 3 in cluster I

Relative: Higher

FINDS:

Registry ID: 110019747979

Actual: 9 ft.

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

environmental facility information found across the State.

175 **DEAN & SILVA LLC FINDS** 1011903842

North 13 42ND ST #4 **BROOKLYN, NY 11232**

0.066 mi.

< 1/8

346 ft. Site 3 of 3 in cluster I

FINDS: Relative:

Higher

Registry ID: 110037213075

Actual: 9 ft.

Environmental Interest/Information System

FIS (New York - Facility Information System) is New York's Department of Environmental Conservation (DEC) information system for tracking

environmental facility information found across the State.

F76 **UNITED NATIONS** RCRA-NonGen 1000889834 1ST AVE & 42ND ST ROOM 3B4 NYD001709294 NE **FINDS**

< 1/8 NEW YORK, NY 10017

0.066 mi.

346 ft. Site 8 of 9 in cluster F RCRA-NonGen:

Relative: Date form received by agency: 01/01/2007 Higher

> Facility name: UNITED NATIONS

Actual: Facility address: 1ST AVE & 42ND ST ROOM 3B4

12 ft. NEW YORK, NY 10017 **MANIFEST**

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UNITED NATIONS (Continued)

1000889834

EPA ID: NYD001709294

1ST AVE & 42ND ST ROOM 3B Mailing address:

NEW YORK, NY 10017

Contact: Not reported

Contact address: 1ST AVE & 42ND ST ROOM 3B

NEW YORK, NY 10017

Contact country: US

Contact telephone: Not reported Contact email: Not reported

EPA Region: 02

Classification: Non-Generator

Handler: Non-Generators do not presently generate hazardous waste Description:

Owner/Operator Summary:

Owner/operator name: **UNITED NATIONS** Owner/operator address: 1ST AVE & 42ND ST

NEW YORK, NY 10017

Owner/operator country:

Owner/operator telephone: (212) 963-7248

Legal status: Private Owner/Operator Type: Owner Owner/Op start date: Not reported Owner/Op end date: Not reported

UNITED NATIONS Owner/operator name: Owner/operator address: 1ST AVE & 42ND ST

NEW YORK, NY 10017

Owner/operator country: US

(212) 963-7248 Owner/operator telephone: Private Legal status: Owner/Operator Type: Operator Owner/Op start date: Not reported Owner/Op end date: Not reported

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: No User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Used oil transporter:

Date form received by agency: 01/01/2006 **UNITED NATIONS** Facility name:

Direction Distance Elevation

Site Database(s) **EPA ID Number**

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Classification: Conditionally Exempt Small Quantity Generator

Small Quantity Generator

Date form received by agency: 07/08/1999 UNITED NATIONS Facility name: Classification: Not a generator, verified

Date form received by agency: 06/08/1994 Facility name: **UNITED NATIONS** Classification:

Violation Status: No violations found

FINDS:

Registry ID: 110001576571

Environmental Interest/Information System

AFS (Aerometric Information Retrieval System (AIRS) Facility Subsystem) replaces the former Compliance Data System (CDS), the National Emission Data System (NEDS), and the Storage and Retrieval of Aerometric Data (SAROAD). AIRS is the national repository for information concerning airborne pollution in the United States. AFS is used to track emissions and compliance data from industrial plants. AFS data are utilized by states to prepare State Implementation Plans to comply with regulatory programs and by EPA as an input for the estimation of total national emissions. AFS is undergoing a major redesign to support facility operating permits required under Title V of the Clean Air Act.

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA.

NY MANIFEST:

NYD001709294 EPA ID:

Country: USA

Mailing Name: **UNITED NATIONS** Mailing Contact: A CALDROPOLI Mailing Address: 42ND & 1ST AVE Mailing Address 2: Not reported Mailing City: **NEW YORK** Mailing State: NY Mailing Zip: 10017

Mailing Zip4: Not reported Mailing Country: USA

Mailing Phone: 212-963-7259

Document ID: NJA4110536 Manifest Status: Not reported Trans1 State ID: NYR000115337 NJD071629976 Trans2 State ID: Generator Ship Date: 11/05/2003

Direction Distance Elevation

on Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Trans1 Recv Date: 11/05/2003 11/05/2003 Trans2 Recv Date: TSD Site Recv Date: 11/05/2003 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: NJD002200046 Trans2 EPA ID: Not reported TSDF ID: Not reported

Waste Code: D002 - NON-LISTED CORROSIVE WASTES

Quantity: 00055

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 01.00 Year: 03

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2009-12-07 2009-12-07 Trans1 Recv Date: Not reported Trans2 Recv Date: TSD Site Recv Date: 2009-12-14 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported Quantity: 330.0 P - Pounds Units: Number of Containers: 6.0

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 000264121GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
H141

Document ID: Not reported Manifest Status: Not reported

Direction Distance Elevation

nce EDR ID Number ation Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

Trans1 State ID: NYD986938645 Trans2 State ID: PAD146714878 Generator Ship Date: 2009-08-28 Trans1 Recv Date: 2009-08-28 Trans2 Recv Date: 2009-09-08 TSD Site Recv Date: 2009-09-09 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NYD049836679 TSDF ID: Waste Code: Not reported Quantity: 150.0 Units: P - Pounds

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 005908149JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Not reported
Not reported
Not reported
Not reported
Mgmt Method Type Code:
H132

Not reported Document ID: Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported 2009-10-19 Generator Ship Date: Trans1 Recv Date: 2009-10-19 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-10-21 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NYD082785429 TSDF ID: Waste Code: Not reported 330.0 Quantity:

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 6.0

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09

Manifest Tracking Num: 000492967GBF

Direction Distance Elevation

Site Database(s) **EPA ID Number**

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Import Ind: Ν Ν Export Ind: Discr Quantity Ind: Ν Discr Type Ind: Ν Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported 2009-12-07 Generator Ship Date: Trans1 Recv Date: 2009-12-07 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-12-14 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported 100.0 Quantity: P - Pounds Units: Number of Containers:

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

54.0

Specific Gravity: 1.0 09 Year:

Manifest Tracking Num: 000264121GBF

Import Ind: Ν **Export Ind:** Ν Discr Quantity Ind: Ν Ν Discr Type Ind: Discr Residue Ind: Ν Discr Partial Reject Ind: Ν Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2009-07-31 Trans1 Recv Date: 2009-07-31 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-08-07

Direction Distance Elevation

tion Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Part A Recv Date: Not reported Not reported Part B Recv Date: Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported Quantity: 165.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 3.0

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09

Manifest Tracking Num: 000492951GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H141

Not reported Document ID: Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2009-07-31 Trans1 Recv Date: 2009-07-31 Not reported Trans2 Recv Date: TSD Site Recv Date: 2009-08-07 Not reported Part A Recv Date: Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported Quantity: 50.0 P - Pounds Units:

Number of Containers: 13.0

Container Type: DM - Metal drums, barrels

Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09

Manifest Tracking Num: 000492951GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Direction Distance Elevation

EDR ID Number Site Database(s) **EPA ID Number**

UNITED NATIONS (Continued)

1000889834

Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Not reported Alt Fac Sign Date: Mgmt Method Type Code: H141

Document ID: NYG2849031 Manifest Status: Not reported Trans1 State ID: NJD071629976 Trans2 State ID: Not reported 09/25/2003 Generator Ship Date: Trans1 Recv Date: 09/25/2003 Trans2 Recv Date: Not reported TSD Site Recv Date: 09/25/2003 Part A Recv Date: Not reported Not reported Part B Recv Date: NYD001709294 Generator EPA ID: Trans1 EPA ID: NJD002200046 Trans2 EPA ID: Not reported TSDF ID: Not reported

Waste Code: F002 - HALO SOLV + STILL BOTTOMS FM REC OF SOLV

Quantity: 00165

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 003

Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 01.00 Year: 03

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2010-03-01 Trans1 Recv Date: 2010-03-01 Trans2 Recv Date: Not reported TSD Site Recv Date: 2010-03-05 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported

Quantity: 440.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 8.0

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Year: 10

Manifest Tracking Num: 000264137GBF

Import Ind: Ν Export Ind: Ν Discr Quantity Ind: Ν

Direction Distance Elevation

Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
Not reported
H141

Document ID: Not reported Not reported Manifest Status: NYD986974376 Trans1 State ID: Trans2 State ID: Not reported 2010-03-01 Generator Ship Date: 2010-03-01 Trans1 Recv Date: Trans2 Recy Date: Not reported TSD Site Recv Date: 2010-03-05 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported Quantity: 120.0 Units: P - Pounds Number of Containers: 61.0

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 10

Manifest Tracking Num: 000264137GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported 2009-07-31 Generator Ship Date: Trans1 Recv Date: 2009-07-31 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-08-07 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294

Direction Distance Elevation

on Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Trans1 EPA ID: Not reported
Trans2 EPA ID: Not reported
TSDF ID: NYD082785429
Waste Code: Not reported
Quantity: 165.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 3.0

Container Type: DF - Fiberboard or plastic drums (glass)

Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09

Manifest Tracking Num: 000492951GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
Not reported
H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2009-07-31 Trans1 Recv Date: 2009-07-31 Trans2 Recv Date: Not reported TSD Site Recv Date: 2009-08-07 Part A Recv Date: Not reported Not reported Part B Recv Date: NYD001709294 Generator EPA ID: Not reported Trans1 EPA ID: Trans2 EPA ID: Not reported NYD082785429 TSDF ID: Waste Code: Not reported Quantity: 50.0 Units: P - Pounds

Container Type: DM - Metal drums, barrels

13.0

Handling Method: L Landfill.
Specific Gravity: 1.0
Year: 09

Number of Containers:

Manifest Tracking Num: 000492951GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported

Direction Distance Elevation

nce EDR ID Number tition Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

Alt Fac Sign Date: Not reported Mgmt Method Type Code: H141

Document ID: Not reported Not reported Manifest Status: Trans1 State ID: NYD986938645 Trans2 State ID: PAD146714878 Generator Ship Date: 2009-08-28 Trans1 Recv Date: 2009-08-28 Trans2 Recv Date: 2009-09-08 2009-09-09 TSD Site Recv Date: Part A Recv Date: Not reported Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NYD049836679 TSDF ID: Waste Code: Not reported Quantity: 150.0 Units: P - Pounds

Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 09

Manifest Tracking Num: 005908149JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: Y
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
Not reported
Not reported
H132

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: CTD021816889 Trans2 State ID: Not reported 2010-07-13 Generator Ship Date: 2010-07-13 Trans1 Recv Date: Trans2 Recv Date: Not reported TSD Site Recv Date: 2010-07-21 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD080469935 Waste Code: Not reported

Quantity: 35.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Direction Distance Elevation

Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Number of Containers: 1.0

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 000201551UIS

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H040

Document ID: Not reported Manifest Status: Not reported NYR000134957 Trans1 State ID: Trans2 State ID: NJD054126164 Generator Ship Date: 2010-08-25 Trans1 Recv Date: 2010-08-25 Trans2 Recv Date: 2010-08-26 TSD Site Recv Date: 2010-08-31 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: PAD085690592 Waste Code: Not reported

Quantity: 4.0
Units: P - Pounds
Number of Containers: 1.0

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 007321786JJK

 Import Ind:
 N

 Export Ind:
 N

 Discr Quantity Ind:
 N

 Discr Type Ind:
 N

 Discr Residue Ind:
 N

 Discr Partial Reject Ind:
 N

 Discr Full Reject Ind:
 N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
H141

Document ID: Not reported Manifest Status: Not reported

Direction Distance Elevation

ion Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2010-03-01 Trans1 Recv Date: 2010-03-01 Trans2 Recv Date: Not reported TSD Site Recv Date: 2010-03-05 Part A Recv Date: Not reported Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported NYD082785429 TSDF ID: Waste Code: Not reported Quantity: 440.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 8.0

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 000264137GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Alt Fac Sign Date:
Mgmt Method Type Code:
Not reported
Not reported
Not reported
Not reported
H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD98674376 Trans2 State ID: Not reported 2010-05-03 Generator Ship Date: Trans1 Recv Date: 2010-05-03 Not reported Trans2 Recv Date: TSD Site Recv Date: 2010-05-07 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported Quantity: 275.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 5.0

Container Type: DF - Fiberboard or plastic drums (glass) Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 000264151GBF

Direction Distance Elevation

n Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

EDR ID Number

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num:
Alt Fac RCRA Id:
Not reported
Not reported
Not reported
Not reported
Not reported
Mgmt Method Type Code:
H141

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NJD054126164 Trans2 State ID: Not reported 2010-04-08 Generator Ship Date: Trans1 Recv Date: 2010-04-08 Trans2 Recv Date: Not reported TSD Site Recv Date: 2010-04-26 Part A Recv Date: Not reported Part B Recv Date: Not reported Generator EPA ID: NYD001709294 Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: MID980991566 Waste Code: Not reported 200.0 Quantity: P - Pounds Units:

Number of Containers: 2.0

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 006325843JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NJD054126164 Trans2 State ID: Not reported Generator Ship Date: 2010-04-08 Trans1 Recv Date: 2010-04-08 Trans2 Recv Date: Not reported TSD Site Recv Date: 2010-04-26

Direction Distance Elevation

ance EDR ID Number vation Site Database(s) EPA ID Number

UNITED NATIONS (Continued)

1000889834

Part A Recv Date: Not reported Not reported Part B Recv Date: NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: MID980991566 Waste Code: Not reported Quantity: 150.0 Units: P - Pounds Number of Containers: 1.0

Container Type: DM - Metal drums, barrels

Handling Method: T Chemical, physical, or biological treatment.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 006325843JJK

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N
Discr Full Reject Ind: N

Manifest Ref Num: Not reported
Alt Fac RCRA Id: Not reported
Alt Fac Sign Date: Not reported
Mgmt Method Type Code: H111

Document ID: Not reported Manifest Status: Not reported Trans1 State ID: NYD986974376 Trans2 State ID: Not reported Generator Ship Date: 2010-12-01 Trans1 Recv Date: 2010-12-01 Not reported Trans2 Recv Date: 2010-12-02 TSD Site Recv Date: Not reported Part A Recv Date: Part B Recv Date: Not reported NYD001709294 Generator EPA ID: Trans1 EPA ID: Not reported Trans2 EPA ID: Not reported TSDF ID: NYD082785429 Waste Code: Not reported

Quantity: 330.0

Units: G - Gallons (liquids only)* (8.3 pounds)

Number of Containers: 6.0

Container Type: DF - Fiberboard or plastic drums (glass)
Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: 1.0 Year: 2010

Manifest Tracking Num: 000264172GBF

Import Ind: N
Export Ind: N
Discr Quantity Ind: N
Discr Type Ind: N
Discr Residue Ind: N
Discr Partial Reject Ind: N

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

UNITED NATIONS (Continued)

1000889834

U003800422

N/A

UST

HIST UST

Discr Full Reject Ind: Ν

Manifest Ref Num: Not reported Alt Fac RCRA Id: Not reported Alt Fac Sign Date: Not reported Mgmt Method Type Code: H141

> Click this hyperlink while viewing on your computer to access 19 additional NY_MANIFEST: record(s) in the EDR Site Report.

H77 129-155 51ST STREET REALTY, LLC

South **135 51ST STREET** < 1/8 **BROOKLYN, NY 11232**

0.068 mi.

359 ft. Site 2 of 2 in cluster H

Relative:

UST: Facility Id: Higher

2-606528 Region: STATE Actual: DEC Region:

22 ft. Site Status:

Unregulated Program Type: **PBS Expiration Date:** N/A

UTM X: 582952.26283999998 UTM Y: 4500276.3600000003

Affiliation Records:

Site Id: 28387

Affiliation Type: **Emergency Contact**

129-155 51ST STREET REALTY, LLC Company Name:

Contact Type: Not reported

Contact Name: ALDO J. FRUSTACCI

Address1: Not reported Address2: Not reported Not reported City: State: NN Zip Code: Not reported

Country Code: 001

(718) 748-7575 Phone: Phone Ext: Not reported Email: Not reported Fax Number: Not reported Modified By: **TRANSLAT** Date Last Modified: 3/4/2004

Site Id: 28387

Affiliation Type: On-Site Operator

129-155 51ST STREET REALTY, LLC Company Name:

Contact Type: Not reported

ALDO J. FRUSTACCI Contact Name:

Address1: Not reported Address2: Not reported Not reported City: State: NN

Zip Code: Not reported Country Code: 001

Phone: (718) 748-7575 Phone Ext: Not reported Email: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

129-155 51ST STREET REALTY, LLC (Continued)

U003800422

EDR ID Number

Fax Number: Not reported Modified By: TRANSLAT Date Last Modified: 3/4/2004

Site Id: 28387 Affiliation Type: Mail Contact

Company Name: 129-155 51ST STREET REALTY, LLC

001

Contact Type: Not reported

Contact Name: ALDO J. FRUSTACCI
Address1: 135 51ST STREET
Address2: Not reported
City: BROOKLYN
State: NY
Zip Code: 11232

Phone: (718) 748-7575
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Site Id: 28387 Affiliation Type: Owner

Country Code:

Company Name: 129-155 51ST STREET REALTY, LLC

Contact Type: Not reported
Contact Name: Not reported
Address1: 135 51ST STREET
Address2: Not reported
City: BROOKLYN
State: NY

State: NY
Zip Code: 11232
Country Code: 001

Phone: (718) 748-7575
Phone Ext: Not reported
Email: Not reported
Fax Number: Not reported
Modified By: TRANSLAT
Date Last Modified: 3/4/2004

Tank Info:

Site ID: 28387

Tank Number: 01 Tank ID: 61556

Tank Status:
Closed - Removed
Tank Model:
Pipe Model:
Not reported
Install Date:
Not reported
Not reported
Capacity Gallons:
Tightness Test Method:
NN

Next Test Date: Not reported Date Tank Closed: 7/1/2001

Tank Location: 5

Tank Type: Steel/carbon steel
Date Test: Not reported
Register: True

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

129-155 51ST STREET REALTY, LLC (Continued)

Modified By:

Site ID:

Last Modified:

Last Modified:

TRANSLAT 3/4/2004

Site ID: 28387

Tank Number: 02 Tank ID: 61557

Tank Status: Closed - In Place Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 2000 Tightness Test Method: NN

Next Test Date: Not reported 7/1/2001 Date Tank Closed:

Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True **TRANSLAT** Modified By:

28387

3/4/2004

Last Modified: 3/4/2004

Tank Number: 03 Tank ID: 61558

Tank Status: Closed - In Place Tank Model: Not reported Pipe Model: Not reported Install Date: Not reported Capacity Gallons: 2000 Tightness Test Method: NN

Next Test Date: Not reported Date Tank Closed: 7/1/2001 Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True Modified By: **TRANSLAT**

Site ID: 28387

Tank Number: 04 Tank ID: 61559

Tank Status: Closed - Removed Tank Model: Not reported Pipe Model: Not reported Not reported Install Date:

Capacity Gallons: 550 Tightness Test Method: NN

Next Test Date: Not reported 7/1/2001 Date Tank Closed: Tank Location:

Tank Type: Steel/carbon steel Date Test: Not reported Register: True

U003800422

Direction Distance

EDR ID Number Elevation Site Database(s) **EPA ID Number**

129-155 51ST STREET REALTY, LLC (Continued)

U003800422

Modified By: **TRANSLAT** Last Modified: 3/4/2004

HIST UST:

PBS Number: 2-606528 SPDES Number: Not reported

ALDO J. FRUSTACCI **Emergency Contact:** (718) 748-6682 Emergency Telephone: Operator: ALDO J. FRUSTACCI

Operator Telephone: (718) 748-7575

Owner Name: 129-155 51ST STREET REALTY, LLC

Owner Address: 135 51ST STREET BROOKLYN, NY 11232 Owner City, St, Zip: Owner Telephone: (718) 748-7575 Owner Type: Corporate/Commercial

Owner Subtype: Not reported

Mailing Name: 129-155 51ST STREET REALTY, LLC

Mailing Address: 135 51ST STREET Mailing Address 2: Not reported

Mailing City, St, Zip: BROOKLYN, NY 11232 Mailing Contact: ALDO J. FRUSTACCI Mailing Telephone: (718) 748-7575 Owner Mark: First Owner

Facility Status: 2 - Unregulated by PBS (the total capacity is less than 1,101 gallons)

and Subpart 360-14.

Facility Addr2: Not reported SWIS ID: 6101 Old PBS Number: Not reported Facility Type: **OTHER** Inspected Date: Not reported Inspector: Not reported Inspection Result: Not reported

Federal ID: Not reported Certification Flag: False Certification Date: Not reported 07/26/2006 **Expiration Date:** Renew Flag: False Renewal Date: Not reported

Total Capacity: 0 FAMT: True

No Missing Data Facility Screen: Owner Screen: No Missing Data

Tank Screen: False Dead Letter: CBS Number: Not reported **NEW YORK CITY** Town or City:

County Code: 61 01 Town or City: 2 Region:

Tank Id: 01

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 10000

Product Stored: NOS 1,2, OR 4 FUEL OIL Tank Type: Steel/carbon steel

Direction Distance Elevation

Site Database(s) **EPA ID Number**

129-155 51ST STREET REALTY, LLC (Continued)

U003800422

EDR ID Number

Tank Internal: Not reported Not reported Tank External: Not reported Pipe Location: Pipe Type: Not reported Pipe Internal: Not reported Pipe External: Not reported Not reported Second Containment: Not reported Leak Detection: Overfill Prot: Not reported Dispenser: Not reported Date Tested: Not reported Not reported Next Test Date: Minor Data Missing Missing Data for Tank: Date Closed: 07/01/2001

Test Method: Not reported Deleted: False Updated: True Lat/long:

Not reported

Tank Id: 02

UNDERGROUND Tank Location: Tank Status: Closed-In Place Install Date: Not reported Capacity (gals): 2000 Product Stored: DIESEL

Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Not reported Pipe Type: Pipe Internal: Not reported Pipe External: Not reported Second Containment: Not reported Not reported Leak Detection: Overfill Prot: Not reported Dispenser: Not reported Date Tested: Not reported Next Test Date: Not reported Minor Data Missing Missing Data for Tank:

Date Closed: 07/01/2001 Test Method: Not reported Deleted: False Updated: True Lat/long: Not reported

Tank Id: 03

UNDERGROUND Tank Location: Tank Status: Closed-In Place Install Date: Not reported Capacity (gals): 2000 **DIESEL** Product Stored:

Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported

Direction Distance

Elevation Site Database(s) **EPA ID Number**

129-155 51ST STREET REALTY, LLC (Continued)

U003800422

EDR ID Number

Pipe Type: Not reported Not reported Pipe Internal: Pipe External: Not reported Second Containment: Not reported Leak Detection: Not reported Not reported Overfill Prot: Dispenser: Not reported Not reported Date Tested: Next Test Date: Not reported Missing Data for Tank: Minor Data Missing 07/01/2001 Date Closed:

Test Method: Not reported False Deleted: Updated: True Lat/long: Not reported

Tank Id: 04

UNDERGROUND Tank Location: Tank Status: Closed-Removed Install Date: Not reported

Capacity (gals): 550

Product Stored: UNLEADED GASOLINE Tank Type: Steel/carbon steel Tank Internal: Not reported Tank External: Not reported Pipe Location: Not reported Pipe Type: Not reported Pipe Internal: Not reported Not reported Pipe External: Not reported Second Containment: Leak Detection: Not reported Overfill Prot: Not reported Dispenser: Not reported Not reported Date Tested: Not reported Next Test Date: Missing Data for Tank: Minor Data Missing

Date Closed: 07/01/2001 Test Method: Not reported Deleted: False Updated: True Not reported Lat/long:

DAVIDSON PIPE SUPPLY CO 37TH ST/BET. 2ND & 3RD AV

< 1/8 **BROOKLYN, NY**

0.069 mi.

F78

ΝE

366 ft. Site 9 of 9 in cluster F

NY Spills: Relative: Site ID: Higher

304386 Facility Addr2: Not reported Actual: Facility ID: 9506749 12 ft. Spill Number: 9506749

Facility Type: ER SWIS: 2401 Investigator: **TLDiaz** Referred To: Not reported S102150724

N/A

NY Spills

NY Hist Spills

Direction Distance

Elevation Site Database(s) EPA ID Number

DAVIDSON PIPE SUPPLY CO (Continued)

S102150724

EDR ID Number

Spill Date: 9/1/1995
Reported to Dept: 9/1/1995
CID: Not reported
Spill Cause: Unknown
Water Affected: Not reported
Spill Source: Gasoline Station

Spill Notifier: DEC
Cleanup Ceased: Not reported
Cleanup Meets Std: False
Last Inspection: Not reported

Recommended Penalty: Penalty Not Recommended

UST Trust: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: 9/26/2005

Remediation Phase: 0

Date Entered In Computer: 10/6/1995
Spill Record Last Update: 9/26/2005
Spiller Name: Not reported
Spiller Company: SAME
Spiller Address: Not reported
Spiller City,St,Zip: NY
Spiller Company: 999

Contact Name: Not reported
Contact Phone: Not reported
DEC Region: 2

DER Facility ID: 245896

DEC Memo: 02/18/04 - TRANFERED FROM O'DOWD TO TIBBE. 4/12/04 - Vought - Spill

transferred from Tibbe to Rommel as per Rommel. 9/26/05 - Diaz - Closed as per work done under Remedial Site #2-24-025. See files for 5/30/96 Remedial Activities & 6/11/96 removal of "P" site designation.

Not reported

Remarks: OPON SITE ASSESSMENT, FOUND EVIDENCE OF A LEAK - SEE SITE ASSESSMENT

REPORT.

Material:

304386 Site ID: 1021523 Operable Unit ID: Operable Unit: 01 Material ID: 364707 0009 Material Code: Material Name: Gasoline Case No.: Not reported Material FA: Petroleum Quantity: Units: Gallons

Recovered: No
Resource Affected: Not reported
Oxygenate: False

Tank Test:

Site ID: Not reported
Spill Tank Test: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate: Not reported

Direction
Distance

Elevation Site Database(s) EPA ID Number

DAVIDSON PIPE SUPPLY CO (Continued)

S102150724

EDR ID Number

Gross Fail: Not reported Modified By: Not reported Last Modified: Not reported Test Method: Not reported

NY Hist Spills:

Region of Spill: 2 Spill Number: 9506749 O'DOWD Investigator: Not reported Caller Name: Caller Agency: Not reported Caller Phone: Not reported Notifier Name: Not reported Notifier Agency: Not reported Notifier Phone: Not reported Spill Date/Time: 09/01/1995 10:00

Reported to Dept Date/Time: 09/01/95 10:00

SWIS: 61 Spiller Name: SAME Spiller Contact: Not reported Spiller Phone: Not reported Spiller Address: Not reported Spiller City, St, Zip: Not reported Spill Cause: Unknown Reported to Dept: On Land Water Affected: Not reported

Spill Source: 05
Spill Notifier: DEC
PBS Number: Not reported

Cleanup Ceased: //
Cleanup Meets Std: False
Last Inspection: //

Recommended Penalty: Penalty Not Recommended

Spiller Cleanup Dt: //
Enforcement Date: //
Invstgn Complete: //
UST Involvement: False

Spill Class: Known release with minimal potential for fire or hazard. DEC Response.

Willing Responsible Party. Corrective action taken.

Spill Closed Dt: //

Corrective Action Plan Submitted: //
Date Region Sent Summary to Central Office: //
Date Spill Entered In Computer Data File: 10/06/95
Date Spill Entered In Computer Data File: Not reported

Update Date: //
Is Updated: False

Tank:

PBS Number: Not reported
Tank Number: Not reported
Tank Size: Not reported
Test Method: Not reported
Leak Rate Failed Tank: Not reported
Gross Leak Rate: Not reported

Material:

Material Class Type: Petroleum

Direction Distance

Elevation Site Database(s) EPA ID Number

DAVIDSON PIPE SUPPLY CO (Continued)

S102150724

MANIFEST

EDR ID Number

Quantity Spilled: -1 Unkonwn Quantity Spilled: False Units: Gallons Quantity Recovered: 0 Unkonwn Quantity Recovered: False GASOLINE Material: **GASOLINE** Class Type: Times Material Entry In File: 21329 CAS Number: Not reported Last Date: 19940929

DEC Remarks: Not reported

Remark: OPON SITE ASSESSMENT, FOUND EVIDENCE OF A LEAK - SEE SITE ASSESSMENT REPORT.

G79 DEPT PORTS INTL TRADE & COMM RCRA-NonGen 1000446379
SE 44TH ST BETW 1ST AVE & RIVER FINDS NYD986908911

< 1/8 BROOKLYN, NY 11232

0.076 mi.

399 ft. Site 4 of 4 in cluster G

Relative: RCRA-NonGen:

Higher Date form received by agency: 01/01/2007

Facility name: DEPT PORTS INTL TRADE & COMM
Actual: Facility address: 44TH ST BETW 1ST AVE & RIVER

14 ft. BROOKLYN, NY 11232

EPA ID: NYD986908911
Mailing address: CENTRE ST RM 2444

NEW YORK, NY 10007

Contact: Not reported

Contact address: CENTRE ST RM 2444

NEW YORK, NY 10007

Contact country: US

Contact telephone: Not reported Contact email: Not reported EPA Region: 02

Classification: Non-Generator

Description: Handler: Non-Generators do not presently generate hazardous waste

Owner/Operator Summary:

Owner/operator name: DEPT PORTS INTL TRADE & COMM

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Municipal
Owner/Operator Type: Operator
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Owner/operator name: DEPT PORTS INTL TRADE & COMM

Owner/operator address: NOT REQUIRED

NOT REQUIRED, WY 99999

Owner/operator country: US

Owner/operator telephone: (212) 555-1212
Legal status: Municipal
Owner/Operator Type: Owner
Owner/Op start date: Not reported
Owner/Op end date: Not reported

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT PORTS INTL TRADE & COMM (Continued)

1000446379

EDR ID Number

Handler accessibilty indicator: Transferred to the program or state equivalent.

Handler Activities Summary:

U.S. importer of hazardous waste: Unknown Mixed waste (haz. and radioactive): Unknown Recycler of hazardous waste: No Transporter of hazardous waste: Unknown Treater, storer or disposer of HW: No Underground injection activity: No On-site burner exemption: Unknown Furnace exemption: Unknown Used oil fuel burner: No Used oil processor: Nο User oil refiner: No Used oil fuel marketer to burner: No Used oil Specification marketer: No Used oil transfer facility: No Used oil transporter: No

Off-site waste receiver: Commercial status unknown

Historical Generators:

Date form received by agency: 01/01/2006

Facility name: DEPT PORTS INTL TRADE & COMM

Classification: Not a generator, verified

Date form received by agency: 07/08/1999

Facility name: DEPT PORTS INTL TRADE & COMM

Classification: Not a generator, verified

Date form received by agency: 08/06/1990

Facility name: DEPT PORTS INTL TRADE & COMM

Classification: Large Quantity Generator

Violation Status: No violations found

FINDS:

Registry ID: 110008042233

Environmental Interest/Information System

RCRAInfo is a national information system that supports the Resource Conservation and Recovery Act (RCRA) program through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and

corrective action activities required under RCRA.

NY MANIFEST:

EPA ID: NYD986908911

Country: USA Mailing Name: NYCDEP

Mailing Contact: KENNETH FINDKIN
Mailing Address: 2444 MUNICIPAL BLDG

Mailing Address 2: Not reported Mailing City: NEW YORK

Mailing State: NY

Direction Distance

Elevation Site Database(s) EPA ID Number

DEPT PORTS INTL TRADE & COMM (Continued)

1000446379

EDR ID Number

Mailing Zip: 10003
Mailing Zip4: Not reported
Mailing Country: USA

Mailing Phone: 212-669-2419

Document ID: NYB1257381 Manifest Status: Completed copy Trans1 State ID: TT37408 Trans2 State ID: 751A14OH Generator Ship Date: 910117 Trans1 Recv Date: 910117 Trans2 Recv Date: 910124 TSD Site Recv Date: 910125 Part A Recv Date: 910204 Part B Recv Date: 910211

 Generator EPA ID:
 NYD986908911

 Trans1 EPA ID:
 OHD981960123

 Trans2 EPA ID:
 OHD981960123

 TSDF ID:
 OHD981960123

Waste Code: B002 - PETROLEUM OIL WITH 50 BUT < 500 PPM PCB

Quantity: 03048

Units: K - Kilograms (2.2 pounds)
Number of Containers: 016
Container Type: DM - Metal drums, barrels

Handling Method: R Material recovery of more than 75 percent of the total material.

Specific Gravity: 097
Waste Code: Not reported
Quantity: 00034

Units: K - Kilograms (2.2 pounds)

Number of Containers: 001

Container Type: DM - Metal drums, barrels

Handling Method: B Incineration, heat recovery, burning.

Specific Gravity: Not reported

Year: 91

Count: 20 records. ORPHAN SUMMARY

City	EDR ID	Site Name	Site Address	Zip	Database(s)
BROOKLYN	1000407436	NORTHEAST MARINE TERMINAL CO INC	FOOT OF 39TH ST	11232	CORRACTS,FINDS,RCRA-NLR
BROOKLYN	1004572099	POSEIDON POOLS OF AMERICA, INC	59TH ST & 1ST AVE	11232	FTTS,HIST FTTS INSP,FINDS
BROOKLYN	1005630370	CON ED - MH 62020	23 ST & 4 AVE	11232	FINDS
BROOKLYN	1005630401	CON ED - MH5582	3RD AVE & 23 ST	11232	FINDS
BROOKLYN	1005630813	CON ED - MH 5581	3RD AVE & 22 ST	11232	FINDS
BROOKLYN	1006810661	NYCTA-CPM ENVIRONMENTAL ENGINEERIN	36TH ST STA/ 4TH AVE	11232	FINDS,MANIFEST,RCRA-CESQG
BROOKLYN	1007124782	CON ED - MH 70942	N/S 52 ST 138' W/O 1ST AVE	11232	FINDS
ALBANY	1007205271	NYNEX	453 ED???? ST	12207	RCRA-NLR,MANIFEST
QUEENS	1007206239	CONSOLIDATED EDISON	MH #62020 - 4TH AVE		RCRA-NLR,MANIFEST
QUEENS	1007206412	CONSOLIDATED EDISON	MH 5771 - 52 ST & 1ST AVE		RCRA-NLR,MANIFEST
QUEENS	1007206414	CONSOLIDATED EDISON	MH 70942 - 52 ST		RCRA-NLR,MANIFEST
BROOKLYN	1007206431	CONSOLIDATED EDISON	3RD AVE & 25TH ST	11201	RCRA-NLR,MANIFEST
BROOKLYN	1007208397	CONSOLIDATED EDISON	MH38210-KINGS HWY & W 7TH ST		RCRA-NLR,MANIFEST
BROOKLYN	1010787641	NYSDOT BIN 1076750	RTE 27 OVER 17TH ST	11232	RCRA-LQG
BROOKLYN	S102142527	E 29TH ST & KINGS HWY	E 29TH ST & KINGS HWY		SPILLS,HIST SPILLS
BROOKLYN	S103938400	BOX 38486	KINGS HIGHWAY/ROCKAWAY PK		SPILLS,HIST SPILLS
BROOKLYN	S106737045	BETW/AVE X &	KINGS HIGHWAY AVE U		SPILLS
BROOKLYN	S107407580	KINGS HIGHWAY MOBIL	KINGS HIGHWAY		SPILLS
BROOKLYN	S109064521	BELL ATLANTIC-NY	E 94 ST/BET CLARKSON AVE KINGS		MANIFEST
	S109207895	205842; KINGS HWY	KINGS HWY		SPILLS

To maintain currency of the following federal and state databases, EDR contacts the appropriate governmental agency on a monthly or quarterly basis, as required.

Number of Days to Update: Provides confirmation that EDR is reporting records that have been updated within 90 days from the date the government agency made the information available to the public.

STANDARD ENVIRONMENTAL RECORDS

Federal NPL site list

NPL: National Priority List

National Priorities List (Superfund). The NPL is a subset of CERCLIS and identifies over 1,200 sites for priority cleanup under the Superfund Program. NPL sites may encompass relatively large areas. As such, EDR provides polygon coverage for over 1,000 NPL site boundaries produced by EPA's Environmental Photographic Interpretation Center (EPIC) and regional EPA offices.

Date of Government Version: 12/31/2010 Source: EPA
Date Data Arrived at EDR: 01/13/2011 Telephone: N/A

Number of Days to Update: 15 Next Scheduled EDR Contact: 07/25/2011
Data Release Frequency: Quarterly

NPL Site Boundaries

Sources

EPA's Environmental Photographic Interpretation Center (EPIC)

Telephone: 202-564-7333

EPA Region 1 EPA Region 6

Telephone 617-918-1143 Telephone: 214-655-6659

EPA Region 3 EPA Region 7

Telephone 215-814-5418 Telephone: 913-551-7247

EPA Region 4 EPA Region 8

Telephone 404-562-8033 Telephone: 303-312-6774

EPA Region 5 EPA Region 9

Telephone 312-886-6686 Telephone: 415-947-4246

EPA Region 10

Telephone 206-553-8665

Proposed NPL: Proposed National Priority List Sites

A site that has been proposed for listing on the National Priorities List through the issuance of a proposed rule in the Federal Register. EPA then accepts public comments on the site, responds to the comments, and places on the NPL those sites that continue to meet the requirements for listing.

Date of Government Version: 12/31/2010 Source: EPA
Date Data Arrived at EDR: 01/13/2011 Telephone: N/A

Number of Days to Update: 15 Next Scheduled EDR Contact: 07/25/2011
Data Release Frequency: Quarterly

NPL LIENS: Federal Superfund Liens

Federal Superfund Liens. Under the authority granted the USEPA by CERCLA of 1980, the USEPA has the authority to file liens against real property in order to recover remedial action expenditures or when the property owner received notification of potential liability. USEPA compiles a listing of filed notices of Superfund Liens.

Date of Government Version: 10/15/1991 Date Data Arrived at EDR: 02/02/1994 Date Made Active in Reports: 03/30/1994

Number of Days to Update: 56

Source: EPA Telephone: 202-564-4267 Last EDR Contact: 02/14/2011

Next Scheduled EDR Contact: 05/30/2011 Data Release Frequency: No Update Planned

Federal Delisted NPL site list

DELISTED NPL: National Priority List Deletions

The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

Date of Government Version: 12/31/2010 Date Data Arrived at EDR: 01/13/2011 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 15

Source: EPA Telephone: N/A

Last EDR Contact: 04/13/2011

Next Scheduled EDR Contact: 07/25/2011
Data Release Frequency: Quarterly

Federal CERCLIS list

CERCLIS: Comprehensive Environmental Response, Compensation, and Liability Information System

CERCLIS contains data on potentially hazardous waste sites that have been reported to the USEPA by states, municipalities, private companies and private persons, pursuant to Section 103 of the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). CERCLIS contains sites which are either proposed to or on the National Priorities List (NPL) and sites which are in the screening and assessment phase for possible inclusion on the NPL.

Date of Government Version: 11/30/2010
Date Data Arrived at EDR: 12/30/2010
Date Made Active in Reports: 02/25/2011

Number of Days to Update: 57

Source: EPA

Telephone: 703-412-9810 Last EDR Contact: 03/01/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Quarterly

FEDERAL FACILITY: Federal Facility Site Information listing

A listing of National Priority List (NPL) and Base Realignment and Closure (BRAC) sites found in the Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS) Database where EPAa??s Federal Facilities Restoration and Reuse Office is involved in cleanup activities.

Date of Government Version: 12/10/2010 Date Data Arrived at EDR: 01/11/2011 Date Made Active in Reports: 02/16/2011

Number of Days to Update: 36

Source: Environmental Protection Agency

Telephone: 703-603-8704 Last EDR Contact: 04/15/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: Varies

Federal CERCLIS NFRAP site List

CERCLIS-NFRAP: CERCLIS No Further Remedial Action Planned

Archived sites are sites that have been removed and archived from the inventory of CERCLIS sites. Archived status indicates that, to the best of EPA's knowledge, assessment at a site has been completed and that EPA has determined no further steps will be taken to list this site on the National Priorities List (NPL), unless information indicates this decision was not appropriate or other considerations require a recommendation for listing at a later time. This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

Date of Government Version: 10/28/2010 Date Data Arrived at EDR: 12/01/2010 Date Made Active in Reports: 02/25/2011

Number of Days to Update: 86

Source: EPA

Telephone: 703-412-9810 Last EDR Contact: 03/01/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Quarterly

Federal RCRA CORRACTS facilities list

CORRACTS: Corrective Action Report

CORRACTS identifies hazardous waste handlers with RCRA corrective action activity.

Date of Government Version: 05/25/2010 Date Data Arrived at EDR: 06/02/2010 Date Made Active in Reports: 10/04/2010

Number of Days to Update: 124

Source: EPA

Telephone: 800-424-9346 Last EDR Contact: 02/14/2011

Next Scheduled EDR Contact: 05/30/2011 Data Release Frequency: Quarterly

Federal RCRA non-CORRACTS TSD facilities list

RCRA-TSDF: RCRA - Treatment, Storage and Disposal

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Transporters are individuals or entities that move hazardous waste from the generator offsite to a facility that can recycle, treat, store, or dispose of the waste. TSDFs treat, store, or dispose of the waste.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Quarterly

Federal RCRA generators list

RCRA-LQG: RCRA - Large Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Large quantity generators (LQGs) generate over 1,000 kilograms (kg) of hazardous waste, or over 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Quarterly

RCRA-SQG: RCRA - Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Small quantity generators (SQGs) generate between 100 kg and 1,000 kg of hazardous waste per month.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Quarterly

RCRA-CESQG: RCRA - Conditionally Exempt Small Quantity Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Conditionally exempt small quantity generators (CESQGs) generate less than 100 kg of hazardous waste, or less than 1 kg of acutely hazardous waste per month.

Date of Government Version: 02/17/2010 Date Data Arrived at EDR: 02/19/2010 Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Varies

Federal institutional controls / engineering controls registries

US ENG CONTROLS: Engineering Controls Sites List

A listing of sites with engineering controls in place. Engineering controls include various forms of caps, building foundations, liners, and treatment methods to create pathway elimination for regulated substances to enter environmental media or effect human health.

Date of Government Version: 01/05/2011 Date Data Arrived at EDR: 01/14/2011 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 03/14/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Varies

US INST CONTROL: Sites with Institutional Controls

A listing of sites with institutional controls in place. Institutional controls include administrative measures, such as groundwater use restrictions, construction restrictions, property use restrictions, and post remediation care requirements intended to prevent exposure to contaminants remaining on site. Deed restrictions are generally required as part of the institutional controls.

Date of Government Version: 01/05/2011 Date Data Arrived at EDR: 01/14/2011 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 14

Source: Environmental Protection Agency

Telephone: 703-603-0695 Last EDR Contact: 03/14/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Varies

Federal ERNS list

ERNS: Emergency Response Notification System

Emergency Response Notification System. ERNS records and stores information on reported releases of oil and hazardous substances.

Date of Government Version: 12/31/2010 Date Data Arrived at EDR: 01/07/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 73

Source: National Response Center, United States Coast Guard

Telephone: 202-267-2180 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Annually

State- and tribal - equivalent CERCLIS

SHWS: Inactive Hazardous Waste Disposal Sites in New York State

Referred to as the State Superfund Program, the Inactive Hazardous Waste Disposal Site Remedial Program is the cleanup program for inactive hazardous waste sites and now includes hazardous substance sites

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9622 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Annually

VAPOR REOPENED: Vapor Intrustion Legacy Site List

New York is currently re-evaluating previous assumptions and decisions regarding the potential for soil vapor intrusion exposures at sites. As a result, all past, current, and future contaminated sites will be evaluated to determine whether these sites have the potential for exposures related to soil vapor intrusion.

Date of Government Version: 09/14/2010 Date Data Arrived at EDR: 11/24/2010 Date Made Active in Reports: 12/17/2010

Number of Days to Update: 23

Source: Department of Environmenal Conservation

Telephone: 518-402-9814 Last EDR Contact: 02/25/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Varies

State and tribal landfill and/or solid waste disposal site lists

SWF/LF: Facility Register

Solid Waste Facilities/Landfill Sites. SWF/LF type records typically contain an inventory of solid waste disposal facilities or landfills in a particular state. Depending on the state, these may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites

Date of Government Version: 01/12/2011 Date Data Arrived at EDR: 01/14/2011 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 21

Source: Department of Environmental Conservation

Telephone: 518-457-2051 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: Semi-Annually

State and tribal leaking storage tank lists

LTANKS: Spills Information Database

Leaking Storage Tank Incident Reports. These records contain an inventory of reported leaking storage tank incidents reported from 4/1/86 through the most recent update. They can be either leaking underground storage tanks or leaking aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/23/2011 Date Made Active in Reports: 03/31/2011

Number of Days to Update: 36

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Varies

HIST LTANKS: Listing of Leaking Storage Tanks

A listing of leaking underground and aboveground storage tanks. The causes of the incidents are tank test failures, tank failures or tank overfills. In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY LTANKS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005

Number of Days to Update: 6

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Florida, Mississippi and North Carolina.

Date of Government Version: 08/27/2010 Date Data Arrived at EDR: 08/30/2010 Date Made Active in Reports: 10/04/2010

Number of Days to Update: 35

Source: EPA Region 4 Telephone: 404-562-8677 Last EDR Contact: 02/16/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Semi-Annually

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Arizona, California, New Mexico and Nevada

Date of Government Version: 01/31/2011 Date Data Arrived at EDR: 02/01/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 48

Source: Environmental Protection Agency

Telephone: 415-972-3372 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Quarterly

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Alaska, Idaho, Oregon and Washington.

Date of Government Version: 02/03/2011 Date Data Arrived at EDR: 02/04/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 45

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Quarterly

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land
A listing of leaking underground storage tank locations on Indian Land.

Date of Government Version: 09/01/2010 Date Data Arrived at EDR: 11/05/2010 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 84

Source: EPA Region 1 Telephone: 617-918-1313 Last EDR Contact: 02/03/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in New Mexico and Oklahoma.

Date of Government Version: 02/03/2011 Date Data Arrived at EDR: 02/04/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 45

Source: EPA Region 6 Telephone: 214-665-6597 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land LUSTs on Indian land in Iowa, Kansas, and Nebraska

Date of Government Version: 11/04/2009 Date Data Arrived at EDR: 05/04/2010 Date Made Active in Reports: 07/07/2010

Number of Days to Update: 64

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 05/04/2010

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land

LUSTs on Indian land in Colorado, Montana, North Dakota, South Dakota, Utah and Wyoming.

Date of Government Version: 02/04/2011 Date Data Arrived at EDR: 02/04/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 45

Source: EPA Region 8 Telephone: 303-312-6271 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Quarterly

State and tribal registered storage tank lists

UST: Petroleum Bulk Storage (PBS) Database

Facilities that have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons.

Date of Government Version: 01/04/2011 Date Data Arrived at EDR: 01/06/2011 Date Made Active in Reports: 02/07/2011

Number of Days to Update: 32

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: No Update Planned

CBS UST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in underground tanks of any size

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 10/24/2005

Next Scheduled EDR Contact: 01/23/2006 Data Release Frequency: No Update Planned

MOSF UST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005

Next Scheduled EDR Contact: 10/24/2005

Data Release Frequency: Varies

AST: Petroleum Bulk Storage

Registered Aboveground Storage Tanks.

Date of Government Version: 01/04/2011 Date Data Arrived at EDR: 01/06/2011 Date Made Active in Reports: 02/07/2011

Number of Days to Update: 32

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011
Data Release Frequency: No Update Planned

CBS AST: Chemical Bulk Storage Database

Facilities that store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002

Date Made Active in Reports: 03/22/2002 Number of Days to Update: 30 Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005

Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned

MOSF AST: Major Oil Storage Facilities Database

Facilities that may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 02/20/2002 Date Made Active in Reports: 03/22/2002

Number of Days to Update: 30

Source: NYSDEC Telephone: 518-402-9549 Last EDR Contact: 07/25/2005

Next Scheduled EDR Contact: 10/24/2005 Data Release Frequency: No Update Planned

CBS: Chemical Bulk Storage Site Listing

These facilities store regulated hazardous substances in aboveground tanks with capacities of 185 gallons or greater, and/or in underground tanks of any size

Date of Government Version: 01/04/2011 Date Data Arrived at EDR: 01/06/2011 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Quarterly

MOSF: Major Oil Storage Facility Site Listing

These facilities may be onshore facilities or vessels, with petroleum storage capacities of 400,000 gallons or greater.

Date of Government Version: 01/04/2011 Date Data Arrived at EDR: 01/06/2011 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Quarterly

INDIAN UST R6: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 6 (Louisiana, Arkansas, Oklahoma, New Mexico, Texas and 65 Tribes).

Date of Government Version: 02/03/2011 Date Data Arrived at EDR: 02/04/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 45

Source: EPA Region 6 Telephone: 214-665-7591 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Semi-Annually

INDIAN UST R5: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 5 (Michigan, Minnesota and Wisconsin and Tribal Nations).

Date of Government Version: 02/11/2010 Date Data Arrived at EDR: 02/11/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 60

Source: EPA Region 5 Telephone: 312-886-6136 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

INDIAN UST R4: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Tribal Nations)

Date of Government Version: 08/27/2010 Date Data Arrived at EDR: 08/30/2010 Date Made Active in Reports: 10/04/2010

Number of Days to Update: 35

Source: EPA Region 4 Telephone: 404-562-9424 Last EDR Contact: 02/16/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Semi-Annually

INDIAN UST R9: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 9 (Arizona, California, Hawaii, Nevada, the Pacific Islands, and Tribal Nations).

Date of Government Version: 01/31/2011 Date Data Arrived at EDR: 02/01/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 48

Source: EPA Region 9 Telephone: 415-972-3368 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Quarterly

INDIAN UST R8: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming and 27 Tribal Nations).

Date of Government Version: 02/04/2011 Date Data Arrived at EDR: 02/04/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 45

Source: EPA Region 8 Telephone: 303-312-6137 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Quarterly

INDIAN UST R7: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 7 (Iowa, Kansas, Missouri, Nebraska, and 9 Tribal Nations).

Date of Government Version: 11/01/2010 Date Data Arrived at EDR: 12/02/2010 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 57

Source: EPA Region 7 Telephone: 913-551-7003 Last EDR Contact: 02/03/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

INDIAN UST R10: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 10 (Alaska, Idaho, Oregon, Washington, and Tribal Nations).

Date of Government Version: 02/03/2011 Date Data Arrived at EDR: 02/04/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 45

Source: EPA Region 10 Telephone: 206-553-2857 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Quarterly

INDIAN UST R1: Underground Storage Tanks on Indian Land

The Indian Underground Storage Tank (UST) database provides information about underground storage tanks on Indian land in EPA Region 1 (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont and ten Tribal Nations).

Date of Government Version: 09/01/2010 Date Data Arrived at EDR: 11/05/2010 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 84

Source: EPA, Region 1 Telephone: 617-918-1313 Last EDR Contact: 02/03/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

FEMA UST: Underground Storage Tank Listing

A listing of all FEMA owned underground storage tanks.

Date of Government Version: 01/01/2010 Date Data Arrived at EDR: 02/16/2010 Date Made Active in Reports: 04/12/2010

Number of Days to Update: 55

Source: FEMA

Telephone: 202-646-5797 Last EDR Contact: 01/17/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: Varies

State and tribal institutional control / engineering control registries

ENG CONTROLS: Registry of Engineering Controls

Environmental Remediation sites that have engineering controls in place.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9553 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Quarterly

INST CONTROL: Registry of Institutional Controls

Environmental Remediation sites that have institutional controls in place.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9553 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Quarterly

RES DECL: Restrictive Declarations Listing

A restrictive declaration is a covenant running with the land which binds the present and future owners of the property. As a condition of certain special permits, the City Planning Commission may require an applicant to sign and record a restrictive declaration that places specified conditions on the future use and development of the property. Certain restrictive declarations are indicated by a D on zoning maps.

Date of Government Version: 11/18/2010 Date Data Arrived at EDR: 12/23/2010 Date Made Active in Reports: 02/11/2011

Number of Days to Update: 50

Source: NYC Department of City Planning

Telephone: 212-720-3401 Last EDR Contact: 03/30/2011

Next Scheduled EDR Contact: 07/11/2011 Data Release Frequency: No Update Planned

State and tribal voluntary cleanup sites

VCP: Voluntary Cleanup Agreements

New York established its Voluntary Cleanup Program (VCP) to address the environmental, legal and financial barriers that often hinder the redevelopment and reuse of contaminated properties. The Voluntary Cleanup Program was developed to enhance private sector cleanup of brownfields by enabling parties to remediate sites using private rather than public funds and to reduce the development pressures on "greenfield" sites.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9711 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Semi-Annually

INDIAN VCP R1: Voluntary Cleanup Priority Listing

A listing of voluntary cleanup priority sites located on Indian Land located in Region 1.

Date of Government Version: 09/01/2010 Date Data Arrived at EDR: 01/05/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 75

Source: EPA, Region 1 Telephone: 617-918-1102 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Varies

INDIAN VCP R7: Voluntary Cleanup Priority Lisitng

A listing of voluntary cleanup priority sites located on Indian Land located in Region 7.

Date of Government Version: 03/20/2008 Date Data Arrived at EDR: 04/22/2008 Date Made Active in Reports: 05/19/2008

Number of Days to Update: 27

Source: EPA, Region 7 Telephone: 913-551-7365 Last EDR Contact: 04/20/2009

Next Scheduled EDR Contact: 07/20/2009 Data Release Frequency: Varies

State and tribal Brownfields sites

ERP: Environmental Restoration Program Listing

In an effort to spur the cleanup and redevelopment of brownfields, New Yorkers approved a \$200 million Environmental Restoration or Brownfields Fund as part of the \$1.75 billion Clean Water/Clean Air Bond Act of 1996 (1996 Bond Act). Enhancements to the program were enacted on October 7, 2003. Under the Environmental Restoration Program, the State provides grants to municipalities to reimburse up to 90 percent of on-site eligible costs and 100% of off-site eligible costs for site investigation and remediation activities. Once remediated, the property may then be reused for commercial, industrial, residential or public use.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9622 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Quarterly

BROWNFIELDS: Brownfields Site List

A Brownfield is any real property where redevelopment or re-use may be complicated by the presence or potential presence of a hazardous waste, petroleum, pollutant, or contaminant.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9764 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Semi-Annually

ADDITIONAL ENVIRONMENTAL RECORDS

Local Brownfield lists

US BROWNFIELDS: A Listing of Brownfields Sites

Included in the listing are brownfields properties addresses by Cooperative Agreement Recipients and brownfields properties addressed by Targeted Brownfields Assessments. Targeted Brownfields Assessments-EPA's Targeted Brownfields Assessments (TBA) program is designed to help states, tribes, and municipalities--especially those without EPA Brownfields Assessment Demonstration Pilots--minimize the uncertainties of contamination often associated with brownfields. Under the TBA program, EPA provides funding and/or technical assistance for environmental assessments at brownfields sites throughout the country. Targeted Brownfields Assessments supplement and work with other efforts under EPA's Brownfields Initiative to promote cleanup and redevelopment of brownfields. Cooperative Agreement Recipients-States, political subdivisions, territories, and Indian tribes become Brownfields Cleanup Revolving Loan Fund (BCRLF) cooperative agreement recipients when they enter into BCRLF cooperative agreements with the U.S. EPA selects BCRLF cooperative agreement recipients based on a proposal and application process. BCRLF cooperative agreement recipients must use EPA funds provided through BCRLF cooperative agreement for specified brownfields-related cleanup activities.

Date of Government Version: 12/29/2010 Date Data Arrived at EDR: 12/30/2010 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 81

Source: Environmental Protection Agency

Telephone: 202-566-2777 Last EDR Contact: 03/29/2011

Next Scheduled EDR Contact: 07/11/2011 Data Release Frequency: Semi-Annually

Local Lists of Landfill / Solid Waste Disposal Sites

ODI: Open Dump Inventory

An open dump is defined as a disposal facility that does not comply with one or more of the Part 257 or Part 258 Subtitle D Criteria.

Date of Government Version: 06/30/1985 Date Data Arrived at EDR: 08/09/2004 Date Made Active in Reports: 09/17/2004 Number of Days to Update: 39 Source: Environmental Protection Agency Telephone: 800-424-9346 Last EDR Contact: 06/09/2004 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

DEBRIS REGION 9: Torres Martinez Reservation Illegal Dump Site Locations

A listing of illegal dump sites location on the Torres Martinez Indian Reservation located in eastern Riverside County and northern Imperial County, California.

Date of Government Version: 01/12/2009 Date Data Arrived at EDR: 05/07/2009 Date Made Active in Reports: 09/21/2009

Number of Days to Update: 137

Source: EPA, Region 9 Telephone: 415-947-4219 Last EDR Contact: 03/28/2011

Next Scheduled EDR Contact: 07/11/2011 Data Release Frequency: No Update Planned

SWRCY: Registered Recycling Facility List A listing of recycling facilities.

Date of Government Version: 01/12/2011 Date Data Arrived at EDR: 01/14/2011 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 21

Source: Department of Environmental Conservation

Telephone: 518-402-8705 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: Semi-Annually

SWTIRE: Registered Waste Tire Storage & Facility List A listing of facilities registered to accept waste tires.

Date of Government Version: 08/01/2006 Date Data Arrived at EDR: 11/15/2006 Date Made Active in Reports: 11/30/2006

Number of Days to Update: 15

Source: Department of Environmental Conservation

Telephone: 518-402-8694 Last EDR Contact: 01/28/2011

Next Scheduled EDR Contact: 05/09/2011 Data Release Frequency: Annually

INDIAN ODI: Report on the Status of Open Dumps on Indian Lands

Location of open dumps on Indian land.

Date of Government Version: 12/31/1998 Date Data Arrived at EDR: 12/03/2007 Date Made Active in Reports: 01/24/2008

Number of Days to Update: 52

Source: Environmental Protection Agency

Telephone: 703-308-8245 Last EDR Contact: 02/08/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Varies

Local Lists of Hazardous waste / Contaminated Sites

US CDL: Clandestine Drug Labs

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 12/03/2010 Date Data Arrived at EDR: 12/30/2010 Date Made Active in Reports: 02/16/2011

Number of Days to Update: 48

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 03/08/2011

Next Scheduled EDR Contact: 06/20/2011 Data Release Frequency: Quarterly

DEL SHWS: Delisted Registry Sites

A database listing of sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/24/2011 Date Made Active in Reports: 03/25/2011

Number of Days to Update: 29

Source: Department of Environmental Conservation

Telephone: 518-402-9622 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Annually

US HIST CDL: National Clandestine Laboratory Register

A listing of clandestine drug lab locations. The U.S. Department of Justice ("the Department") provides this web site as a public service. It contains addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the Department, and the Department has not verified the entry and does not guarantee its accuracy. Members of the public must verify the accuracy of all entries by, for example, contacting local law enforcement and local health departments.

Date of Government Version: 09/01/2007 Date Data Arrived at EDR: 11/19/2008 Date Made Active in Reports: 03/30/2009

Number of Days to Update: 131

Source: Drug Enforcement Administration

Telephone: 202-307-1000 Last EDR Contact: 03/23/2009

Next Scheduled EDR Contact: 06/22/2009
Data Release Frequency: No Update Planned

Local Lists of Registered Storage Tanks

HIST UST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capacities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. It is no longer updated due to the sensitive nature of the information involved. See UST for more current data.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007

Data Release Frequency: Varies

HIST AST: Historical Petroleum Bulk Storage Database

These facilities have petroleum storage capabilities in excess of 1,100 gallons and less than 400,000 gallons. This database contains detailed information per site. No longer updated due to the sensitive nature of the information involved. See AST for more current data.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 06/02/2006 Date Made Active in Reports: 07/20/2006

Number of Days to Update: 48

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 10/23/2006

Next Scheduled EDR Contact: 01/22/2007 Data Release Frequency: No Update Planned

Local Land Records

LIENS 2: CERCLA Lien Information

A Federal CERCLA ('Superfund') lien can exist by operation of law at any site or property at which EPA has spent Superfund monies. These monies are spent to investigate and address releases and threatened releases of contamination. CERCLIS provides information as to the identity of these sites and properties.

Date of Government Version: 11/09/2010 Date Data Arrived at EDR: 11/16/2010 Date Made Active in Reports: 02/16/2011

Number of Days to Update: 92

Source: Environmental Protection Agency

Telephone: 202-564-6023 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

LUCIS: Land Use Control Information System

LUCIS contains records of land use control information pertaining to the former Navy Base Realignment and Closure properties.

Date of Government Version: 12/09/2005 Date Data Arrived at EDR: 12/11/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 31

Source: Department of the Navy Telephone: 843-820-7326 Last EDR Contact: 02/22/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Varies

Records of Emergency Release Reports

HMIRS: Hazardous Materials Information Reporting System

Hazardous Materials Incident Report System. HMIRS contains hazardous material spill incidents reported to DOT.

Date of Government Version: 12/31/2010 Date Data Arrived at EDR: 01/05/2011 Date Made Active in Reports: 02/25/2011

Number of Days to Update: 51

Source: U.S. Department of Transportation

Telephone: 202-366-4555 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Annually

SPILLS: Spills Information Database

Data collected on spills reported to NYSDEC as required by one or more of the following: Article 12 of the Navigation Law, 6 NYCRR Section 613.8 (from PBS regs), or 6 NYCRR Section 595.2 (from CBS regs). It includes spills active as of April 1, 1986, as well as spills occurring since this date.

Date of Government Version: 02/23/2011 Date Data Arrived at EDR: 02/23/2011 Date Made Active in Reports: 03/31/2011

Number of Days to Update: 36

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 04/01/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Varies

HIST SPILLS: SPILLS Database

This database contains records of chemical and petroleum spill incidents. Under State law, petroleum and hazardous chemical spills that can impact the waters of the state must be reported by the spiller (and, in some cases, by anyone who has knowledge of the spills). In 2002, the Department of Environmental Conservation stopped providing updates to its original Spills Information Database. This database includes fields that are no longer available from the NYDEC as of January 1, 2002. Current information may be found in the NY SPILLS database. Department of Environmental Conservation.

Date of Government Version: 01/01/2002 Date Data Arrived at EDR: 07/08/2005 Date Made Active in Reports: 07/14/2005

Number of Days to Update: 6

Source: Department of Environmental Conservation

Telephone: 518-402-9549 Last EDR Contact: 07/07/2005 Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

Other Ascertainable Records

RCRA-NonGen: RCRA - Non Generators

RCRAInfo is EPA's comprehensive information system, providing access to data supporting the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984. The database includes selective information on sites which generate, transport, store, treat and/or dispose of hazardous waste as defined by the Resource Conservation and Recovery Act (RCRA). Non-Generators do not presently generate hazardous

waste.

Date of Government Version: 02/17/2010
Date Data Arrived at EDR: 02/19/2010
Date Made Active in Reports: 05/17/2010

Number of Days to Update: 87

Source: Environmental Protection Agency

Telephone: (212) 637-3660 Last EDR Contact: 04/05/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Varies

DOT OPS: Incident and Accident Data

Department of Transporation, Office of Pipeline Safety Incident and Accident data.

Date of Government Version: 10/13/2010 Date Data Arrived at EDR: 12/10/2010 Date Made Active in Reports: 02/25/2011

Number of Days to Update: 77

Source: Department of Transporation, Office of Pipeline Safety

Telephone: 202-366-4595 Last EDR Contact: 02/11/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Varies

DOD: Department of Defense Sites

This data set consists of federally owned or administered lands, administered by the Department of Defense, that have any area equal to or greater than 640 acres of the United States, Puerto Rico, and the U.S. Virgin Islands.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 11/10/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 62

Source: USGS

Telephone: 703-692-8801 Last EDR Contact: 01/21/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: Semi-Annually

FUDS: Formerly Used Defense Sites

The listing includes locations of Formerly Used Defense Sites properties where the US Army Corps of Engineers is actively working or will take necessary cleanup actions.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 08/12/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 112

Source: U.S. Army Corps of Engineers

Telephone: 202-528-4285 Last EDR Contact: 03/15/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Varies

CONSENT: Superfund (CERCLA) Consent Decrees

Major legal settlements that establish responsibility and standards for cleanup at NPL (Superfund) sites. Released periodically by United States District Courts after settlement by parties to litigation matters.

Date of Government Version: 10/01/2010 Date Data Arrived at EDR: 10/29/2010 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 91

Source: Department of Justice, Consent Decree Library

Telephone: Varies

Last EDR Contact: 04/04/2011

Next Scheduled EDR Contact: 07/18/2011 Data Release Frequency: Varies

ROD: Records Of Decision

Record of Decision. ROD documents mandate a permanent remedy at an NPL (Superfund) site containing technical and health information to aid in the cleanup.

Date of Government Version: 02/25/2011 Date Data Arrived at EDR: 03/16/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 5

Source: EPA

Telephone: 703-416-0223 Last EDR Contact: 03/16/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Annually

UMTRA: Uranium Mill Tailings Sites

Uranium ore was mined by private companies for federal government use in national defense programs. When the mills shut down, large piles of the sand-like material (mill tailings) remain after uranium has been extracted from the ore. Levels of human exposure to radioactive materials from the piles are low; however, in some cases tailings were used as construction materials before the potential health hazards of the tailings were recognized.

Date of Government Version: 09/14/2010 Date Data Arrived at EDR: 10/21/2010 Date Made Active in Reports: 01/28/2011

Number of Days to Update: 99

Source: Department of Energy Telephone: 505-845-0011 Last EDR Contact: 03/04/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Varies

MINES: Mines Master Index File

Contains all mine identification numbers issued for mines active or opened since 1971. The data also includes violation information.

Date of Government Version: 08/04/2010 Date Data Arrived at EDR: 09/09/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 84

Source: Department of Labor, Mine Safety and Health Administration

Telephone: 303-231-5959 Last EDR Contact: 03/09/2011

Next Scheduled EDR Contact: 06/20/2011 Data Release Frequency: Semi-Annually

TRIS: Toxic Chemical Release Inventory System

Toxic Release Inventory System. TRIS identifies facilities which release toxic chemicals to the air, water and land in reportable quantities under SARA Title III Section 313.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 12/17/2010 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 94

Source: EPA

Telephone: 202-566-0250 Last EDR Contact: 03/01/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Annually

TSCA: Toxic Substances Control Act

Toxic Substances Control Act. TSCA identifies manufacturers and importers of chemical substances included on the TSCA Chemical Substance Inventory list. It includes data on the production volume of these substances by plant site.

Date of Government Version: 12/31/2006 Date Data Arrived at EDR: 09/29/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 64

Source: EPA

Telephone: 202-260-5521 Last EDR Contact: 03/29/2011

Next Scheduled EDR Contact: 07/11/2011 Data Release Frequency: Every 4 Years

FTTS: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act)

FTTS tracks administrative cases and pesticide enforcement actions and compliance activities related to FIFRA, TSCA and EPCRA (Emergency Planning and Community Right-to-Know Act). To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA/Office of Prevention, Pesticides and Toxic Substances

Telephone: 202-566-1667 Last EDR Contact: 02/28/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Quarterly

FTTS INSP: FIFRA/ TSCA Tracking System - FIFRA (Federal Insecticide, Fungicide, & Rodenticide Act)/TSCA (Toxic Substances Control Act) A listing of FIFRA/TSCA Tracking System (FTTS) inspections and enforcements.

Date of Government Version: 04/09/2009 Date Data Arrived at EDR: 04/16/2009 Date Made Active in Reports: 05/11/2009

Number of Days to Update: 25

Source: EPA

Telephone: 202-566-1667 Last EDR Contact: 02/28/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Quarterly

HIST FTTS: FIFRA/TSCA Tracking System Administrative Case Listing

A complete administrative case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2007

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

HIST FTTS INSP: FIFRA/TSCA Tracking System Inspection & Enforcement Case Listing

A complete inspection and enforcement case listing from the FIFRA/TSCA Tracking System (FTTS) for all ten EPA regions. The information was obtained from the National Compliance Database (NCDB). NCDB supports the implementation of FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) and TSCA (Toxic Substances Control Act). Some EPA regions are now closing out records. Because of that, and the fact that some EPA regions are not providing EPA Headquarters with updated records, it was decided to create a HIST FTTS database. It included records that may not be included in the newer FTTS database updates. This database is no longer updated.

Date of Government Version: 10/19/2006 Date Data Arrived at EDR: 03/01/2007 Date Made Active in Reports: 04/10/2007

Number of Days to Update: 40

Source: Environmental Protection Agency

Telephone: 202-564-2501 Last EDR Contact: 12/17/2008

Next Scheduled EDR Contact: 03/17/2008 Data Release Frequency: No Update Planned

SSTS: Section 7 Tracking Systems

Section 7 of the Federal Insecticide, Fungicide and Rodenticide Act, as amended (92 Stat. 829) requires all registered pesticide-producing establishments to submit a report to the Environmental Protection Agency by March 1st each year. Each establishment must report the types and amounts of pesticides, active ingredients and devices being produced, and those having been produced and sold or distributed in the past year.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 12/10/2010 Date Made Active in Reports: 02/25/2011

Number of Days to Update: 77

Source: EPA

Telephone: 202-564-4203 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Annually

ICIS: Integrated Compliance Information System

The Integrated Compliance Information System (ICIS) supports the information needs of the national enforcement and compliance program as well as the unique needs of the National Pollutant Discharge Elimination System (NPDES) program.

Date of Government Version: 01/07/2011 Date Data Arrived at EDR: 01/21/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 59

Source: Environmental Protection Agency

Telephone: 202-564-5088 Last EDR Contact: 03/28/2011

Next Scheduled EDR Contact: 07/11/2011 Data Release Frequency: Quarterly

PADS: PCB Activity Database System

PCB Activity Database. PADS Identifies generators, transporters, commercial storers and/or brokers and disposers of PCB's who are required to notify the EPA of such activities.

Date of Government Version: 11/01/2010 Date Data Arrived at EDR: 11/10/2010 Date Made Active in Reports: 02/16/2011

Number of Days to Update: 98

Source: EPA

Telephone: 202-566-0500 Last EDR Contact: 01/21/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: Annually

MLTS: Material Licensing Tracking System

MLTS is maintained by the Nuclear Regulatory Commission and contains a list of approximately 8,100 sites which possess or use radioactive materials and which are subject to NRC licensing requirements. To maintain currency, EDR contacts the Agency on a quarterly basis.

Date of Government Version: 03/18/2010 Date Data Arrived at EDR: 04/06/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 51

Source: Nuclear Regulatory Commission

Telephone: 301-415-7169 Last EDR Contact: 03/14/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Quarterly

RADINFO: Radiation Information Database

The Radiation Information Database (RADINFO) contains information about facilities that are regulated by U.S. Environmental Protection Agency (EPA) regulations for radiation and radioactivity.

Date of Government Version: 01/11/2011 Date Data Arrived at EDR: 01/13/2011 Date Made Active in Reports: 02/16/2011

Number of Days to Update: 34

Source: Environmental Protection Agency

Telephone: 202-343-9775 Last EDR Contact: 04/13/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: Quarterly

FINDS: Facility Index System/Facility Registry System

Facility Index System. FINDS contains both facility information and 'pointers' to other sources that contain more detail. EDR includes the following FINDS databases in this report: PCS (Permit Compliance System), AIRS (Aerometric Information Retrieval System), DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes), FURS (Federal Underground Injection Control), C-DOCKET (Criminal Docket System used to track criminal enforcement actions for all environmental statutes), FFIS (Federal Facilities Information System), STATE (State Environmental Laws and Statutes), and PADS (PCB Activity Data System).

Date of Government Version: 04/14/2010 Date Data Arrived at EDR: 04/16/2010 Date Made Active in Reports: 05/27/2010

Number of Days to Update: 41

Source: EPA

Telephone: (212) 637-3000 Last EDR Contact: 03/14/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Quarterly

RAATS: RCRA Administrative Action Tracking System

RCRA Administration Action Tracking System. RAATS contains records based on enforcement actions issued under RCRA pertaining to major violators and includes administrative and civil actions brought by the EPA. For administration actions after September 30, 1995, data entry in the RAATS database was discontinued. EPA will retain a copy of the database for historical records. It was necessary to terminate RAATS because a decrease in agency resources made it impossible to continue to update the information contained in the database.

Date of Government Version: 04/17/1995 Date Data Arrived at EDR: 07/03/1995 Date Made Active in Reports: 08/07/1995

Number of Days to Update: 35

Source: EPA

Telephone: 202-564-4104 Last EDR Contact: 06/02/2008

Next Scheduled EDR Contact: 09/01/2008 Data Release Frequency: No Update Planned

BRS: Biennial Reporting System

The Biennial Reporting System is a national system administered by the EPA that collects data on the generation and management of hazardous waste. BRS captures detailed data from two groups: Large Quantity Generators (LQG) and Treatment, Storage, and Disposal Facilities.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 02/25/2010 Date Made Active in Reports: 05/12/2010

Number of Days to Update: 76

Source: EPA/NTIS Telephone: 800-424-9346 Last EDR Contact: 03/01/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Biennially

HSWDS: Hazardous Substance Waste Disposal Site Inventory

The list includes any known or suspected hazardous substance waste disposal sites. Also included are sites delisted from the Registry of Inactive Hazardous Waste Disposal Sites and non-Registry sites that U.S. EPA Preliminary Assessment (PA) reports or Site Investigation (SI) reports were prepared. Hazardous Substance Waste Disposal Sites are eligible to be Superfund sites now that the New York State Superfund has been refinanced and changed. This means that the study inventory has served its purpose and will no longer be maintained as a separate entity. The last version of the study inventory is frozen in time. The sites on the study will not automatically be made Superfund sites, rather each site will be further evaluated for listing on the Registry. So overtime they will be added to the registry or not.

Date of Government Version: 01/01/2003 Date Data Arrived at EDR: 10/20/2006 Date Made Active in Reports: 11/30/2006

Number of Days to Update: 41

Source: Department of Environmental Conservation

Telephone: 518-402-9564 Last EDR Contact: 05/26/2009

Next Scheduled EDR Contact: 08/24/2009 Data Release Frequency: No Update Planned

UIC: Underground Injection Control Wells

A listing of enhanced oil recovery underground injection wells.

Date of Government Version: 03/14/2011 Date Data Arrived at EDR: 03/15/2011 Date Made Active in Reports: 04/06/2011

Number of Days to Update: 22

Source: Department of Environmental Conservation

Telephone: 518-402-8056 Last EDR Contact: 03/15/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Quarterly

NY MANIFEST: Facility and Manifest Data

Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a TSD facility.

Date of Government Version: 12/31/2010 Date Data Arrived at EDR: 02/09/2011 Date Made Active in Reports: 03/04/2011

Number of Days to Update: 23

Source: Department of Environmental Conservation

Telephone: 518-402-8651 Last EDR Contact: 02/09/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Annually

DRYCLEANERS: Registered Drycleaners

A listing of all registered drycleaning facilities.

Date of Government Version: 12/21/2010 Date Data Arrived at EDR: 12/29/2010 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 37

Source: Department of Environmental Conservation

Telephone: 518-402-8403 Last EDR Contact: 03/21/2011

Next Scheduled EDR Contact: 07/04/2011 Data Release Frequency: Varies

SPDES: State Pollutant Discharge Elimination System

New York State has a state program which has been approved by the United States Environmental Protection Agency for the control of wastewater and stormwater discharges in accordance with the Clean Water Act. Under New York State law the program is known as the State Pollutant Discharge Elimination System (SPDES) and is broader in scope than that required by the Clean Water Act in that it controls point source discharges to groundwaters as well as surface waters.

Date of Government Version: 01/19/2011 Date Data Arrived at EDR: 01/20/2011 Date Made Active in Reports: 03/02/2011

Number of Days to Update: 41

Source: Department of Environmental Conservation

Telephone: 518-402-8233 Last EDR Contact: 01/17/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: No Update Planned

AIRS: Air Emissions Data

Point source emissions inventory data.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 11/02/2010 Date Made Active in Reports: 12/17/2010

Number of Days to Update: 45

Source: Department of Environmental Conservation

Telephone: 518-402-8452 Last EDR Contact: 01/31/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Annually

E DESIGNATION: E DESIGNATION SITE LISTING

The (E (Environmental)) designation would ensure that sampling and remediation take place on the subject properties, and would avoid any significant impacts related to hazardous materials at these locations. The (E) designations would require that the fee owner of the sites conduct a testing and sampling protocol, and remediation where appropriate, to the satisfaction of the NYCDEP before the issuance of a building permit by the Department of Buildings pursuant to the provisions of Section 11-15 of the Zoning Resolution (Environmental Requirements). The (E) designations also include a mandatory construction-related health and safety plan which must be approved by NYCDEP.

Date of Government Version: 10/13/2010 Date Data Arrived at EDR: 12/30/2010 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 36

Source: New York City Department of City Planning

Telephone: 718-595-6658 Last EDR Contact: 03/30/2011

Next Scheduled EDR Contact: 07/11/2011 Data Release Frequency: Varies

INDIAN RESERV: Indian Reservations

This map layer portrays Indian administered lands of the United States that have any area equal to or greater than 640 acres.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 12/08/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 34

Source: USGS

Telephone: 202-208-3710 Last EDR Contact: 01/21/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: Semi-Annually

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners Listing

The State Coalition for Remediation of Drycleaners was established in 1998, with support from the U.S. EPA Office of Superfund Remediation and Technology Innovation. It is comprised of representatives of states with established drycleaner remediation programs. Currently the member states are Alabama, Connecticut, Florida, Illinois, Kansas, Minnesota, Missouri, North Carolina, Oregon, South Carolina, Tennessee, Texas, and Wisconsin.

Date of Government Version: 08/31/2010 Date Data Arrived at EDR: 09/01/2010 Date Made Active in Reports: 12/02/2010

Number of Days to Update: 92

Source: Environmental Protection Agency

Telephone: 615-532-8599 Last EDR Contact: 02/22/2011

Next Scheduled EDR Contact: 05/09/2011 Data Release Frequency: Varies

FINANCIAL ASSURANCE 2: Financial Assurance Information Listing

A listing of financial assurance information for hazardous waste facilities. Financial assurance is intended to ensure that resources are available to pay for the cost of closure, post-closure care, and corrective measures if the owner or operator of a regulated facility is unable or unwilling to pay.

Date of Government Version: 10/31/2008 Date Data Arrived at EDR: 11/25/2008 Date Made Active in Reports: 12/11/2008

Number of Days to Update: 16

Source: Department of Environmental Conservation

Telephone: 518-402-8712 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: Varies

COAL ASH DOE: Sleam-Electric Plan Operation Data

A listing of power plants that store ash in surface ponds.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 08/07/2009 Date Made Active in Reports: 10/22/2009

Number of Days to Update: 76

Source: Department of Energy Telephone: 202-586-8719 Last EDR Contact: 01/18/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: Varies

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

A listing of coal combustion residues surface impoundments with high hazard potential ratings.

Date of Government Version: 08/17/2010 Date Data Arrived at EDR: 01/03/2011 Date Made Active in Reports: 03/21/2011

Number of Days to Update: 77

Source: Environmental Protection Agency

Telephone: N/A

Last EDR Contact: 03/18/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Varies

PCB TRANSFORMER: PCB Transformer Registration Database

The database of PCB transformer registrations that includes all PCB registration submittals.

Date of Government Version: 01/01/2008 Date Data Arrived at EDR: 02/18/2009 Date Made Active in Reports: 05/29/2009

Number of Days to Update: 100

Source: Environmental Protection Agency

Telephone: 202-566-0517 Last EDR Contact: 02/04/2011

Next Scheduled EDR Contact: 05/16/2011 Data Release Frequency: Varies

FINANCIAL ASSURANCE 1: Financial Assurance Information Listing

Financial assurance information.

Date of Government Version: 01/12/2011 Date Data Arrived at EDR: 01/14/2011 Date Made Active in Reports: 02/04/2011

Number of Days to Update: 21

Source: Department of Environmental Conservation

Telephone: 518-402-8660 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011
Data Release Frequency: Quarterly

COAL ASH: Coal Ash Disposal Site Listing
A listing of coal ash disposal site locations.

Date of Government Version: 01/12/2011 Date Data Arrived at EDR: 01/26/2011 Date Made Active in Reports: 03/07/2011

Number of Days to Update: 40

Source: Department of Environmental Conservation

Telephone: 518-402-8660 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: Varies

FEDLAND: Federal and Indian Lands

Federally and Indian administrated lands of the United States. Lands included are administrated by: Army Corps of Engineers, Bureau of Reclamation, National Wild and Scenic River, National Wildlife Refuge, Public Domain Land, Wilderness, Wilderness Study Area, Wildlife Management Area, Bureau of Indian Affairs, Bureau of Land Management, Department of Justice, Forest Service, Fish and Wildlife Service, National Park Service.

Date of Government Version: 12/31/2005 Date Data Arrived at EDR: 02/06/2006 Date Made Active in Reports: 01/11/2007

Number of Days to Update: 339

Source: U.S. Geological Survey Telephone: 888-275-8747 Last EDR Contact: 01/21/2011

Next Scheduled EDR Contact: 05/02/2011

Data Release Frequency: N/A

EDR PROPRIETARY RECORDS

EDR Proprietary Records

Manufactured Gas Plants: EDR Proprietary Manufactured Gas Plants

The EDR Proprietary Manufactured Gas Plant Database includes records of coal gas plants (manufactured gas plants) compiled by EDR's researchers. Manufactured gas sites were used in the United States from the 1800's to 1950's to produce a gas that could be distributed and used as fuel. These plants used whale oil, rosin, coal, or a mixture of coal, oil, and water that also produced a significant amount of waste. Many of the byproducts of the gas production, such as coal tar (oily waste containing volatile and non-volatile chemicals), sludges, oils and other compounds are potentially hazardous to human health and the environment. The byproduct from this process was frequently disposed of directly at the plant site and can remain or spread slowly, serving as a continuous source of soil and groundwater contamination.

Date of Government Version: N/A Date Data Arrived at EDR: N/A Date Made Active in Reports: N/A

Number of Days to Update: N/A

Source: EDR, Inc. Telephone: N/A Last EDR Contact: N/A

Next Scheduled EDR Contact: N/A

Data Release Frequency: No Update Planned

COUNTY RECORDS

CORTLAND COUNTY:

Cortland County Storage Tank Listing

A listing of aboveground storage tank sites located in Cortland County.

Date of Government Version: 01/05/2011 Date Data Arrived at EDR: 01/07/2011 Date Made Active in Reports: 02/07/2011

Number of Days to Update: 31

Source: Cortland County Health Department Telephone: 607-753-5035

Last EDR Contact: 02/07/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Quarterly

Cortland County Storage Tank Listing

A listing of underground storage tank sites located in Cortland County.

Date of Government Version: 01/05/2011 Date Data Arrived at EDR: 01/07/2011 Date Made Active in Reports: 02/07/2011

Number of Days to Update: 31

Source: Cortland County Health Department

Telephone: 607-753-5035 Last EDR Contact: 02/07/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Quarterly

NASSAU COUNTY:

Registered Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003 Date Data Arrived at EDR: 05/27/2003 Date Made Active in Reports: 06/09/2003

Number of Days to Update: 13

Source: Nassau County Health Department

Telephone: 516-571-3314 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: No Update Planned

Storage Tank Database

A listing of aboveground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011 Date Data Arrived at EDR: 02/23/2011 Date Made Active in Reports: 03/29/2011

Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal

Telephone: 516-572-1000 Last EDR Contact: 02/07/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Varies

Registered Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 05/21/2003 Date Data Arrived at EDR: 05/27/2003 Date Made Active in Reports: 06/09/2003

Number of Days to Update: 13

Source: Nassau County Health Department

Telephone: 516-571-3314 Last EDR Contact: 04/11/2011

Next Scheduled EDR Contact: 07/25/2011 Data Release Frequency: No Update Planned

Storage Tank Database

A listing of underground storage tank sites located in Nassau County.

Date of Government Version: 02/15/2011 Date Data Arrived at EDR: 02/23/2011 Date Made Active in Reports: 03/29/2011

Number of Days to Update: 34

Source: Nassau County Office of the Fire Marshal

Telephone: 516-572-1000 Last EDR Contact: 02/07/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Varies

ROCKLAND COUNTY:

Petroleum Bulk Storage Database

A listing of aboveground storage tank sites located in Rockland County.

Date of Government Version: 02/09/2011 Date Data Arrived at EDR: 02/09/2011 Date Made Active in Reports: 03/03/2011

Number of Days to Update: 22

Source: Rockland County Health Department

Telephone: 914-364-2605 Last EDR Contact: 03/14/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Quarterly

Petroleum Bulk Storage Database

A listing of underground storage tank sites located in Rockland County.

Date of Government Version: 02/09/2011 Date Data Arrived at EDR: 02/09/2011 Date Made Active in Reports: 03/03/2011

Number of Days to Update: 22

Source: Rockland County Health Department

Telephone: 914-364-2605 Last EDR Contact: 03/14/2011

Next Scheduled EDR Contact: 06/27/2011 Data Release Frequency: Quarterly

SUFFOLK COUNTY:

Storage Tank Database

A listing of aboveground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006 Date Data Arrived at EDR: 01/11/2007 Date Made Active in Reports: 02/07/2007

Number of Days to Update: 27

Source: Suffolk County Department of Health Services

Telephone: 631-854-2521 Last EDR Contact: 02/07/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Annually

Storage Tank Database

A listing of underground storage tank sites located in Suffolk County.

Date of Government Version: 09/13/2006 Date Data Arrived at EDR: 01/11/2007 Date Made Active in Reports: 02/07/2007

Number of Days to Update: 27

Source: Suffolk County Department of Health Services

Telephone: 631-854-2521 Last EDR Contact: 02/07/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Annually

WESTCHESTER COUNTY:

Listing of Storage Tanks

A listing of aboveground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005 Date Data Arrived at EDR: 05/31/2005 Date Made Active in Reports: 06/30/2005

Number of Days to Update: 30

Source: Westchester County Department of Health

Telephone: 914-813-5161 Last EDR Contact: 02/11/2011

Next Scheduled EDR Contact: 05/23/2011

Data Release Frequency: Varies

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Listing of Storage Tanks

A listing of underground storage tank sites located in Westchester County.

Date of Government Version: 05/05/2005 Date Data Arrived at EDR: 05/31/2005 Date Made Active in Reports: 06/30/2005

Number of Days to Update: 30

Source: Westchester County Department of Health

Telephone: 914-813-5161 Last EDR Contact: 02/11/2011

Next Scheduled EDR Contact: 05/23/2011 Data Release Frequency: Varies

OTHER DATABASE(S)

Depending on the geographic area covered by this report, the data provided in these specialty databases may or may not be complete. For example, the existence of wetlands information data in a specific report does not mean that all wetlands in the area covered by the report are included. Moreover, the absence of any reported wetlands information does not necessarily mean that wetlands do not exist in the area covered by the report.

CT MANIFEST: Hazardous Waste Manifest Data

Facility and manifest data. Manifest is a document that lists and tracks hazardous waste from the generator through transporters to a tsd facility.

Date of Government Version: 12/31/2007 Date Data Arrived at EDR: 08/26/2009 Date Made Active in Reports: 09/11/2009

Number of Days to Update: 16

Source: Department of Environmental Protection

Telephone: 860-424-3375 Last EDR Contact: 02/25/2011

Next Scheduled EDR Contact: 06/06/2011 Data Release Frequency: Annually

NJ MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 07/22/2010 Date Made Active in Reports: 08/26/2010

Number of Days to Update: 35

Source: Department of Environmental Protection

Telephone: N/A

Last EDR Contact: 01/21/2011

Next Scheduled EDR Contact: 05/02/2011 Data Release Frequency: Annually

PA MANIFEST: Manifest Information
Hazardous waste manifest information.

Date of Government Version: 12/31/2008 Date Data Arrived at EDR: 12/01/2009 Date Made Active in Reports: 12/14/2009

Number of Days to Update: 13

Source: Department of Environmental Protection

Telephone: 717-783-8990 Last EDR Contact: 04/04/2011

Next Scheduled EDR Contact: 07/06/2011 Data Release Frequency: Annually

RI MANIFEST: Manifest information
Hazardous waste manifest information

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 07/19/2010 Date Made Active in Reports: 08/26/2010

Number of Days to Update: 38

Source: Department of Environmental Management

Telephone: 401-222-2797 Last EDR Contact: 02/28/2011

Next Scheduled EDR Contact: 06/13/2011 Data Release Frequency: Annually

VT MANIFEST: Hazardous Waste Manifest Data Hazardous waste manifest information.

Date of Government Version: 03/29/2010 Date Data Arrived at EDR: 05/14/2010 Date Made Active in Reports: 06/22/2010

Number of Days to Update: 39

Source: Department of Environmental Conservation

Telephone: 802-241-3443 Last EDR Contact: 01/24/2011

Next Scheduled EDR Contact: 05/09/2011 Data Release Frequency: Annually

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

WI MANIFEST: Manifest Information

Hazardous waste manifest information.

Date of Government Version: 12/31/2009 Date Data Arrived at EDR: 07/06/2010 Date Made Active in Reports: 07/26/2010

Number of Days to Update: 20

Source: Department of Natural Resources

Telephone: N/A

Last EDR Contact: 03/21/2011

Next Scheduled EDR Contact: 07/04/2011 Data Release Frequency: Annually

Oil/Gas Pipelines: This data was obtained by EDR from the USGS in 1994. It is referred to by USGS as GeoData Digital Line Graphs from 1:100,000-Scale Maps. It was extracted from the transportation category including some oil, but primarily gas pipelines.

Electric Power Transmission Line Data Source: Rextag Strategies Corp. Telephone: (281) 769-2247

U.S. Electric Transmission and Power Plants Systems Digital GIS Data

Sensitive Receptors: There are individuals deemed sensitive receptors due to their fragile immune systems and special sensitivity to environmental discharges. These sensitive receptors typically include the elderly, the sick, and children. While the location of all sensitive receptors cannot be determined, EDR indicates those buildings and facilities - schools, daycares, hospitals, medical centers, and nursing homes - where individuals who are sensitive receptors are likely to be located.

AHA Hospitals:

Source: American Hospital Association, Inc.

Telephone: 312-280-5991

The database includes a listing of hospitals based on the American Hospital Association's annual survey of hospitals.

Medical Centers: Provider of Services Listing

Source: Centers for Medicare & Medicaid Services

Telephone: 410-786-3000

A listing of hospitals with Medicare provider number, produced by Centers of Medicare & Medicaid Services,

a federal agency within the U.S. Department of Health and Human Services.

Nursing Homes

Source: National Institutes of Health

Telephone: 301-594-6248

Information on Medicare and Medicaid certified nursing homes in the United States.

Public Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on elementary

and secondary public education in the United States. It is a comprehensive, annual, national statistical database of all public elementary and secondary schools and school districts, which contains data that are

comparable across all states.

Private Schools

Source: National Center for Education Statistics

Telephone: 202-502-7300

The National Center for Education Statistics' primary database on private school locations in the United States.

Daycare Centers: Day Care Providers Source: Department of Health Telephone: 212-676-2444

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

GOVERNMENT RECORDS SEARCHED / DATA CURRENCY TRACKING

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

GEOCHECK ®- PHYSICAL SETTING SOURCE ADDENDUM

TARGET PROPERTY ADDRESS

BUSH TERMINAL YARD - CROSS HARBOR PORTFOLIO 1ST AVENUE AND 48TH STREET BROOKLYN, NY 11232

TARGET PROPERTY COORDINATES

Latitude (North): 40.65290 - 40° 39' 10.4" Longitude (West): 74.0177 - 74° 1' 3.7"

Universal Tranverse Mercator: Zone 18 UTM X (Meters): 583047.6 UTM Y (Meters): 4500479.5

Elevation: 4 ft. above sea level

USGS TOPOGRAPHIC MAP

Target Property Map: 40074-F1 JERSEY CITY, NJ

Most Recent Revision: 1981

East Map: 40073-F8 BROOKLYN, NY

Most Recent Revision: 1995

EDR's GeoCheck Physical Setting Source Addendum is provided to assist the environmental professional in forming an opinion about the impact of potential contaminant migration.

Assessment of the impact of contaminant migration generally has two principle investigative components:

- 1. Groundwater flow direction, and
- 2. Groundwater flow velocity.

Groundwater flow direction may be impacted by surface topography, hydrology, hydrogeology, characteristics of the soil, and nearby wells. Groundwater flow velocity is generally impacted by the nature of the geologic strata.

GROUNDWATER FLOW DIRECTION INFORMATION

Groundwater flow direction for a particular site is best determined by a qualified environmental professional using site-specific well data. If such data is not reasonably ascertainable, it may be necessary to rely on other sources of information, such as surface topographic information, hydrologic information, hydrogeologic data collected on nearby properties, and regional groundwater flow information (from deep aquifers).


TOPOGRAPHIC INFORMATION

Surface topography may be indicative of the direction of surficial groundwater flow. This information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

TARGET PROPERTY TOPOGRAPHY

General Topographic Gradient: General NW

SURROUNDING TOPOGRAPHY: ELEVATION PROFILES



Source: Topography has been determined from the USGS 7.5' Digital Elevation Model and should be evaluated on a relative (not an absolute) basis. Relative elevation information between sites of close proximity should be field verified.

HYDROLOGIC INFORMATION

Surface water can act as a hydrologic barrier to groundwater flow. Such hydrologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Refer to the Physical Setting Source Map following this summary for hydrologic information (major waterways and bodies of water).

FEMA FLOOD ZONE

FEMA Flood

Target Property County KINGS, NY

Electronic Data
YES - refer to the Overview Map and Detail Map

Flood Plain Panel at Target Property:

360497 - FEMA DFIRM Flood data

Additional Panels in search area:

Not Reported

NATIONAL WETLAND INVENTORY

NWI Electronic

NWI Quad at Target Property

Data Coverage

JERSEY CITY

YES - refer to the Overview Map and Detail Map

HYDROGEOLOGIC INFORMATION

Hydrogeologic information obtained by installation of wells on a specific site can often be an indicator of groundwater flow direction in the immediate area. Such hydrogeologic information can be used to assist the environmental professional in forming an opinion about the impact of nearby contaminated properties or, should contamination exist on the target property, what downgradient sites might be impacted.

Site-Specific Hydrogeological Data*:

Search Radius: 1.25 miles Status: Not found

AQUIFLOW®

Search Radius: 1.000 Mile.

EDR has developed the AQUIFLOW Information System to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted by environmental professionals to regulatory authorities at select sites and has extracted the date of the report, groundwater flow direction as determined hydrogeologically, and the depth to water table.

 MAP ID
 FROM TP
 GROUNDWATER FLOW

 Not Reported
 GROUNDWATER FLOW

GROUNDWATER FLOW VELOCITY INFORMATION

Groundwater flow velocity information for a particular site is best determined by a qualified environmental professional using site specific geologic and soil strata data. If such data are not reasonably ascertainable, it may be necessary to rely on other sources of information, including geologic age identification, rock stratigraphic unit and soil characteristics data collected on nearby properties and regional soil information. In general, contaminant plumes move more quickly through sandy-gravelly types of soils than silty-clayey types of soils.

GEOLOGIC INFORMATION IN GENERAL AREA OF TARGET PROPERTY

Geologic information can be used by the environmental professional in forming an opinion about the relative speed at which contaminant migration may be occurring.

ROCK STRATIGRAPHIC UNIT

GEOLOGIC AGE IDENTIFICATION

Era: Mesozoic Category: Stratified Sequence

System: Cretaceous Upper Cretaceous

Code: uK (decoded above as Era, System & Series)

Geologic Age and Rock Stratigraphic Unit Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - a digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

DOMINANT SOIL COMPOSITION IN GENERAL AREA OF TARGET PROPERTY

The U.S. Department of Agriculture's (USDA) Soil Conservation Service (SCS) leads the National Cooperative Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps. The following information is based on Soil Conservation Service STATSGO data.

Soil Component Name: URBAN LAND

Soil Surface Texture: variable

Hydrologic Group: Not reported

Soil Drainage Class: Not reported

Hydric Status: Soil does not meet the requirements for a hydric soil.

Corrosion Potential - Uncoated Steel: Not Reported

Depth to Bedrock Min: > 10 inches

Depth to Bedrock Max: > 10 inches

Soil Layer Information									
	Boundary Classification								
Layer	Upper	Lower	Soil Texture Class	AASHTO Group	Unified Soil	Permeability Rate (in/hr)	Soil Reaction (pH)		
1	0 inches	6 inches	variable	Not reported	Not reported	Max: 0.00 Min: 0.00	Max: 0.00 Min: 0.00		

OTHER SOIL TYPES IN AREA

Based on Soil Conservation Service STATSGO data, the following additional subordinant soil types may appear within the general area of target property.

Soil Surface Textures: silt loam

loamy sand sandy loam fine sandy loam

Surficial Soil Types: silt loam

loamy sand sandy loam fine sandy loam

Shallow Soil Types: sandy loam

Deeper Soil Types: unweathered bedrock

very gravelly - loamy sand

stratified sandy loam

LOCAL / REGIONAL WATER AGENCY RECORDS

EDR Local/Regional Water Agency records provide water well information to assist the environmental professional in assessing sources that may impact ground water flow direction, and in forming an opinion about the impact of contaminant migration on nearby drinking water wells.

WELL SEARCH DISTANCE INFORMATION

DATABASE SEARCH DISTANCE (miles)

Federal USGS 0.076

Federal FRDS PWS Nearest PWS within 0.076 miles

State Database 0.076

FEDERAL USGS WELL INFORMATION

MAP ID WELL ID LOCATION FROM TP

No Wells Found

FEDERAL FRDS PUBLIC WATER SUPPLY SYSTEM INFORMATION

LOCATION MAP ID WELL ID FROM TP

No PWS System Found


Note: PWS System location is not always the same as well location.

STATE DATABASE WELL INFORMATION

LOCATION MAP ID WELL ID FROM TP

No Wells Found

PHYSICAL SETTING SOURCE MAP - 3040645.2s



SITE NAME: Bush Terminal Yard - Cross Harbor Portfolio

ADDRESS: 1st Avenue and 48th Street

Brooklyn NY 11232 LAT/LONG: 40.6529 / 74.0177 CLIENT: STV Inc. CONTACT: Douglas Glorie INQUIRY#: 3040645.2s

DATE: April 15, 2011 3:07 pm

GEOCHECK®- PHYSICAL SETTING SOURCE MAP FINDINGS RADON

AREA RADON INFORMATION

Federal EPA Radon Zone for KINGS County: 3

Note: Zone 1 indoor average level > 4 pCi/L.

: Zone 2 indoor average level >= 2 pCi/L and <= 4 pCi/L.

: Zone 3 indoor average level < 2 pCi/L.

Federal Area Radon Information for KINGS COUNTY, NY

Number of sites tested: 51

Area	Average Activity	% <4 pCi/L	% 4-20 pCi/L	% >20 pCi/L
Living Area	0.750 pCi/L	100%	0%	0%
Basement	1.370 pCi/L	88%	10%	2%

PHYSICAL SETTING SOURCE RECORDS SEARCHED

TOPOGRAPHIC INFORMATION

USGS 7.5' Digital Elevation Model (DEM)

Source: United States Geologic Survey

EDR acquired the USGS 7.5' Digital Elevation Model in 2002 and updated it in 2006. The 7.5 minute DEM corresponds to the USGS 1:24,000- and 1:25,000-scale topographic quadrangle maps. The DEM provides elevation data with consistent elevation units and projection.

Scanned Digital USGS 7.5' Topographic Map (DRG)

Source: United States Geologic Survey

A digital raster graphic (DRG) is a scanned image of a U.S. Geological Survey topographic map. The map images are made by scanning published paper maps on high-resolution scanners. The raster image is georeferenced and fit to the Universal Transverse Mercator (UTM) projection.

HYDROLOGIC INFORMATION

Flood Zone Data: This data, available in select counties across the country, was obtained by EDR in 2003 & 2009 from the Federal Emergency Management Agency (FEMA). Data depicts 100-year and 500-year flood zones as defined by FEMA.

NWI: National Wetlands Inventory. This data, available in select counties across the country, was obtained by EDR in 2002 and 2005 from the U.S. Fish and Wildlife Service.

State Wetlands Data: Freshwater Wetlands

Source: Department of Environmental Conservation

Telephone: 518-402-8961

HYDROGEOLOGIC INFORMATION

AQUIFLOW^R Information System

Source: EDR proprietary database of groundwater flow information

EDR has developed the AQUIFLOW Information System (AIS) to provide data on the general direction of groundwater flow at specific points. EDR has reviewed reports submitted to regulatory authorities at select sites and has extracted the date of the report, hydrogeologically determined groundwater flow direction and depth to water table information.

GEOLOGIC INFORMATION

Geologic Age and Rock Stratigraphic Unit

Source: P.G. Schruben, R.E. Arndt and W.J. Bawiec, Geology of the Conterminous U.S. at 1:2,500,000 Scale - A digital representation of the 1974 P.B. King and H.M. Beikman Map, USGS Digital Data Series DDS - 11 (1994).

STATSGO: State Soil Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services

The U.S. Department of Agriculture's (USDA) Natural Resources Conservation Service (NRCS) leads the national Conservation Soil Survey (NCSS) and is responsible for collecting, storing, maintaining and distributing soil survey information for privately owned lands in the United States. A soil map in a soil survey is a representation of soil patterns in a landscape. Soil maps for STATSGO are compiled by generalizing more detailed (SSURGO) soil survey maps.

SSURGO: Soil Survey Geographic Database

Source: Department of Agriculture, Natural Resources Conservation Services (NRCS)

Telephone: 800-672-5559

SSURGO is the most detailed level of mapping done by the Natural Resources Conservation Services, mapping scales generally range from 1:12,000 to 1:63,360. Field mapping methods using national standards are used to construct the soil maps in the Soil Survey Geographic (SSURGO) database. SSURGO digitizing duplicates the original soil survey maps. This level of mapping is designed for use by landowners, townships and county natural resource planning and management.

PHYSICAL SETTING SOURCE RECORDS SEARCHED

LOCAL / REGIONAL WATER AGENCY RECORDS

FEDERAL WATER WELLS

PWS: Public Water Systems

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Public Water System data from the Federal Reporting Data System. A PWS is any water system which provides water to at least 25 people for at least 60 days annually. PWSs provide water from wells, rivers and other sources.

PWS ENF: Public Water Systems Violation and Enforcement Data

Source: EPA/Office of Drinking Water

Telephone: 202-564-3750

Violation and Enforcement data for Public Water Systems from the Safe Drinking Water Information System (SDWIS) after August 1995. Prior to August 1995, the data came from the Federal Reporting Data System (FRDS).

USGS Water Wells: USGS National Water Inventory System (NWIS)

This database contains descriptive information on sites where the USGS collects or has collected data on surface water and/or groundwater. The groundwater data includes information on wells, springs, and other sources of groundwater.

STATE RECORDS

New York Public Water Wells

Source: New York Department of Health

Telephone: 518-458-6731

OTHER STATE DATABASE INFORMATION

Oil and Gas Well Database

Department of Environmental Conservation

Telephone: 518-402-8072

These files contain records, in the database, of wells that have been drilled.

RADON

State Database: NY Radon Source: Department of Health Telephone: 518-402-7556 Radon Test Results

Area Radon Information Source: USGS

Telephone: 703-356-4020

The National Radon Database has been developed by the U.S. Environmental Protection Agency

(USEPA) and is a compilation of the EPA/State Residential Radon Survey and the National Residential Radon Survey. The study covers the years 1986 - 1992. Where necessary data has been supplemented by information collected at private sources such as universities and research institutions.

EPA Radon Zones Source: EPA

Telephone: 703-356-4020

Sections 307 & 309 of IRAA directed EPA to list and identify areas of U.S. with the potential for elevated indoor

radon levels.

OTHER

Airport Landing Facilities: Private and public use landing facilities

Source: Federal Aviation Administration, 800-457-6656

Epicenters: World earthquake epicenters, Richter 5 or greater

Source: Department of Commerce, National Oceanic and Atmospheric Administration

PHYSICAL SETTING SOURCE RECORDS SEARCHED

STREET AND ADDRESS INFORMATION

© 2010 Tele Atlas North America, Inc. All rights reserved. This material is proprietary and the subject of copyright protection and other intellectual property rights owned by or licensed to Tele Atlas North America, Inc. The use of this material is subject to the terms of a license agreement. You will be held liable for any unauthorized copying or disclosure of this material.

East New York - Cross Harbor Portfolio

Van Sinderen Ave. / Sutter Ave. Brooklyn, NY 11212

Inquiry Number: 3164130.3

September 16, 2011

Certified Sanborn® Map Report



Certified Sanborn® Map Report

9/16/11

Site Name: Client Name:

East New York - Cross Harbor STV Inc.

Van Sinderen Ave. / Sutter Ave.

Brooklyn, NY 11212 STV Inc.

225 Park Ave S

New York, NY 10003

EDR Inquiry # 3164130.3 Contact: Doane E. Cafferty



The complete Sanborn Library collection has been searched by EDR, and fire insurance maps covering the target property location provided by STV Inc. were identified for the years listed below. The certified Sanborn Library search results in this report can be authenticated by visiting www.edrnet.com/sanborn and entering the certification number. Only Environmental Data Resources Inc. (EDR) is authorized to grant rights for commercial reproduction of maps by Sanborn Library LLC, the copyright holder for the collection.

Certified Sanborn Results:

Site Name: East New York - Cross Harbor Portfolio

Address: Van Sinderen Ave. / Sutter Ave.

City, State, Zip: Brooklyn, NY 11212

Cross Street:

P.O. # 4014403

Project: Cross Harbor - East New York

Certification # E75A-41DD-9B5A

Maps Provided:

2007	2001	1989	1981	1965	1908
2006	1996	1988	1980	1963	1907
2005	1995	1987	1979	1951	1887
2004	1994	1986	1978	1950	
2003	1992	1983	1977	1932	
2002	1991	1982	1966	1928	



Sanborn® Library search results Certification # E75A-41DD-9B5A

The Sanborn Library includes more than 1.2 million Sanborn fire insurance maps, which track historical property usage in approximately 12,000 American cities and towns. Collections searched:

Library of Congress

✓ University Publications of America

✓ EDR Private Collection

The Sanborn Library LLC Since 1866™

Limited Permission To Make Copies

STV Inc. (the client) is permitted to make up to THREE photocopies of this Sanborn Map transmittal and each fire insurance map accompanying this report solely for the limited use of its customer. No one other than the client is authorized to make copies. Upon request made directly to an EDR Account Executive, the client may be permitted to make a limited number of additional photocopies. This permission is conditioned upon compliance by the client, its customer and their agents with EDR's copyright policy; a copy of which is available upon request.

Disclaimer - Copyright and Trademark notice

This Report contains certain information obtained from a variety of public and other sources reasonably available to Environmental Data Resources, Inc. It cannot be concluded from this Report that coverage information for the target and surrounding properties does not exist from other sources. NO WARRANTY EXPRESSED OR IMPLIED, IS MADE WHATSOEVER IN CONNECTION WITH THIS REPORT. ENVIRONMENTAL DATA RESOURCES, INC. SPECIFICALLY DISCLAIMS THE MAKING OF ANY SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE. ALL RISK IS ASSUMED BY THE USER. IN NO EVENT SHALL ENVIRONMENTAL DATA RESOURCES, INC. BE LIABLE TO ANYONE, WHETHER ARISING OUT OF ERRORS OR OMISSIONS, NEGLIGENCE, ACCIDENT OR ANY OTHER CAUSE, FOR ANY LOSS OF DAMAGE, INCLUDING, WITHOUT LIMITATION, SPECIAL, INCIDENTAL CONSEQUENTIAL, OR EXEMPLARY DAMAGES. ANY LIABILITY ON THE PART OF ENVIRONMENTAL DATA RESOURCES, INC. IS STRICTLY LIMITED TO A REFUND OF THE AMOUNT PAID FOR THIS REPORT. Purchaser accepts this Report "AS IS". Any analyses, estimates, ratings, environmental risk levels or risk codes provided in this Report are provided for illustrative purposes only, and are not intended to provide, nor should they be interpreted as providing any facts regarding, or prediction or forecast of, any environmental risk for any property. Only a Phase I Environmental Site Assessment performed by an environmental professional can provide information regarding the environmental risk for any property. Additionally, the information provided in this Report is not to be construed as legal advice.

Copyright 2011 by Environmental Data Resources, Inc. All rights reserved. Reproduction in any media or format, in whole or in part, of any report or map of Environmental Data Resources, Inc., or its affiliates, is prohibited without prior written permission.

EDR and its logos (including Sanborn and Sanborn Map) are trademarks of Environmental Data Resources, Inc. or its affiliates. All other trademarks used herein are the property of their respective owners.

Sanborn Sheet Thumbnails


This Certified Sanborn Map Report is based upon the following Sanborn Fire Insurance map sheets.




2007 Source Sheets



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11



Volume 7, Sheet 12




Volume 7, Sheet 32


2006 Source Sheets



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11



Volume 7, Sheet 12




Volume 7, Sheet 32


2005 Source Sheets



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11




Volume 7, Sheet 12



Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8




Volume 7, Sheet 11




Volume 7, Sheet 12



Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11




Volume 7, Sheet 12




Volume 7, Sheet 32


2002 Source Sheets



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11




Volume 7, Sheet 12




Volume 7, Sheet 32


2001 Source Sheets



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11




Volume 7, Sheet 12



Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8

1995 Source Sheets Volume 7, Sheet 11 1994 Source Sheets



Volume 7, Sheet 12





Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 16, Sheet 7









Volume 7, Sheet 11

Volume 7, Sheet 12

Volume 7, Sheet 32

Volume 16, Sheet 7











Volume 16, Sheet 7

Volume 16, Sheet 8

Volume 7, Sheet 32

Volume 7, Sheet 11

Volume 7, Sheet 12



Volume 7, Sheet 11



Volume 7, Sheet 12



Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8

1988 Source Sheets



Volume 7, Sheet 11



Volume 7, Sheet 12




Volume 7, Sheet 32

1987 Source Sheets



Volume 7, Sheet 11



Volume 7, Sheet 12



Volume 7, Sheet 32




Volume 16, Sheet 7



Volume 16, Sheet 8




Volume 16, Sheet 7



Volume 16, Sheet 8





Volume 16, Sheet 7

Volume 16, Sheet 8







Volume 7, Sheet 11

Volume 7, Sheet 12

Volume 7, Sheet 32

1981 Source Sheets





Volume 16, Sheet 7

Volume 16, Sheet 8








Volume 7, Sheet 11

Volume 7, Sheet 12


Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11




Volume 7, Sheet 12



Volume 7, Sheet 32

1978 Source Sheets



Volume 7, Sheet 11



Volume 7, Sheet 12




Volume 7, Sheet 32

1977 Source Sheets



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11




Volume 7, Sheet 12



Volume 7, Sheet 32

1963 Source Sheets



Volume 7, Sheet 11




Volume 7, Sheet 12




Volume 7, Sheet 32

1951 Source Sheets



Volume 7, Sheet 11




Volume 7, Sheet 12



Volume 7, Sheet 32



Volume 16, Sheet 7



Volume 16, Sheet 8



Volume 7, Sheet 11



Volume 7, Sheet 12



Volume 7, Sheet 32

1928 Source Sheets



Volume 16, Sheet 7




Volume 16, Sheet 8

1908 Source Sheets



Volume 7, Sheet 42



Volume 8, Sheet 7



Volume 7, Sheet 20




Volume 7, Sheet 21



Volume 16, Sheet 2











Volume 8, Sheet 195


Volume 8, Sheet 196


Volume 8, Sheet 198


Volume 8, Sheet 199
































3164130 - 3 page 165







