Torres Rojas, Genara FOI #13681

From: shenry@ap.org
Sent: Monday, January 07, 2013 1:30 PM
To: Duffy, Daniel
Cc: Torres Rojas, Genara; Van Duyne, Sheree
Subject: Freedom of Information Online Request Form

Information:

First Name: Samantha
Last Name: Henry
Company: The Associated Press
Mailing Address 1: 50 Park Place
Mailing Address 2: Suite 800
City: Newark
State: NJ
Zip Code: 07102
Email Address: shenry@ap.org
Phone: 973-642-0151
Required copies of the records: Yes

List of specific record(s):
Maintenance records for the Exchange Place PATH station escalators for 2011 and 2012.

THE PORT AUTHORITY OF NY & NJ

FOI Administrator

October 3, 2013

Ms. Samatha Henry
The Associated Press
50 Park Place, Suite 800
Newark, NJ 07102

Re: Freedom of Information Reference No. 13681

Dear Ms. Henry:

This is a response to your January 7, 2013 request, which has been processed under the Port Authority's Freedom of Information Code (the "Code") for copies of maintenance records for the Exchange Place PATH station escalators for 2011 and 2012.

Material responsive to your request and available under the Code can be found on the Port Authority's website at http://www.panynj.gov/corporate-information/foi/13681-O.pdf. Paper copies of the available records are available upon request.

Please refer to the above FOI reference number in any future correspondence relating to your request.

Very truly yours,

Daniel D. Duffy
FOI Administrator

225 Park Avenue South, 17th Floor
New York, NY 10003
T: 212 435 3642
F: 212 435 7555

Equipment -Routine Report

Eq number :**ESC-01X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

From date : 1/1/2011

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29730	129	1/25/2011	Maintenance	Archive		1/25/2011			
29729	129	2/23/2011	Maintenance	Archive		2/23/2011			
29728	129	3/8/2011	Maintenance	Archive		3/8/2011			
29727	129	4/20/2011	Maintenance	Archive		4/20/2011			
29726	129	5/6/2011	Maintenance	Archive		5/6/2011			
29725	129	6/15/2011	Maintenance	Archive		6/15/2011			
29724	129	7/1/2011	Maintenance	Archive		7/1/2011			
29723	129	8/16/2011	Maintenance	Archive		8/16/2011			
29722	129	9/16/2011	Maintenance	Archive		9/16/2011			
29721	129	10/18/2011	Maintenance	Archive		10/18/2011			

Equipment -Routine Report

Eq number :**ESC-01X**
Equipment Description : Escalator
Location . EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29720	129	11/3/2011	Maintenance	Archive		11/3/2011			
29719	129	12/14/2011	Maintenance	Archive		12/14/2011			
30315	129	1/11/2012	Maintenance	Archive		1/11/2012			
30316	129	2/8/2012	Maintenance	Archive		2/8/2012			
30317	129	3/7/2012	Maintenance	Archive		3/7/2012			
30318	129	4/5/2012	Maintenance	Archive		4/5/2012			
30319	129	5/4/2012	Maintenance	Archive		5/4/2012			
30320	129	6/1/2012	Maintenance	Archive		6/1/2012			
30321	129	7/10/2012	Maintenance	Archive		7/10/2012			
30322	129	8/3/2012	Maintenance	Archive		8/3/2012			
30323	129	9/4/2012	Maintenance	Archive		9/4/2012			

Equipment -Routine Report

Eq number :**ESC-01X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
30324	129	10/12/2012	Maintenance	Archive		10/12/2012			
30325	129	11/14/2012	Maintenance	Deferred	11/16/2012				HURRICANE SANDY

Equipment -Routine Report

Eq number :**ESC-01X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

From date : 1/1/2011

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29730	129	1/25/2011	Maintenance	Archive		1/25/2011			
29729	129	2/23/2011	Maintenance	Archive		2/23/2011			
29728	129	3/8/2011	Maintenance	Archive		3/8/2011			
29727	129	4/20/2011	Maintenance	Archive		4/20/2011			
29726	129	5/6/2011	Maintenance	Archive		5/6/2011			
29725	129	6/15/2011	Maintenance	Archive		6/15/2011			
29724	129	7/1/2011	Maintenance	Archive		7/1/2011			
29723	129	8/16/2011	Maintenance	Archive		8/16/2011			
29722	129	9/16/2011	Maintenance	Archive		9/16/2011			
29721	129	10/18/2011	Maintenance	Archive		10/18/2011			

Equipment -Routine Report

Eq number :**ESC-01X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29720	129	11/3/2011	Maintenance	Archive		11/3/2011			
29719	129	12/14/2011	Maintenance	Archive		12/14/2011			
30315	129	1/11/2012	Maintenance	Archive		1/11/2012			
30316	129	2/8/2012	Maintenance	Archive		2/8/2012			
30317	129	3/7/2012	Maintenance	Archive		3/7/2012			
30318	129	4/5/2012	Maintenance	Archive		4/5/2012			
30319	129	5/4/2012	Maintenance	Archive		5/4/2012			
30320	129	6/1/2012	Maintenance	Archive		6/1/2012			
30321	129	7/10/2012	Maintenance	Archive		7/10/2012			
30322	129	8/3/2012	Maintenance	Archive		8/3/2012			
30323	129	9/4/2012	Maintenance	Archive		9/4/2012			

Equipment -Routine Report

Eq number :**ESC-01X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
30324	129	10/12/2012	Maintenance	Archive		10/12/2012			
30325	129	11/14/2012	Maintenance	Deferred	11/16/2012				HURRICANE SANDY
32288	129	1/9/2013	Maintenance	Scheduled					
32289	129	2/6/2013	Maintenance	Scheduled					
30326	129	2/12/2013	Maintenance	Scheduled					
32290	129	3/6/2013	Maintenance	Scheduled					
32291	129	4/9/2013	Maintenance	Scheduled					
32292	129	5/10/2013	Maintenance	Scheduled					
32293	129	6/13/2013	Maintenance	Scheduled					

Equipment -Routine Report

Eq number :**ESC-02X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

From date : 1/1/2011

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29718	130	1/25/2011	Maintenance	Archive		1/25/2011			
29717	130	2/23/2011	Maintenance	Archive		2/23/2011			
29716	130	3/23/2011	Maintenance	Archive		3/23/2011			
29715	130	4/11/2011	Maintenance	Archive		4/11/2011			
29714	130	5/6/2011	Maintenance	Archive		5/6/2011			
29713	130	6/15/2011	Maintenance	Archive		6/15/2011			
29712	130	7/13/2011	Maintenance	Archive		7/13/2011			
29711	130	8/16/2011	Maintenance	Archive		8/16/2011			
29710	130	9/16/2011	Maintenance	Archive		9/16/2011			
29709	130	10/18/2011	Maintenance	Archive		10/18/2011			
29708	130	11/16/2011	Maintenance	Archive		11/16/2011			

Equipment -Routine Report

Eq number :**ESC-02X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29707	130	12/14/2011	Maintenance	Archive		12/14/2011			
30327	130	1/11/2012	Maintenance	Archive		1/11/2012			
30328	130	2/8/2012	Maintenance	Archive		2/8/2012			
30329	130	3/7/2012	Maintenance	Archive		3/7/2012			
30330	130	4/5/2012	Maintenance	Archive		4/5/2012			
30331	130	5/7/2012	Maintenance	Archive		5/7/2012			
30332	130	6/1/2012	Maintenance	Archive		6/1/2012			
30333	130	7/10/2012	Maintenance	Archive		7/10/2012			
30334	130	8/13/2012	Maintenance	Archive		8/13/2012			

Equipment -Routine Report

Eq number :**ESC-02X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
30335	130	9/13/2012	Maintenance	Archive		9/13/2012			
30336	130	10/12/2012	Maintenance	Archive		10/12/2012			
30337	130	11/14/2012	Maintenance	Deferred	11/16/2012				HURRICANE SANDY
30338	130	12/12/2012	Maintenance	Archive		12/12/2012			

Equipment -Routine Report

Eq number :**ESC-03X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

From date : 1/1/2011

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29706	131	1/31/2011	Maintenance	Archive		1/31/2011			
29705	131	2/23/2011	Maintenance	Archive		2/23/2011			
29704	131	3/23/2011	Maintenance	Archive		3/23/2011			
29703	131	4/11/2011	Maintenance	Archive		4/11/2011			
29702	131	5/18/2011	Maintenance	Archive		5/18/2011			
29701	131	6/15/2011	Maintenance	Archive		6/15/2011			
29700	131	7/13/2011	Maintenance	Archive		7/13/2011			
29699	131	8/16/2011	Maintenance	Archive		8/16/2011			
29698	131	9/16/2011	Maintenance	Archive		9/16/2011			
29697	131	10/18/2011	Maintenance	Archive		10/18/2011			
29696	131	11/16/2011	Maintenance	Archive		11/16/2011			

Equipment -Routine Report

Eq number :ESC-03X
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
29695	131	12/14/2011	Maintenance	Archive		12/14/2011			
30339	131	1/11/2012	Maintenance	Archive		1/11/2012			
30340	131	2/8/2012	Maintenance	Archive		2/8/2012			
30341	131	3/7/2012	Maintenance	Archive		3/7/2012			
30342	131	4/5/2012	Maintenance	Archive		4/5/2012			
30343	131	5/7/2012	Maintenance	Archive		5/7/2012			
30344	131	6/1/2012	Maintenance	Archive		6/1/2012			
30345	131	7/16/2012	Maintenance	Archive		7/16/2012			
30346	131	8/13/2012	Maintenance	Archive		8/13/2012			

Equipment -Routine Report

Eq number :**ESC-03X**
Equipment Description : Escalator
Location : EXCHANGE PLACE-Street Level
Additional Information :

Manufacturer :
Vendor :
Model :
Serial :
Installed :
Cost :

Work order no	Routine No	Sched date	Type of Work	Status	Def or can date	Complete date	Comments	Reason code	Reason
30347	131	9/13/2012	Maintenance	Archive		9/13/2012			
30348	131	10/12/2012	Maintenance	Archive		10/12/2012			
30349	131	11/14/2012	Maintenance	Deferred	11/16/2012				HURRICANE SANDY
30350	131	12/10/2012	Maintenance	Archive		12/10/2012			
32312	131	1/9/2013	Maintenance	Scheduled					
32313	131	2/6/2013	Maintenance	Scheduled					
32314	131	3/6/2013	Maintenance	Scheduled					
32315	131	4/9/2013	Maintenance	Scheduled					
32316	131	5/10/2013	Maintenance	Scheduled					

Exchange Place Escalator #2
Non-Routine
Work Orders

NON-ROUTINE WORK ORDERS BY TYPE OF WORK-MAINTENANCE
FROM 1/1/2011-12/31/2012
EXCHANGE PLACE ESC#2

PRIORITY	REQUEST DATE	NON-ROUTINE#	TYPE OF WORK	STATUS	ORG UNIT	DESCRIPTION	EQUIP #	LOCATION
Normal	1/27/2011	107831	Maintenance	archive	565	Replaced broken steps and combs	ESC-02X	Street Level
Normal	2/7/2011	107843	Maintenance	archive	565	Reset Handrail	ESC-02X	Street Level
Normal	4/12/2011	107977	Maintenance	archive	565	Upthrust Switch	ESC-02X	Street Level
Normal	8/26/2011	108315	Maintenance	archive	565	Troubleshoot intermittent fault in safety circuit	ESC-02X	Street Level
Normal	10/15/2011	108407	Maintenance	archive	565	Skirt switch tripped	ESC-02X	Street Level
Normal	10/19/2011	108411	Maintenance	archive	565	Work with spliceman installing new handrail	ESC-02X	Street Level
Normal	10/25/2011	108424	Maintenance	archive	565	Comb Impact	ESC-02X	Street Level
Normal	11/2/2011	108444	Maintenance	archive	565	Adjust carriage	ESC-02X	Street Level
Normal	12/9/2011	108522	Maintenance	archive	565	Replace plastic inserts for pony motor	ESC-02X	Street Level
Normal	12/23/2011	108548	Maintenance	archive	565	Install static brushes	ESC-02X	Exchange Place
Normal	2/13/2012	108660	Maintenance	archive	565	Reverse Phase	ESC-02X	Exchange Place
Normal	3/29/2012	108790	Maintenance	archive	565	Replace bad resistor on main board	ESC-02X	Exchange Place
Normal	5/14/2012	108953	Maintenance	archive	565	Adjust step chain guides	ESC-02X	Exchange Place
Normal	6/14/2012	109040	Maintenance	archive	565	Worn step guides	ESC-02X	Exchange Place
Normal	8/13/2012	109165	Maintenance	archive	565	step wreck, replace broken steps and chain roller	ESC-02X	Exchange Place
Normal	9/21/2012	109248	Maintenance	archive	565	step wreck, remove broken steps and chain roller tracks	ESC-02X	Exchange Place
Normal	10/10/2012	109305	Maintenance	archive	565	Install and adjust repaired step chain track	ESC-02X	Exchange Place